


Moving Average Processes

STAT 464 / 864 | Fall 2024

Discrete Time Series Analysis

Skyepaphora Griffith, Queen's University

We learned something Today, in Time Series



Linear Filters!

Passes certain qualities of the data and eliminates others
Imagine listening to someone behind a closed window:
The window filters out high-frequency noises like consonants,
and passes low-frequency info like vowel sounds.

Causality:

The past is far behind us, the future doesn't exist


A Proposition:

Put in a stationary series \rightarrow get out a stationary series!
Know the input ACVF \rightarrow know the output ACVF!

What do we tell quin?

Moving Average Models | Order 1

Definition: A time series $\{X_t\}$ is a Moving Average process of Order 1, or an MA(1) Process, if:




For some parameter $\theta \neq 0$

Causal?  **Yes**


Linear Process? **Yes**

Filter?




MA(1) Processes | Expectation

$\{Z_t\}$ is white noise \rightarrow




MA(1) Processes | Variance σ_X^2




Uncorrelated $\{Z_t\}$

MA(1) Processes | Autocovariance




Moving Average Models | Order $q > 1$

MA(q) Process:




As before, the expectation is zero.

MA(q) Processes | Variance



MA(q) Processes | Covariance



MA(q) Processes | Correlation

$$\gamma(h) = \begin{cases} \sigma^2(1 + \theta_1^2 + \cdots + \theta_q^2) & h = 0 \\ \sigma^2(\theta_1 + \theta_1\theta_{1+h} \cdots + \theta_{q-1}\theta_{q-1+h}) & |h| = 1, 2, \dots, q \\ 0 & |h| > q \end{cases}$$

We learned something last time, in Time Series 🕒



What did we tell quin?