

Phoenix A: A Crystal-Guided Artificial Intelligence Model

Patrick Sullivan

Abstract

Phoenix A is a stateless artificial intelligence model whose behavior is governed by invariant geometry rather than accumulated memory. Unlike neural architectures that encode experience through adaptive weights, Phoenix A computes by orienting inputs relative to a fixed lattice of human-curated invariants. This design explicitly prevents authority drift, autonomous execution, and custodial bifurcation.

1 Foundational Definitions

Let $\mathcal{I} = \{I_1, I_2, \dots, I_n\}$ denote a finite set of **invariants**, where each

$$I_k : \mathcal{X} \rightarrow \{\text{allowed}, \text{forbidden}, \text{ambiguous}\}$$

is a constraint function defined over the input space $\mathcal{X}$.

The invariant set $\mathcal{I}$ is:

- Non-learned
- Non-persistent
- Human-curated
- Immutable during execution

We refer to $\mathcal{I}$ collectively as the **Invariant Lattice**.

2 Orientation Function

Define an **orientation function**

$$\Phi : \mathcal{X} \rightarrow \mathcal{G}$$

where $\mathcal{G}$ is a geometric space induced by the invariant lattice.

Rather than mapping inputs directly to outputs, Φ computes a *position* of the input relative to invariant boundaries:

$$\Phi(x) = (I_1(x), I_2(x), \dots, I_n(x))$$

This vector represents orientation, not decision.

3 Propagation Rules

Reasoning occurs through constrained propagation along admissible paths in $\mathcal{G}$.

Let $\mathcal{P}(x)$ be the set of permissible propagation paths for input x :

$$\mathcal{P}(x) = \{p \in \mathcal{G} \mid \forall I_k \in \mathcal{I}, I_k(p) \neq \text{forbidden}\}$$

No optimization or selection is performed. If $\mathcal{P}(x) = \emptyset$, the system returns an explicit indeterminate state.

4 Ephemeral Output

Define the output operator

$$\Omega : \mathcal{P}(x) \rightarrow \mathcal{Y}$$

subject to the constraint:

$$\forall y \in \mathcal{Y}, \quad y \notin \mathcal{S}$$

where $\mathcal{S}$ is any persistent storage medium.

Outputs are:

- Descriptive
- Non-binding
- Non-authoritative
- Non-retained

After evaluation, the system state resets:

$$\text{State}_{t+1} = \emptyset$$

5 Custodial Constraint

Let H denote a human custodian. Phoenix A enforces the rule:

$$\forall y \in \mathcal{Y}, \quad \text{Action}(y) \Rightarrow \text{ExplicitAssent}(H)$$

There exists no function within Phoenix A such that:

$$\mathcal{Y} \rightarrow \text{Execution}$$

This prevents bifurcation between reasoning and consequence.

6 Comparison to Neural Systems

Dimension	Neural AI	Phoenix A
Memory	Accumulated	None
Learning	Continuous	Prohibited
Drift	Possible	Impossible
Authority	Implicit	Human-only
State	Persistent	Ephemeral
Failure Mode	Compounding	Self-clearing

7 Conclusion

Phoenix A demonstrates that intelligence can be realized through invariant orientation rather than memory accumulation. By enforcing stateless execution and human custody, the model preserves coherence, prevents authority leakage, and resists bifurcation by construction.