





Digitally Controlled Analog Mixing Console




Mixing?



Traditional



x100-1000



Project: _____ **Artist:** _____




Date: _____ **Engineer:** _____ **#** _____ **of** _____

Estudio: _____ **Assistant:** _____


CH	CH	CH	CH	CH	CH
MIC LINE HPF HF HMF LMF LF DIRECT PRE/FX POST CUE ST FX1 FX2 REC MIX 	MIC LINE HPF HF HMF LMF LF DIRECT PRE/FX POST CUE ST FX1 FX2 REC MIX 	MIC LINE HPF HF HMF LMF LF DIRECT PRE/FX POST CUE ST FX1 FX2 REC MIX 	MIC LINE HPF HF HMF LMF LF DIRECT PRE/FX POST CUE ST FX1 FX2 REC MIX 	MIC LINE HPF HF HMF LMF LF DIRECT PRE/FX POST CUE ST FX1 FX2 REC MIX 	MIC LINE HPF HF HMF LMF LF DIRECT PRE/FX POST CUE ST FX1 FX2 REC MIX
FDR	FDR	FDR			FDR


802a						802a						802a						802a						802a						802a						802a						802a					
SESSION						DATE						ENGINEER						PRODUCER						NOTES																							









x100-1000







OURS


Potentiometer =
Physical control device / indicator
+ Variable resistor








Voltage Controlled Resistors??



Voltage Controlled Amplifiers












Benefits


- Instant recall and saving of progress
- High recall consistency / accuracy
- Multiple versions of mixes
- Easy automation of multiple parameters
- Smaller (one knob control be multiple things)

LTSPICE



Input Section





SEND

Aux 1 (press enable)

Pan

Aux 2 (press enable)

Pan

Aux 3 (press enable)

Pan

Aux 4 (press enable)

Pan

EQ

HF Gain (Hold for Q)

Freq

HMF Gain (Hold for Q)

Freq

LMF Gain (Hold for Q)

Freq

LF Gain (Hold for Q)

Freq

COMP

In Gain

Attack

Thresh


Release

Out Gain

Ratio

De-Ess Amt





SEND

- Make cue mixes
- Make FX send mixes

