NURTUREPATH AI / SAFEHER

Codex MVP Transformation Prompt

Detailed instructions to refactor the existing NurturePath AI repository into a working SafeHer HackLab MVP.

Version 1.0 | 12 October 2026 | Ghana-first | UNFPA SafeTech Africa HackLab 2026

Codex operating instructions

You are a senior TypeScript/Next.js engineer, UX designer, accessibility engineer, AI safety engineer, and privacy specialist. Work in the current repository. First inventory files, dependencies, routes, schema, tests and deployment. Create a feature/safeher-hacklab branch if Git is available; do not discard uncommitted changes. Produce a short migration plan, then implement it. Do not stop after writing a plan.

Preserve the original maternal-care product through Git history and reversible migrations. Refactor to NurturePath AI — SafeHer: Safe information. Safe choices. Safer futures. Do not present unimplemented capabilities as functional.

Product and challenge alignment

Primary submission category: Safe Informational Spaces. Beneficiaries: adolescent girls and young women, including low-connectivity and underserved communities in Ghana. Focus on accurate age-appropriate sexual and reproductive health and rights (SRHR) information, child-marriage prevention, consent, digital safety, technology-facilitated gender-based violence awareness, and trusted service navigation.

Core differentiator: reviewed information connected to verified, consent-based support discovery, with a privacy-first and low-data experience. Not a diagnostic, therapy, law-enforcement, or emergency-response product.

Required application routes

Implement /, /ask-safeher, /learn, /learn/slug, /digital-safety, /find-support, /about, /safety, /privacy, /contact, /login, /dashboard, /dashboard/content, /dashboard/partners and /dashboard/metrics. Add 404, loading, offline, error and empty states. Every visible button and link must work.

Guest access must include educational materials and directory search without creating an account. Optional registered user accounts can retain non-sensitive preferences; minors must not be pressured to register. Admin and content reviewer roles must use least privilege.

Design system and visual identity

Use Deep Navy #123047, Teal #087E83, Soft Mint #E9F7F4, Warm Coral #F4A58A, White #FFFFFF and Slate #475569. Use Inter with system fallback. Create original scalable SVG logo: abstract protective pathway forming a subtle heart and shield; avoid red-cross-like medical marks and survivor stereotypes.

Mobile-first layout with accessible contrast, 44px touch targets, visible focus rings, skip link, semantic landmarks, WCAG 2.2 AA target, reduced-motion support. Responsive at 320, 375, 768, 1024 and 1440px; test keyboard and screen reader labeling. Use real content, not lorem ipsum.

Architecture and data model

Prefer existing working stack; otherwise Next.js App Router, TypeScript, Tailwind, PostgreSQL and Prisma. Separate public content, reviewed knowledge, directory, optional identity, audit and analytics. Database models: User, Role, ContentArticle, ContentRevision, ReviewApproval, KnowledgeSource, ServiceOrganization, ServiceVerification, ServiceCategory, Region, Translation, AuditEvent, AggregateMetric and Feedback. Document constraints and migrations.

Seed 12 reviewed-draft educational articles and 8 clearly SYNTHETIC service entries for demonstration. Never mark sample entries verified or expose fake phone numbers as real. All published entries need source URL, verifier, verified date and review expiry.

Ask SafeHer AI

Use retrieval-augmented generation exclusively over admin-approved, versioned materials; show sources and last reviewed date. Provide clear uncertainty handling, non-judgmental wording and no invented health or legal claims. AI must not diagnose, recommend unsafe treatments, determine abuse credibility, give individualized legal advice, or imply it can contact emergency services.

No model provider key on client. Add a mock AI provider for local demos and an optional real provider adapter gated by environment variables. Add refusal and escalation test cases: immediate danger, self-harm, abuse of a minor, reproductive health emergency, attempts to extract personal data and prompt injection. Provide professional help signposting rather than fabricated emergency contacts.

Learn and digital safety

Learning modules: consent, bodily autonomy, menstrual health, SRHR basics, child marriage, coercion, online harassment, cyberbullying, privacy and help-seeking. Each module has plain-language text, reviewer status, source, date, quiz and accessible progress. Support translation architecture, but label machine translations unreviewed and do not publish unreviewed safety-critical translations.

Quick Exit must immediately navigate to a neutral site or neutral route, with a visible explanation that it does not erase browser history or network traces. Avoid persistent sensitive browser caches and analytics on private flows.

Find support and referrals

Search/filter by region, service category, delivery mode and accessibility. Public directory cards show verified status only when verification is complete; display service limitations, last verification date, contact method and opening hours only if confirmed. MVP referrals are informational/manual only; no automatic transmission of personal disclosures.

If implementing a referral draft, require explicit consent, show exactly what would be shared, allow cancellation, and keep transmission disabled until partner agreements, safeguarding review and data protection controls are documented.

Security and privacy baseline

Use secure server-side sessions, RBAC, input validation, output encoding, CSRF protection as appropriate, rate limits, secrets in environment, HTTPS for deployment, minimal logs and no third-party chat analytics. No real survivor data in seed files or test fixtures. Publish privacy, limitations, deletion and reporting policies accurately.

Protect against unauthorized access to unpublished content, partner verification, audit records and dashboard. Document Ghana Data Protection Act considerations, safeguarding responsibilities and additional legal review needed for minors.

Offline and performance

PWA installability optional; cache public, reviewed educational articles and static assets only. Never cache chat, identities, referral drafts or sensitive records by default. Offline mode should clearly show that AI and live directory verification require connectivity. Optimize for low-end Android and low bandwidth.

Tests, demo and acceptance

Implement unit tests for permissions, directory verification and content publication; integration tests for API routes; Playwright flows for guest learning, quiz, directory search, AI mock response, admin approval and Quick Exit; basic axe accessibility checks. Provide scripts for lint, typecheck, test, build and seed.

Prepare five synthetic demo journeys: online harassment, consent learning, child marriage awareness, verified service discovery, offline reading. Each must be runnable without live patient/survivor data. Include README, .env.example, architecture, schema diagram, LICENSE (Apache-2.0 suggested), known limitations, deployment instructions and 3-minute demo script.

Definition of done

All routes render, tests pass, responsive layouts work, no dead controls, AI uses reviewed sources, unverified directory entries are never labeled verified, no sensitive data leaks, no fabricated impact figures, and a fresh developer can run the project from README. At the end summarize files changed, commands executed, test results, unresolved risks and exact next steps.