
a
From a published method to a reproduced number
Fundus-specific methods registered
multi-scale CNN, relation, semi-supervised, adapted FM
20
Author code found
level R1 or higher
5
Training code
level R3 or higher
3
Code, weights, splits and environment
level R4
1
Reported number reproduced
within 0.02 mAUPR, author recipe
1
simulated
b
What method papers report
Split on IDRiD
official
not stated
90%
10%
30 papers
Split on DDR
official
own split
not stated
83%
8%
8%
24 papers
AUPR implementation
exact AP
per-image mean
7%
22%
67%
27 papers
Baseline numbers
re-run
fixed thresholds
not stated
copied once
copied again
unverifiable
28%
22%
26%
23%
1538 numbers
c
One method, many reported values
reported in one paper
retrained here (B-std)
retrained values simulated
RTNet
PMCNet
SAA
M2MRF
RILBP-YNet
L-Seg
HRNet
Swin (UPerNet)
HED
DeepLabv3+
PSPNet
U-Net++
CASENet
FCRN
U-Net
n = 3
n = 3
n = 3
n = 6
n = 3
n = 14
n = 4
n = 4
n = 7
n = 11
n = 4
n = 3
n = 4
n = 3
n = 6
0.4
0.6
0.8
mAUPR on IDRiD
d
Same maps, two AUPR implementations
exact AUPR (this protocol)
11 thresholds, stored 16-bit maps
11 thresholds, author function on float output
M2MRF, IDRiD checkpoint
M2MRF, DDR checkpoint
author weights, measured
HRNet-W48
Swin-Unet
nnU-Net
U-Net
M2MRF
nnU-Net ResEnc-M
SAM2-UNet
RETFound + UPerNet
HACDR-Net
DeepLabv3
SAMed
MedSAM (full FT)
SAM-Adapter
FCT
retrained, IDRiD test
rows 3–16 simulated
0.3
0.4
0.5
0.6
0.7
mAUPR
e
Rank by implementation
exact
11-thr.
simulated
HRNet-W48
Swin-Unet
nnU-Net
U-Net
M2MRF
nnU-Net ResEnc
SAM2-UNet
RETFound+UPer.
HACDR-Net
DeepLabv3
SAMed
MedSAM
SAM-Adapter
FCT
SAM2-UNet
nnU-Net ResEnc
RETFound+UPer.
MedSAM
DeepLabv3
4 of 14 models change rank · Kendall τ = 0.91