Cucumber Report

Start : Jul 13, 7:46:47.908 PM	End : Jul 13, 7:48:19.572 PM	Duration : 1 m 31.664 s
Features	Scenarios	Steps
PASSED - 2 FAILED - 0 SKIPPED - 0	PASSED - 2 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Sort Bus Ticket Price	*1 m 4.615 s*	*1*	*1*	*0*	*0*	*3*	*3*	*0*	*0*
Booking Bus Ticket	*1 m 31.656 s*	*1*	*1*	*0*	*0*	*3*	*3*	*0*	*0*

| Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Smoke	1	1	0	0	1	1	0	0
@Prod	1	1	0	0	1	1	0	0

| #	Feature Name	T	P	F	S	Duration
1	Sort Bus Ticket Price	1	1	0	0	1 m 4.615 s
2	Booking Bus Ticket	1	1	0	0	1 m 31.656 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Sort Bus Ticket Price	Sort Bus Ticket Price	3	3	0	0	1 m 4.611 s
2	Booking Bus Ticket	Selecting Bus Price	3	3	0	0	1 m 31.656 s

Sort Bus Ticket Price

PASSED	DURATION - 1 m 4.615 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 7:46:47.908 PM // 7:47:52.523 PM /					

Sort Bus Ticket Price

| PASSED	DURATION - 1 m 4.611 s	[bar chart]	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 7:46:47.912 PM // 7:47:52.523 PM /				
Sort Bus Ticket Price				
@Smoke				

#	Step / Hook Details	Status	Duration
1	Given User Enters the Destination and To and Date	PASSED	34.592 s
	AFTER_STEP - StepDefinitionRedBus.SearchBus.afterSite(io.cucumber.java.Scenario) this is my failure message……….	PASSED	3.437 s
2	When User clicks on search Button and clicks on Sort Button	PASSED	15.137 s
	AFTER_STEP - StepDefinitionRedBus.SearchBus.afterSite(io.cucumber.java.Scenario) this is my failure message……….	PASSED	5.361 s

#	Step / Hook Details	Status	Duration
3	Then Bus Ticket in Sorted Order is Displayed	PASSED	0.272 s
	AFTER_STEP - StepDefinitionRedBus.SearchBus.afterSite(io.cucumber.java.Scenario)	PASSED	5.793 s
	this is my failure message……….		

Booking Bus Ticket

PASSED	DURATION - 1 m 31.656 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 7:46:47.916 PM // 7:48:19.572 PM /					

Selecting Bus Price

PASSED	DURATION - 1 m 31.656 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 7:46:47.916 PM // 7:48:19.572 PM /				
Booking Bus Ticket				
@Prod				

#	Step / Hook Details	Status	Duration
1	Given User Enters the Destination and To and Date and Search	PASSED	1 m 14.400 s
	AFTER_STEP - StepDefinitionRedBus.SearchBus.afterSite(io.cucumber.java.Scenario) this is my failure message……….	PASSED	5.853 s
2	When User Select the Sort by Price	PASSED	0.000 s
	AFTER_STEP - StepDefinitionRedBus.SearchBus.afterSite(io.cucumber.java.Scenario) this is my failure message……….	PASSED	5.815 s
3	Then User Selects the Price Ticket Between 300 to 500	PASSED	0.002 s
	AFTER_STEP - StepDefinitionRedBus.SearchBus.afterSite(io.cucumber.java.Scenario) this is my failure message……….	PASSED	5.582 s