

TECNOLÓGICO NACIONAL DE MÉXICO

INSTITUTO TECNOLÓGICO DE SALTILLO

Materia: Cómputo en la nube

Hora clase: 7:00am - 8:00am

4.10 Análisis de tráfico de red con Wireshark para
la prevención de ataques

Cesar Gabriel Rodriguez Aguilera

No. Control: 21051501

Fecha: 25/03/2026

Tráfico de red:

[illegible]

Filtro HTTP:

Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
http DNS TCP

No.	Time	Source	Destination	Protocol	Length	Info
5304	46.031796200	10.0.42.172	204.79.197.203	HTTP	464	GET /cscpf/MFQwJlBQME4wTDAJBgUrDgMCGUcUABBT0H8tsfuaf3ubd1p1hvq4mqVqgHhWkLqY1h75aoJqG8oZaQh39EQe9KICEzMAAAAH6mBo3u1JhuAAAAAAK3D HTTP
5308	46.083957400	204.79.197.203	10.0.42.172	OCSP	283	Response
5310	46.095083400	10.0.42.172	204.79.197.203	HTTP	466	GET /cscpf/MFQwJlBQME4wTDAJBgUrDgMCGUcUABBT0QYLFE5SG0K2FpaRVfYU7d9gZEBQAOZUEpsABPY2zvadf15mepEHqMOYCEzMAAAAH6mBo3u1JhuAAAAAAK3D HT
5322	46.102522800	204.79.197.203	10.0.42.172	OCSP	230	Response
5324	46.154080000	10.0.42.172	204.79.197.203	HTTP	466	GET /cscpf/MFQwJlBQME4wTDAJBgUrDgMCGUcUABBT0QYLFE5SG0K2FpaRVfYU7d9gZEBQAOZUEpsABPY2zvadf15mepEHqMOYCEzMAAAAH6mBo3u1JhuAAAAAAK3D HT
5326	46.202220000	204.79.197.203	10.0.42.172	OCSP	230	Response
5330	46.215431800	10.0.42.172	204.79.197.203	OCSP	140	Request
5336	46.308549100	204.79.197.203	10.0.42.172	OCSP	1505	Response
5337	46.321097800	10.0.42.172	204.79.197.203	HTTP	472	GET /cscpf/MFQwJlBQME4wTDAJBgUrDgMCGUcUABBT0QYLFE5SG0K2FpaRVfYU7d9gZEBQAOZUEpsABPY2zvadf15mepEHqMOYCEzMAAAAH6mBo3u1JhuAAAAAAK3D HT
5343	46.383734000	204.79.197.203	10.0.42.172	OCSP	1499	Response
5344	46.393860100	10.0.42.172	204.79.197.203	HTTP	466	GET /cscpf/MFQwJlBQME4wTDAJBgUrDgMCGUcUABBT0EVYKX7A9yLd09hqmCNDxFgU3jGGSLmHvXkDbTf6nc1HnaqHYCEzMAAAAH6mBo3u1JhuAAAAAAK3D HT
5355	46.447455300	204.79.197.203	10.0.42.172	OCSP	1361	Response
5357	46.458851100	10.0.42.172	204.79.197.203	HTTP	466	GET /cscpf/MFQwJlBQME4wTDAJBgUrDgMCGUcUABBT0EVYKX7A9yLd09hqmCNDxFgU3jGGSLmHvXkDbTf6nc1HnaqHYCEzMAAAAH6mBo3u1JhuAAAAAAK3D HT
5361	46.506318700	204.79.197.203	10.0.42.172	OCSP	1361	Response
5364	46.535920000	10.0.42.172	204.79.197.203	HTTP	464	GET /cscpf/MFQwJlBQME4wTDAJBgUrDgMCGUcUABBT0EVYKX7A9yLd09hqmCNDxFgU3jGGSLmHvXkDbTf6nc1HnaqHYCEzMAAAAH6mBo3u1JhuAAAAAAK3D HT
5371	46.565026500	204.79.197.203	10.0.42.172	OCSP	1361	Response
5373	46.576057900	10.0.42.172	204.79.197.203	HTTP	464	GET /cscpf/MFQwJlBQME4wTDAJBgUrDgMCGUcUABBT0EVYKX7A9yLd09hqmCNDxFgU3jGGSLmHvXkDbTf6nc1HnaqHYCEzMAAAAH6mBo3u1JhuAAAAAAK3D HT
5377	46.626275800	204.79.197.203	10.0.42.172	OCSP	1361	Response

Frame 5310: Packet, 466 bytes on wire (3728 bits), 466 bytes captured (3728 bits) on interface \Device\NPF... (eth1: {81:ca:b4:f2:80}) (eth1: {81:ca:b4:f2:80})

Ethernet II, Src: Intel64:62:f2:80 (dc:46:28:64:f2:80), Dst: Fortinet_ab_34:07 (e8:1c:b4:ab:34:07)


Internet Protocol Version 4, Src: 10.0.42.172, Dst: 204.79.197.203

Transmission Control Protocol, Src Port: 63666, Dst Port: 80, Seq: 411, Ack: 3150, Len: 412

Hypertext Transfer Protocol

```

0000  e8 1c ba ab 34 07 dc 28 64 f2 80 08 00 0a 00 2a cc ff
0010  01 84 c8 1e 48 08 00 06 00 0a 00 2a cc ff
0020  c5 cb f8 b2 00 50 10 92 89 1e 46 58 52 58 2f 50 18
0030  00 ff c8 7d 00 00 07 45 54 20 2f 63 73 70 2f
0040  4d 46 51 77 55 6a 52 4d 45 34 74 54 54 42 54 4f
0050  42 59 42 44 67 43 4f 47 67 55 41 42 54 4f
0060  51 59 46 46 53 45 35 47 47 35 46 70 61 52 56
0070  66 59 73 64 39 67 56 45 62 51 51 55 52 55
0080  45 70 73 41 38 50 59 32 7a 76 61 64 66 31 7a
0090  6d 65 70 45 68 71 4d 4f 59 43 45 7a 4d 41 41
00a0  41 47 53 68 72 61 7b 56 68 61 72 41 41 41
00b0  41 41 41 51 59 25 33 4d 20 48 54 50 2f 21
00c0  31 0d 0a 04 61 63 68 65 2d 43 6f 6e 74 61 6f
00d0  3a 20 6d 61 78 2d 61 6f 65 20 3d 20 38 36 34
00e0  00 0d 04 61 6f 6e 65 63 74 69 6f 6e 0a 41 63
00f0  65 65 70 2d 41 6c 69 76 65 0d 0a 41 63 65 70
0100  7a 3a 20 2f 2a 0d 0a 49 66 2d 4d 6f 64 69 6e
0110  69 65 2d 61 67 6e 65 63 3a 20 54 68 75 2c 20
0120  51 35 20 4a 61 20 6e 32 38 32 36 30 3a 30 38
0130  3a 30 30 20 47 4d 54 0d 0a 49 66 2d 4d 6f 6e
0140  65 2d 4d 61 74 63 68 3a 20 22 62 66 63 35 4f
0150  33 66 32 36 62 66 65 69 38 30 38 37 35 31
0160  35 33 37 30 36 38 62 36 64 33 66 39 3a 65
0170  30 62 39 38 61 61 63
```



En HTTP se puede ver:


URL completa
Parámetros
Información enviada
Texto claro

En HTTPS NO se puede ver:


Contenido de la página
Formularios
Datos enviados
Solo:

Dominio
IP
Certificados

Filtro DNS:



Filtro TCP:



¿Qué información es visible?

En el tráfico HTTP se pueden observar URLs completas, peticiones GET y datos enviados en texto claro. En DNS se pueden ver los dominios consultados y sus direcciones IP. En TCP se observa la comunicación entre cliente y servidor.

¿Qué riesgo existe?

El principal riesgo es la exposición de información sensible, ya que en HTTP los datos no están cifrados. Esto permite que atacantes puedan interceptar credenciales, información personal o actividad de navegación.