☰

Roy and Profile Picture

SOLVE LATER

Attempted by: **65057** / Accuracy: **82%** / Maximum Score: **10** /
★★★★☆ 1651 Votes

Tag(s): Ad-Hoc, Basic Programming, Implementation, Very-Easy

PROBLEM EDITORIAL MY SUBMISSIONS ANALYTICS

Roy wants to change his profile picture on Facebook. Now Facebook has some restriction over the dimension of picture that we can upload.
Minimum dimension of the picture can be **L x L**, where **L** is the length of the side of square.

Now Roy has **N** photos of various dimensions.
Dimension of a photo is denoted as **W x H**
where **W** - width of the photo and **H** - Height of the photo

When any photo is uploaded following events may occur:

[1] If any of the width or height is less than L, user is prompted to upload another one. Print "**UPLOAD ANOTHER**" in this case.
[2] If width and height, both are large enough and
(a) if the photo is already square then it is accepted. Print "**ACCEPTED**" in this case.
(b) else user is prompted to crop it. Print "**CROP IT**" in this case.

(quotes are only for clarification)

Given L, N, W and H as input, print appropriate text as output.

Input:
First line contains **L**.
Second line contains **N**, number of photos.
Following N lines each contains two space separated integers **W** and **H**.

Output:
Print appropriate text for each photo in a new line.

Constraints:
1 <= **L,W,H** <= 10000
1 <= **N** <= 1000

SAMPLE INPUT	SAMPLE OUTPUT
180 3 640 480 120 300 180 180	CROP IT UPLOAD ANOTHER ACCEPTED

BEST SUBMISSIONS

LANGUAGE: C (gcc 5.4.0)

⏱ TIME (sec)   📜 MEMORY (KiB)
0.70298   64

by Ullas Aparanji

VIEW BEST SUBMISSION   VIEW ALL SUBMISSION

CONTRIBUTOR

AUTHOR
Ravi Ojha

TESTER
Lalit Kundu

THIS PROBLEM WAS ASKED IN

h CHALLENGE NAME
June Easy Challenge

SOCIAL SHARE

f   🐦   in

15
LIVE EVENTS

?

Time Limit:	1.0 sec(s) for each input file.
Memory Limit:	256 MB
Source Limit:	1024 KB
Marking Scheme:	Marks are awarded when all the testcases pass.
Allowed Languages:	Bash, C, C++, C++14, Clojure, C#, D, Erlang, F#, Go, Groovy, Haskell, Java, Java 8, JavaScript(Rhino), JavaScript(Node.js), Julia, Kotlin, Lisp, Lisp (SBCL), Lua, Objective-C, OCaml, Octave, Pascal, Perl, PHP, Python, Python 3, R(RScript), Racket, Ruby, Rust, Scala, Swift, Swift-4.1, TypeScript, Visual Basic

CODE EDITOR

Enter your code or Upload your code as file.

Save   C (gcc 5.4.0)

```
1   /*
2   // Sample code to perform I/O:
3   #include <stdio.h>
4
5   int main(){
6       int num;
7       scanf("%d", &num);                      // Reading input from ST
8       printf("Input number is %d.\n", num);   // Writing output to STDOU
9   }
10
11  // Warning: Printing unwanted or ill-formatted data to output will cause
    the test cases to fail
12  */
13
14  // Write your code here
15
```

1:1 vscode

☑ Provide custom input

COMPILE & TEST   SUBMIT

Your Rating:

?

15

LIVE EVENTS

PROGRAMMERS WHO SOLVED THIS PROBLEM ALSO SOLVED

Anagrams

Attempted By: **31663** / Accuracy: **36**

Split Houses

Attempted By: **6045** / Accuracy: **90**

E-Maze-In

Attempted By: **16913** / Accuracy: **92**

?

For Developers

+1-650-461-4192

contact@hackerearth.com

Practice programming

Complete reference to competitive programming

Competitive coding challenges

Code Monk

Start a programming club

Developer Resources

Developers blog

Learn to code by competitive programming

Developers wiki

How to conduct a hackathon

For Business

Assess developers

Conduct remote interviews

Assess university talent

Organize hackathon

Company

About us

Press

Careers

Contact us

Technical support

LIVE EVENTS 15

Site Language: English | © 2020 HackerEarth All rights reserved | Terms of Service | Privacy Policy

?