



ISSN 2518-7201 (Print)
ISSN 2663-5003 (Online)

BULLETIN OF THE KARAGANDA UNIVERSITY

**BIOLOGY.
MEDICINE.
GEOGRAPHY**
Series

№ 3(103)/2021

ISSN-L 2518-7201 (Print)
ISSN 2663-5003 (Online)
Индексі 74620
Индекс 74620

ҚАРАГАНДЫ
УНИВЕРСИТЕТІНІҢ
ХАБАРШЫСЫ

ВЕСТНИК **BULLETIN**
КАРАГАНДИНСКОГО OF THE KARAGANDA
УНИВЕРСИТЕТА UNIVERSITY

БИОЛОГИЯ. МЕДИЦИНА. ГЕОГРАФИЯ сериясы

Серия БИОЛОГИЯ. МЕДИЦИНА. ГЕОГРАФИЯ

BIOLOGY. MEDICINE. GEOGRAPHY Series

№ 3(103)/2021

Шілде–тамыз–қыркүйек
30 қыркүйек 2021 ж.
Июль–август–сентябрь
30 сентября 2021 г.
July–August–September
September, 30th, 2021

1996 жылдан бастап шығады
Издается с 1996 года
Founded in 1996

Жылына 4 рет шығады
Выходит 4 раза в год
Published 4 times a year

Қарағанды, 2021
Караганда, 2021
Karaganda, 2021

Бас редакторы
биол. ғыл. канд
М.Ю. Ишмуратова

Жауапты хатыны
биол. ғыл. канд.
С.У. Тлеукенова

Редакция алқасы

М. Броди,	PhD д-ры, Америка университеті, Вашингтон (АҚШ);
Р.Г. Оганесян,	PhD д-ры, Пенсильвания университеті, Філадельфія (АҚШ);
К.-Д. Конерт,	мед. ғыл. д-ры, Диабет институты, Карлсбург (Германия);
Аммад Ахмад Фаруки	PhD д-ры, Биомедициналық және генетикалық инженерия институты, Исламабад (Пакистан);
С.В. Кушнаренко,	биол. ғыл. канд., Өсімдіктер биологиясы және биотехнологиясы институты, Алматы (Қазақстан);
Г.Г. Мейрамов,	мед. ғыл. д-ры, Акад. Е.А. Бекетов атындағы Қарағанды университеті (Қазақстан);
А.В. Панин,	геогр. ғыл. д-ры, М.В. Ломоносов атындағы Москва мемлекеттік университеті (Ресей);
Р.Т. Бексеитова,	геогр. ғыл. д-ры, әл-Фараби атындағы Қазақ ұлттық университеті, Алматы (Қазақстан);
О.Л. Макарова,	биол. ғыл. канд., РГА А.Н. Северцов атындағы Экология және эволюция институты, Москва (Ресей)

Редакцияның мекенжайы: 100024, Қазақстан, Қарағанды қ., Университет к-сі, 28.

Тел.: (7212) 77-00-69; факс: (7212) 35-63-98.

E-mail: bulletin_karsu_biology@mail.ru

Сайты: <https://biollogy-medicine-geography-vestnik.ksu.kz/>

Редакторлары

Ж.Т. Нурмуханова, С.С. Балкеева, Д.В. Волкова

Компьютерде беттеген

Г.Қ. Жанбосова

Қарағанды университетінің хабаршысы. Биология. Медицина. География сериясы.

ISSN-L 2518-7201 (Print). ISSN 2663-5003 (Online).

Меншік иесі: «Академик Е.А. Бекетов атындағы Қарағанды университеті» КЕАҚ.

Қазақстан Республикасы Ақпарат және қоғамдық даму министрлігімен тіркелген. 30.09.2020 ж. № KZ32VPY00027389 қайта есепке қою туралы күелігі.

Басуға 29.09.2021 ж. қол қойылды. Пішімі 60×84 1/8. Қағазы оффсеттік. Көлемі 20,75 б.т. Таралымы 200 дана. Бағасы келісім бойынша. Тапсырыс № 73.

«Акад. Е.А. Бекетов ат. Қарағанды ун-ті» КЕАҚ-ның баспасының баспаханасында басылып шықты. 100024, Қазақстан, Қарағанды қ., Университет к-сі, 28. Тел. (7212) 35-63-16. E-mail: izd_kargu@mail.ru

Главный редактор
канд. биол. наук
М.Ю. Ишмуратова

Ответственный секретарь
канд. биол. наук
С.У. Тлеуkenова

Редакционная коллегия

- М. Броди,** д-р PhD, Американский университет, Вашингтон (США);
Р.Г. Оганесян, д-р PhD, Пенсильванский университет, Филадельфия (США);
К.-Д. Конерт, д-р мед. наук, Институт диабета, Карлсбург (Германия);
Аммад Ахмад Фаруки, д-р PhD, Институт биомедицинской и генетической инженерии, Исламабад (Пакистан);
С.В. Кушнаренко, канд. биол. наук, Институт биологии и биотехнологии растений, Алматы (Казахстан);
Г.Г. Мейрамов, д-р мед. наук, Карагандинский университет им. акад. Е.А. Букетова (Казахстан);
А.В. Панин, д-р геогр. наук, Московский государственный университет им. М.В. Ломоносова (Россия);
Р.Т. Бексеитова, д-р геогр. наук, Казахский национальный университет им. аль-Фараби, Алматы (Казахстан);
О.Л. Макарова, канд. биол. наук, Институт проблем экологии и эволюции им. А.Н. Северцова РАН, Москва (Россия)

Адрес редакции: 100024, Казахстан, г. Караганда, ул. Университетская, 28.

Тел.: (7212) 77-00-69; факс: (7212) 35-63-98.

E-mail: bulletin_karsu_biology@mail.ru

Сайт: <https://biollogy-medcine-geography-vestnik.ksu.kz>

Редакторы

Ж.Т. Нурмуханова, С.С. Балкеева, Д.В. Волкова

Компьютерная верстка

Г.К. Жанбосова

Вестник Карагандинского университета. Серия Биология. Медицина. География.

ISSN-L 2518-7201 (Print). ISSN 2663-5003 (Online).

Собственник: НАО «Карагандинский университет имени академика Е.А. Букетова».

Зарегистрировано Министерством информации и общественного развития Республики Казахстан.
Свидетельство о постановке на учет № KZ32VPY00027389 от 30.09.2020 г.

Подписано в печать 29.09.2021 г. Формат 60×84 1/8. Бумага офсетная. Объем 20,75 п.л. Тираж 200 экз.
Цена договорная. Заказ № 73.

Отпечатано в типографии издательства НАО «Карагандинский университет им. акад. Е.А. Букетова». 100024, Казахстан, г. Караганда, ул. Университетская, 28. Тел. (7212) 35-63-16. E-mail: izd_kargu@mail.ru

Main Editor

Cand. of biology
M.Yu. Ishmuratova

Responsible secretary

Cand. of biology
S.U. Tleukenova

Editorial board

M. Brody,	PhD, American University, Washington, DC (USA);
R.G. Oganesyan,	PhD, University of Pennsylvania, Philadelphia, PA (USA);
K.-D. Kohnert,	MD, The German Diabetes Center, Karlsburg (Germany);
Ammad Ahmad Farooqi	PhD, Institute of Biomedical and Genetic Engineering (IBGE), Islamabad, Pakistan;
S.V. Kushnarenko,	Cand. of biology, Institute of Plant Biology and Biotechnology, Almaty (Kazakhstan);
G.G. Meyramov,	MD, Karagandy University of the name of acad. E.A. Buketov (Kazakhstan);
A.V. Panin,	Doctor of geography, M.V. Lomonosov Moscow State University (Russia);
R.T. Bekseitova,	Doctor of geography, Al-Farabi Kazakh National University, Almaty (Kazakhstan);
O.L. Makarova,	Cand. of biology, A.N. Severtsov Institute of Ecology and Evolution, Moscow (Russia)

Postal address: 28, University Str., Karaganda, 100024, Kazakhstan.

Tel.: (7212) 77-00-69; fax: (7212) 35-63-98.

E-mail: bulletin_karsu_biology@mail.ru

Web-site: <https://biolllogy-medicine-geography-vestnik.ksu.kz>

Editors

Zh.T. Nurmukhanova, S.S. Balkeyeva, D.V. Volkova

Computer layout

G.K. Zhanbossova

Bulletin of the Karaganda University. Biology. Medicine. Geography series.

ISSN-L 2518-7201 (Print). ISSN 2663-5003 (Online).

Proprietary: NLC «Karagandy University of the name of academician E.A. Buketov».

Registered by the Ministry of Information and Social Development of the Republic of Kazakhstan.
Rediscount certificate No. KZ32VPY00027389 dated 30.09.2020.

Signed in print 29.09.2021. Format 60×84 1/8. Offset paper. Volume 20,75 p.sh. Circulation 200 copies.
Price upon request. Order № 73.

Printed in the Publishing house of NLC «Karagandy University of the name of acad. E.A. Buketov».
28, University Str., Karaganda, 100024, Kazakhstan. Tel. (7212) 35-63-16. E-mail: izd_kargu@mail.ru

МАЗМҰНЫ — СОДЕРЖАНИЕ — CONTENTS

БИОЛОГИЯ BIOLOGY

Айдарханова Г.С., Имашеева Б.С. Ақмола облысының жағдайында жұпарғұл түрлерін интродукциялау	7
Amirkhanova Zh., Bodeeva R., Akhmetova S., Tuyakova A., Kozhakhmetov S., Kushugulova A. Maldi mass spectrometry for identification lactic acid bacilli isolated from lactic acid products produced in the Karagandy region	18
Ахметова М.Ж., Нигматуллина Р.Р., Миндубаева Ф.А., Тыкекжанова Г.М. Ересек егуқүйрықтардың жүргегінің оң жақ қарынша миокардының жиырылғыштығына серотонин мен адреналиннің жоғарылаған концентрацияларының әсері	26
Веселова П.В., Кудабаева Г.М., Осмонали Б.Б. К изучению ценофлоры туранговых реликтовых редколесий среднего течения р. Сырдарьи	31
Zhumabayev U.A., Kydryalieva M.B., Naimanbayeva R.S., Khujamshukurov N.A., Bigara T.S. Technology of receiving of high-quality shubat from camel milk with long period of storage	41
Ishmuratova M.Yu., Matveev A.N., Tleukenova S.U., Zhumina A.G., Musina R.T. Assessment of water-holding capacity of leaves of <i>Armeniaca vulgaris</i> Lam. in the conditions of the Zhezkazgan region (the Central Kazakhstan)	49
Kanayev A.S., Karipbayeva R.K., Turlykozha A.N. Diversity of the genus <i>Rosa</i> L. in the conditions of the Dzhungarian Alatau mountains	57
Кенжина К.Д., Ауельбекова А.К. «Бұйратай» МҰТС сирек, жойылып бара жатқан және эндемик өсімдіктерінің биоэкологиялық ерекшеліктері мен шаруашылық маңызы	64
Kozhabek Zh., Pang M., Zhao Q.Zh., Yi J.Y., Huang W.D. Copy number variation in female infertility and candidate gene screening for common infertility-related diseases	73
Кубентаев С.А., Котухов Ю.А., Избастина К.С., Саркытбаева А.К., Жумагул М.Ж., Мұхтубаева С.К. Эколо-фитоценотическая приуроченность и сезонный ритм развития <i>Paeonia anomala</i> L. в Восточном Казахстане	80
Құсманғазинов Ә.Б., Курманбаева М.С., Қайырбеков Т.Қ. Шығыс Қазақстанның эндемигі <i>Hedysarum theinum</i> Krasnob. (Fabaceae) өсімдігінің экологиялық-морфологиялық ерекшеліктері	87
Ramasanov A.K., Babeshina L.G. Assessment of the effect of long-term seed storage on the viability of <i>Matricaria chamomilla</i> seeds after cryopreservation	95
Ромаданова Н.Б., Кушнаренко С.В. Биотехнология получения безвирусных саженцев яблони ..	102
Sagyndykova M.S., Imanbayeva A.A., Lukmanov A.B., Gassanova G.G. Resources of <i>Rheum tataricum</i> on the territory of Atyrau region	119
Сапарбаева Н.А. Кетпен тауындағы Виттрок рауғашының (<i>Rheum wittrockii</i>) биологиялық ерекшеліктері	125
Sumbembayev A.A., Danilova A.N. State of the relict species <i>Abies sibirica</i> Ledeb. in the natural monument «Sinegorskaya fir grove» (Koktau mountains)	134
Tyrzhenova S.S., Silant'eva M.M. Study of ontogenesis of <i>Scabiosa ochroleuca</i> L. in the conditions of the Central Kazakhstan	144
Shokan A.K., Ginayatova I.B., Yergozova D.M., Kudrina N.O., Korulkin D.Y., Terletskaya N.V., Korbozova N.K. Effects of <i>Rumex tianschanicus</i> Losinsk extract on hematological indicators in experimental gastritis	150

МЕДИЦИНА
MEDICINE

<i>Суюндикова Ж.Т., Конысбаева Д.Т., Баубекова Г.К.</i> Студенттердің физикалық дамуының индекстік бағасы.....	157
АВТОРЛАР ТУРАЛЫ МӘЛІМЕТТЕР — СВЕДЕНИЯ ОБ АВТОРАХ — INFORMATION ABOUT AUTHORS	163

U.A. Zhumabayev^{1*}, M.B. Kydyralieva², R.S. Naimanbayeva¹,
N.A. Khujamshukurov³, T.S. Bigara²

¹*Khoja Akhmet Yassawi International Kazakh-Turkish University, Turkestan, Kazakhstan;*

²*M. Auezov South-Kazakhstan state University, Shymkent, Kazakhstan;*

³*Tashkent Institute of Chemical Technology, Uzbekistan*

*Corresponding author: zhumabaev_ualikhan@mail.ru

Technology of receiving of high-quality shubat from camel milk with long period of storage

The article describes experiments into optimal modes of sterilization for obtaining high-quality shubat from camel milk, taking into account time and different temperature conditions, with maximum preservation of physical, chemical, nutritional properties and energy value of vitamins, microelements with a long shelf life in the laboratory in order to create a therapeutic and prophylactic fermented milk product on its basis. According to the research results the optimum mode of sterilization of fresh milk at a temperature of 100–101°C for 3–5 seconds followed by cooling to +25 °C and adding 15 % shubat leaven of the mass of milk was determined. Tested technology of quick-freezing allowed to obtain bioproduct preserv in its native properties and with the ability for long-term storage.

Keywords: camel milk, shubat, sterilization, leaven, technology, freezing, therapeutic and prophylactic fermented milk product.

Introduction

Camel milk, being an important source of animal proteins and adiposes, includes a lot of vitally indispensable mineral elements and nutrients: calcium, zinc, cobalt, iron, potassium, phosphorus, and vitamins A, C, and B, which are involved in the activity of many cellular enzymes in the body.

It is shown that in comparison with cow's milk, the content of vitamin C in camel milk exceeds it 5 times, vitamin PP 3 times, vitamin E 2 times, iron 10 times, calcium 1,5 times, lactoferrin 30 times, and the content of lactose and casein, on the contrary, is less [1–6].

More than 30 types of dairy products are produced from camel milk, which is in demand both on the domestic and international market [7]. Most often, all possible cheeses, ice cream, and traditional fermented milk drinks are produced from camel milk [8]. Shubat is especially popular.

At the same time, camel milk is a natural immunomodulator, in particular, the protein spectrum of this milk is dominated by immunoglobulins, lactoferrin, which has antioxidant, anti-carcinogenic, and immunostimulating properties [9–11].

Camel shubat is a perishable product, because due to its high acidity and carbonation it turns sour after 4–7 days and becomes unusable, which makes it almost impossible to transport it over long distances.

Camel milk is also a quickly spoiling product, as it is highly acidic, which contributes to rapid acidification and unsuitability for reception, which complicated its delivery to remote areas. The specific method of preparation of shubat is also an obstacle to its distribution, as it is prepared in a natural environment. From this follows that it is possible to extend its shelf-life only under conditions of placing it in a temperature not higher than +6°C which requires refrigeration equipment.

It is also known that freezing as a method of preserving raw materials of animal origin is not only more cost-effective than heat treatment, but also better preserves the consumer qualities of the product. The process of freezing dairy products is accompanied by phenomena caused by the complex physical state of milk as a solution containing substances of different degrees of dispersion.

According to the research [12], the properties of milk during freezing do not change much if the freezing is carried out to a temperature below -22°C by rapid sequential freezing in thin layers. Milk frozen this way remains unchanged for more than 6 months (at a temperature below -20°C) and does not precipitate after thawing.

Therefore, the prospects for long-term storage of fermented milk products of a medicinal nature dictate the need for research aimed at improving sterilization regimes, as well as developing a low-temperature storage technology with the condition of ensuring the initial quality characteristics.

Based on the above, the purpose of the research was to study various sterilization regimes and test the technology of low-temperature storage of shubat — fermented milk product from camel milk.

Materials and research methods

The objects of the study are fresh camel's milk, starter cultures for camel milk and shubat.

At the first stage, experiments were carried out in the laboratory to sterilize camel milk, taking into account the time and temperature conditions.

According to the set goal, a selection of high-quality leaven was carried out to obtain shubat, for which strains of cultures of lactic acid bacteria of bacterial leaven for the fermented milk product (*Lactobacillus lactis*, *Lactobacillus acidophilus*, *Torulopsis spherica*) were studied in an amount of at least $1,5 \times 10^9$ colony-forming units (CFU).

Complex studies of qualitative and quantitative parameters of the tested product were carried out on shubat prototypes: organoleptic, physical and chemical properties (a mass fraction of moisture, fat, protein, solids and titratable acidity), a microbiological assessment (total of mesophyll-aerobic and facultative-anaerobic microorganisms, coliform bacteria, pathogenic microorganisms, including salmonellas) and vitamin contents in testing laboratories of LP «Nutritest» and «Expert Test» at the Kazakh Academy of Nutrition of Ministry of health.

Conclusion and dispute

Nutritious properties of shubat, to a large extent, depend on the quality of the leaven. Fresh camel milk, after filtration, was sterilized according to the technological process by boiling at various temperatures and time intervals: at a temperature of $100-101^{\circ}\text{C}$ lasting for 3–5 seconds; $102-103^{\circ}\text{C}$ for 2–3 seconds; $104-105^{\circ}\text{C}$ for 1–2 seconds. Sterilized milk was cooled to the temperature of $+25^{\circ}\text{C}$, $+30^{\circ}\text{C}$, then a bacterial starter containing pure bacterial cultures (*Lactobacillus lactis*, *Lactobacillus acidophilus*, *Torulopsis spherical*) was added and resuspended.

Further, the resulting raw material was incubated in a thermostat for 18–24 hours at a temperature of $+25^{\circ}\text{C}$ for maturation. The resulting finished biostimulating shubat was cooled in a refrigerator to $+4^{\circ}\text{C}-+6^{\circ}\text{C}$. Subsequently, the product was packed into sealable plastic bottles.

Analyzing the obtained data, the technology of preparation of shubat with a long period of storage was developed. Also, we conducted experimental studies on the selection of high-quality leaven of shubat with a ratio of 25 %, 20 %, 15 %, with the sterilization of camel milk at a temperature of $100-101^{\circ}\text{C}$ lasting for 3–5 seconds; $102-103^{\circ}\text{C}$ for 2–3 seconds; $104-105^{\circ}\text{C}$ for 1–2 seconds and cooling to the temperature of $+25^{\circ}\text{C}$, with carrying out a tasting assessment of organoleptic indicators of prototypes of shubat with a long period of storage. The technological process of receiving bio-stimulating shubat is presented in Figure 1.

Experimental tests are made in 3 options:

1 — option: 750 ml of sterilized milk + 250 ml of leaven ;

2 — option: 800 ml of sterilized milk + 200 ml of leaven ;

3 — option: 850 ml of sterilized milk + 150 ml of leaven .

Leaven with a ratio of 25 %, 20 %, 15 % and traditional ferment (for the control experiment) were added to the sterilized camel milk (samples of 1 liter). After carefully mixing for 10 minutes, they were incubated in maturation at a temperature of $+25^{\circ}\text{C}$ for 18–24 hours. After that the studied material was placed in the refrigerator at a temperature of $+4^{\circ}\text{C}-+6^{\circ}\text{C}$.

In 15 days a tasting assessment of organoleptic indicators of prototypes of shubat was carried out.

At a tasting assessment of the prepared shubat in various ratios of leaven, it was revealed that shubat of the 3rd sample is preferable.




Figure 1. The technological process of obtaining bio-stimulating shubat

The results of research show that the sterilization of camel milk in 3–5 seconds at a temperature of 100–101 °C with further addition of sourdough of shubat of 15 % of the mass of sterilized milk results in shubat of a uniform consistency, with pleasant flavoring and without foreign smells. The received results are given in Table 1.

Table 1

Comparative characteristic of organoleptic indicators of shubat with various ratios of sourdough of shubat

№	The name of indicators	The sourdough of shubat with various ratios		
		250 ml (25 %)	200 ml (20 %)	150 ml (15 %)
1	Appearance and consistency	Uniform lightly carbonated liquid, foams at transfusion	Uniform lightly carbonated liquid, foams at transfusion	Uniform liquid, without flakes, foams at transfusion lightly
2	Taste and smell	With the pleasant smell and taste, no odor and aftertaste, with the sour taste	With the pleasant smell and taste, no odor and aftertaste, with lightly sour taste	With the pleasant smell and taste, no odor and aftertaste
3	Color	Milky-white	Milky-white	Milky-white

In order to improve the qualitative characteristics and to increase the duration of the period of storage of shubat experimental tests on the improvement of low-temperature storage of shubat were conducted. Shubat with a ratio of leaven of 15 %, which preserves in the refrigerator at a temperature of +4 °C, +6 °C for 15

days, was frozen in the freezer at a temperature of -18 °C for 12–16 hours. After that the produced shubat is put in the cooling chamber at a temperature of +4 °C, +6 °C.

Then comprehensive qualitative research on the prototypes of shubat in testing laboratories of LP «Nutritest» and «Expert Test» at the Kazakh Academy of Nutrition of Ministry of Health of the Republic of Kazakhstan was conducted: organoleptic, physical and chemical properties (a mass fraction of moisture, fat, protein, solids and titratable acidity), a microbiological assessment (total of mesophyll-aerobic and facultative-anaerobic microorganisms, coliform bacteria, pathogenic microorganisms, including salmonellas) and vitamin contents. With a ratio of leaven of 15 % and stored with a long period of storage of 15, 45 and 72 days the following results were received [13] (Tables 2).

Table 2

Microbiological indicators of shubat with a long period of storage received from the sterilized camel milk in the course of storage in the conditions of the refrigerator from +4 to +6 °C (TORMENTS (MCI) 4.2–1847–04)

№	The name of indicators, units of measurement	Permissible limits of ND	The periodicity of control			ND designation for test methods
			15 days	45 days	72 days	
1	Lactic acid bacteria CFU/g/cm ³ , no less	1x10 ⁷	1x10 ⁸	1x10 ⁷	1x10 ⁷	GOST 10444.11–89
2	<i>E. coli</i> group bacteria (coliforms), in 1g.	not permitted	absent	absent	absent	GOST 31747–2012
3	<i>St.aureus</i> , in 1g (cm ³)	not permitted	absent	absent	absent	GOST 31747–2012
4	Pathogens, including salmonellas in 25g/ cm ³	not permitted	absent	absent	absent	GOST 31659–2012
5	Mildew, CFU/g/ cm ³ , no more	50	absent	absent	absent	GOST 10444.12–88
6	Yeast, CFU, g/cm ³ , no more	50	absent	absent	absent	GOST 10444.12–88

*ND — normative documents

Result of the microbiological research of shubat with a long period of storage of 15, 45 and 72 days showed that the existence of pathogenic microorganisms, including salmonellas, *E. coli* group bacteria (coliforms) isn't found.

The results of tests of a nutrition value and physical and chemical properties (mass fraction of moisture, fat, protein, solids and titratable acidity) of shubat with a long period of storage of 15, 45 and 72 days showed that the mass fraction of fat of no more than 4,87 %, the mass fraction of protein of no less than 3,73 %, the mass fraction of carbohydrates of no more than 3,22 %, the titratable acidity of 93–160°T (Tab. 3).

Table 3

Complex assessment of quality indicators of shubat with a long period of storage received from the sterilized camel milk in the course of storage in the conditions of the cooling chamber (from +4 to +6 °C) (TORMENTS 4.2–1847–04)

№	The name of indicators, units of measurement	Permissible limits of ND	The periodicity of control			ND designation for test methods
			15 days	45 days	72 days	
1	2	3	4	5	6	7
The nutritional value, g/100 g of product						
1	Protein	-	3.73±0.37	4.12±0.41	4.10±0.41	GOST 23327–98 GOST 5867–90
	Fat	-	4.87±0.49	4.5±0.45	4.35±0.43	ND 4.1.1672–2003, part III, point 4 GOST 3626–73 GOST 15113.8–77
	Carbohydrates	-	3.22±0.32	3.21±0.32	2.8±0.28	
	Moisture	-	87.48±8.75	87.40±8.74	88.0±8.8	
	Ash	-	0.70±0.07	0.77±0.08	0.75±0.075	
2	Energy value, kilo Cal/kilo J/100g	—	71.63/300	69.8/292	66.75/279	I.M. Skurikhin, 1987

1	2	3	4	5	6	7
Physical and chemical indicators						
3	The mass fraction of moisture, %	-	87.5±8.75	87.4±8.74	88.0±8.8	GOST 3626–73
	The mass fraction of dry tings, %	-	12.5±1.25	12.6±1.26	12.0±1.20	GOST 3626–73
	The mass fraction of the titr. acidit, ⁰ T	-	93	121	160	GOST 3624–92
	Density, g/cm ³	-	1.023	1.026	1.023	GOST 3625–84
Organoleptic: the description						
4	Organoleptic: the description	-	Opaque, milky liquid with a pleasant smell and taste, no odor and aftertaste	Opaque, lightly carbonated milky liquid with a pleasant smell and taste, no odor and aftertaste	Opaque, milky liquid with a pleasant smell and taste	GOST 28283–89
Vitamin content, in 100 ml						
5	B ₃ , mg	-	0.123±0.012	0.131±0.013	0.120±0.012	GOST 30627.4–98
	C, mg	-	7.873±0.784	8.435±0.844	7.1±0.71	GOST 30627.2–98
6	E, mg	-	0.144±0.014	0.0399	0.138±0.013	GOST 30627.3–98
	β-carotene, mg	-	0.032±0.003	0.0033	0.03±0.003	GOST 7047–55, point 2

*ND — normative documents

The results of the study showed that the physical and chemical parameters such as the mass fraction of moisture and dry substances remained unchanged, and the mass fraction of titrated acidity ⁰T increased by 30–72 % depending on the storage period. The energy value of shubat decreased by 0,6 % for long storage periods of up to 72 days.

When studying the content of vitamins, it was found that the main mass is vitamin C (96,3 %), then vitamin E (1,8 %), vitamin B₃ (1,5 %), β-carotene (0,4 %).

Safety indicators of shubat with a long period of storage after 15, 45 and 72 days of storage: ions of heavy metals, radionuclides showed that lead and cesium are lower than allowable rate, other heavy metals aren't found. The received results are given in Table 4.

Table 4

The maintenance of ions of heavy metals and radionuclides in shubat prepared from the sterilized camel milk during storage in the conditions of the cooling chamber (from +4 to +6 °C) (TORMENTS 4,2–1847–04)

№	The name of indicators, units of measurement	Permissible limits of ND	The periodicity of control			ND designation for test methods
			15 days	45 days	72 days	
Toxic elements, mg/kg, no more:						
1	Lead (Pb)	0.1	0.0007	0.010	0.023	GOST P 51301–99
	Cadmium (Cd)	0.03	absent	0.0005	0.00072	GOST P 51301–99
	Arsenic (As)	0.05	absent	0.0002	absent	GOST 26930–86
	Mercury (Hg)	0.005	absent	absent	absent	GOST 26927–86
Radionuclides, BC/kg, no more:						
	Cesium (Cs) — 137	100	1.08	1.29	1.27	GOST P 54016–2010
	Strontium (Sr) — 90	25	absent	absent	absent	GOST P 54017–2010

*ND — normative documents

Conclusion

Based on the above, it can be postulated that the shubat obtained by sterilizing fresh camel milk at a temperature of 100–101 °C and then refrigerating to +25,+30 °C, rapid chilling to a temperature of -18 °C for 12–16 hours, preserves its native properties and allows to expand the shelf life of the product to 72 or

more days at +4 °C,+6 °C in the refrigerator, which indicates an improvement in quality characteristics and prolongation of storage terms without any stabilizers and preservatives.

Therefore, it is possible to provide the population with the prepared high quality natural shubat with the established long periods of storage, and also on its basis it is possible to receive treatment and prophylactic dairy products, bio yogurts and biological products in combination with extracts of medicinal plants that posses antioxidant, immunostimulating and hypoglycemic properties [14–17], which do not have analogs in the world dairy and pharmaceutical industry.

Acknowledgements

The study was carried out with the financial support of the «Science Foundation» of the Ministry of Education and Science of the Republic of Kazakhstan (project No.0146–18-GC).

References

- 1 Сеитов З.С. Күмис. Шубат / З.С. Сеитов. — Алматы, 2005. — 288 с.
- 2 Конуспаева Г. Получение лактоферрина из верблюжьего молока в Казахстане / Г. Конуспаева, А. Серикбаева // Материалы конф. «NATO Advanced Research Workshop on Desertification Combat and Food Safety». — Ашгабад, 2004. — Т. 362. — С. 158–167.
- 3 Aludatt M.H. Variations of some physical properties, chemical, minerals and vitamins composition of camel milk from eight locations in Jordan / M.H. Aludatt, K. Ereifej, A.M. Alothan, A. Almajwal, H. Alkhaldy, A.R. Al-Tawaha, I. Alli // Journal of food agriculture and environment. — 2010. — Vol. 8. — P.16–20.
- 4 El-Agamy EI. Camel milk / El. Al-Agamy // Handbook of milk of non-bovine mammals. — Blackwell Publishing; Iowa, USA: 2006. — P. 297–344.
- 5 Диханбаева Ф.Г. Исследование химического состава верблюжьего молока / Ф.Г. Диханбаева // Новости науки Казахстана. — 2010. — № 1. — С. 100–106.
- 6 Шувариков А.С. Состав и технологические свойства верблюжьего, коровьего и козьего молока-сырья / А.С. Шувариков, О.Н. Пастух // Материалы Междунар. науч.-практ. конф. — Пенза, 2015. — С. 102–106.
- 7 Баймukanov A. Инновационный патент РК № 20927 // А. Баймukanов, Д.А. Баймukanов, М.Т. Тоханов, Б.М. Тоханов // Способ получения балкаймака и шалапа из верблюжьего молока. — Опубл. 16.03.2009. Бюлл. — № 3.
- 8 Черкашина К.С. Разработка рецептур кисломолочного мороженого с функциональными свойствами из верблюжьего молока «Атала» / К.С. Черкашина, О.В. Удалова // Исследования молодых ученых — вклад в инновационное развитие России: регион. науч.-практ. конф. — Астрахань, 2011. — Вып. 2. — С. 92, 93.
- 9 Levy A. Camel Milk: Disease Control and Dietary Laws / A. Levy // Journal of health Science. — 2013. — № 1. — P. 48–53.
- 10 Abbas S. Physico-Chemical Analysis And Composition Of Camel Milk / A. Abbas // The International Research Journal. — 2013. — № 2 (2). — P.84–98.
- 11 Khaskheli M. Physico-chemical quality of camel milk / M. Khaskheli, M.A. Arain, S. Chaudhry, A. Soomro, T.A. Qureshi // Journal of Agriculture Society Science. — 2005. — № 2. — P. 164–166.
- 12 Сыдыкова Г.Е. Исследование процесса низкотемпературного хранения пастообразных продуктов из обезжиренного молока / Г.Е. Сыдыкова, Б.С. Турганова, З.Т. Смагулова, Б.Б. Исекакова // Вестн. Семипалат. гос. ун-та им. Шакарима. — 2011. — № 3(55). — С. 7–10.
- 13 Методические указания 4.2.1847–04 — Санитарно-эпидемиологическая оценка обоснования сроков годности и условий хранения пищевых продуктов.
- 14 Mona E. Biochemical Effects of Fermented Camel Milk on Diarrhea in Rats / E. Mona // New York Science Journal. — 2010. — № 3(5). — P. 106–111.
- 15 Al-Ayadhi L.Y. Camel Milk as a Potential Therapy as an Antioxidant in Autism Spectrum Disorder (ASD) / L.Y. Al-Aya // Evidence-Based Complementary and Alternative Medicine. — 2013. — № 8. — Article ID: 602834.
- 16 Ehlayel M. Camel milk is a safer choice than goat milk for feeding children with cow milk allergy / M. Ehlayel // International Scholarly Research Network ISRN Allergy. — 2011. — № 5. — Article ID: 391641.
- 17 Тутельян В.А. Приоритеты в разработке специализированных продуктов питания оптимизированного состава для пациентов с сахарным диабетом 2 типа / В.А. Тутельян, Х.Х. Шарафетдинов, И.А. Лапик, И.С. Воробьев, Б.П. Суханов // Вопросы питания. — 2014. — № 83 (6). — С. 41–51.

У.А. Жумабаев, М.Б. Қыдыралиева, Р.С. Найманбаева, Н.А. Хужамшукuros, Т.С. Бигара

Түйе сүтінен сапалы шұбаттың ұзак сақтау мерзімімен алу технологиясы

Макалада түйе сүтінің негізінде ұзак сақтау мерзімі бар емдік-профилактикалық қышқылды сүт өнімдерін алу мақсатында, түйе сүтінің құрамындағы дәрүмендер мен микроэлементтерін, физико-химиялық қасиеттерін және энергетикалық құндылығын барынша сақтай отырып, зертхана

жағдайында ұзақ сақтау мерзімі бар шұбатты алудағы түйе сүтін заарсыздандырудың тиімді уақыты мен температурасын таңдауға және ашытқысын дайындауда жүргізілген тәжірибелік сынамалар сипатталған. Зерттеу нәтижелері бойынша, ұзақ сақтау мерзімді сапалы шұбатты алудағы заарсыздандырылып алынған түйе сүтінің құрамын +25 °С-қа дейін салқындата отырып, 15 % ашытқысын косу арқылы, заарсыздандырудың оңтайлы тиімді 100–101 °C температурасы мен 3–5 секунд уақыт аралығы таңдалып алынды. Сонымен қатар сынектан өткен жылдам мұздату технологиясы өзінің нативтік касиеттерін сактап, ұзақ сақтауға кабілетті биоенімді алуға мүмкіндік беретінін көрсетті.

Кітт сөздер: түйе сүті, шұбат, заарсыздандыру, ашытқы, технология, мұздату, емдік-профилактикалық қышқылды сүт өнімі.

У.А. Жумабаев, М.Б. Қыдыралиева, Р.С. Найманбаева, Н.А. Хужамшукоров, Т.С. Бигара

Технология получения качественного шубата из верблюжьего молока с длительным сроком хранения

В статье описаны экспериментальные опыты стерилизации оптимальных режимов для получения качественного шубата из верблюжьего молока с учетом времени и различных температурных режимов, с максимальным сохранением физико-химических, пищевых свойств и энергетической ценности витаминов, микроэлементов с длительным сроком хранения в лабораторных условиях с целью создания на его основе лечебно-профилактического кисломолочного продукта. По результатам исследования установлен наиболее оптимальный режим стерилизации свежевыдоенного молока при температуре 100–101 °C в течение 3–5 с с последующим охлаждением до +25 °C и добавлением 15 процентной шубатной закваски от массы молока. Апробированная далее технология скоротечного замораживания позволила получить биопродукт, сохранивший свои нативные свойства и обладающий способностью к длительному хранению.

Ключевые слова: верблюжье молоко, шубат, стерилизация, закваска, технология, замораживание, лечебно-профилактический кисломолочный продукт.

References

- 1 Seitov, Z.S. (2005). *Kumys. Shubat [Kumys. Shubat]*. Almaty [in Russian].
- 2 Konuspayeva, G. & Serikbayeva, A. (2004). Poluchenie laktoferrina iz verbliuzhego moloka v Kazakhstane [Production of lactoferrin from camel milk in Kazakhstan]. *Materials of the conference «NATO Advanced Research Workshop on Desertification Combat and Food Safety»*. Ashgabat, 362; 158–167 [in Russian].
- 3 Aludatt, M. H., Ereifej, K., Alothman, A. M., Almajwal, H., Alkhaldy, H., Al-Tawaha, A. R. & Alli, I. (2010). Variations of some physical properties, chemical, minerals and vitamins composition of camel milk from eight locations in Jordan. *Journal of food agriculture and environment*, 8; 16–20.
- 4 El-Agamy, E.I. (2006). Camel milk. *Handbook of milk of non-bovine mammals*. Blackwell Publishing; Iowa, USA.
- 5 Dikhanbayeva, F.G. (2010). Issledovanie khimicheskogo sostava verbliuzhego moloka [Research of chemical composition of camel milk]. *Novosti nauki Kazakhstana — News of science of Kazakhstan*, 1, 100–106 [in Russian].
- 6 Shuvarikov, A. S. & Pastuh, O. N. (2015). Sostav i tekhnologicheskie svoistva verbliuzhego, korovego i kozego moloka-syria [Composition and technological properties of camel, cow and goat milk— raw materials]. *Materialy Mezhdunarodnoi nauchno-prakticheskoi konferentsii — Collection of articles of International scientific and practical conferences*. Penza [in Russian].
- 7 Baimukanov, A., Baimukanov, D.A., Tokhanov, M.T. & Tokhanov, B.M. (2009). Innovative patent of RK No. 20927. *Sposob polucheniia balkaimaka i shalapa iz verbliuzhego moloka [The method for producing of the balkaimak and shalap from camel milk]*. (Publ. 16.03.2009. Bulletin. No. 3) [in Russian].
- 8 Cherkashina, K.S. & Udalova, O.V. (2011). Razrabotka retseptur kislomolochnogo morozhenogo s funktsionalnymi svoistvami iz verbliuzhego moloka «Atalla» [Development of sour milk ice cream formulations with functional properties from camel milk «atalla»]. *Issledovaniia molodykh uchenykh — vklad v innovatsionnoe razvitiye Rossii: Regionalnaia nauchno-prakticheskata konferentsia — Research of young scientists — contribution to the innovative development of Russia: Regional scientific and practical conference*, 2; 92–93 [in Russian].
- 9 Levy, A. (2013). Camel Milk: Disease Control and Dietary Laws. *Journal of Health Science*, 1; 48–53.
- 10 Abbas, S. (2013). Physico-Chemical Analysis and Composition of Camel Milk. *The International Research Journal*, 2(2); 84–98.
- 11 Khaskheli, M., Arain, M.A., Chaudhry, S., Soomro, A.H. & Qureshi, T.A. (2005). Physico-chemical quality of camel milk. *Journal of Agriculture Society Science*, 2; 164–166.
- 12 Sydykova, G.E., Turgunova, B.S., Smagulova, Z.T. & Iskakova, B.B. (2011). Issledovanie protsesssa nizkotemperaturnogo khraneniia pastoobraznykh produktov iz obezzhirennogo moloka [The study of the process of low-temperature storage of paste-like products from skim milk]. *Vestnik Semipalatinskogo gosudarstvennogo universiteta imeni Shakarima — Bulletin of the Shakarim after named Semipalatinsk state university*, 3(55); 7–10 [in Russian].

- 13 (2004). *Metodicheskie ukazaniia 4.2.1847–04 — Sanitarno-epidemiologicheskaiia otsenka obosnovaniia srokov godnosti i usloviii khraneniia pishchevykh produktov* [Methodical instructions 4.2.1847–04 — Sanitary-epidemiological assessment of the justification of expiry dates and storage conditions of food products] [in Russian].
- 14 Mona, E. (2010). Biochemical Effects of Fermented Camel Milk on Diarrhea in Rats. *New York Science Journal*, 3(5); 106–111.
- 15 Al-Ayadhi, L.Y. (2013). Camel Milk as a Potential Therapy as an Antioxidant in Autism Spectrum Disorder (ASD). *Evidence-Based Complementary and Alternative Medicine*, 8; Article ID: 602834.
- 16 Ehlayel, M. (2011). Camel milk is a safer choice than goat milk for feeding children with cow milk allergy. *International Scholarly Research Network ISRN Allergy*, 5; Article ID: 391641.
- 17 Tutel'yan, V.A., Sharafetdinov, H.H., Lapik, I.A., Vorob'eva, I.S. & Suhanov, B.P. (2014). Prioritetы в разработке специализированных продуктов питания оптимизированного состава для пациентов с сахарным диабетом 2 типа [Priorities in the development of specialized food products of optimized composition for patients with type 2 diabetes]. *Voprosy pitaniia — Problems of Nutrition*, 83 (6); 41–51 [in Russian].

АВТОРЛАР ТУРАЛЫ МӘЛІМЕТТЕР **СВЕДЕНИЯ ОБ АВТОРАХ** **INFORMATION ABOUT AUTHORS**

Aidarkhanova Gulnar Sabitovna — doctor of biological sciences, associate professor of department of Biology Sciences, S.Seifullin Kazakh Agrotechnical University, Nur-Sultan, Kazakhstan; exbio@yandex.ru

Auelbekova Almagul Kaliyevna — candidate of biological science, head of botany department of E.A. Buketov Karaganda University, Kazakhstan, a-aelbekova@mail.ru

Akhmetova Saule — Professor of the Department Biomedicine Karaganda medical university, Karagandy, Kazakhstan. e-mail: akhmetova_sb@mail.ru

Akhmetova Meruyert Zhanatovna — doctoral student, E.A. Buketov University of Karaganda, Kazakhstan; meruzhan2@mail.ru

Amirkhanova Zhanerke — PhD student 3 year by specialty 6D060700 -»Biology», Academician E.A. Buketov Karagandy University, Karagandy, Kazakhstan. e-mail: janerkeamir@mail.ru

Baubekova Gaukhar Konyspaevna — Master of Pedagogical Education, Senior Lecturer of the Department of Biology and Chemistry, Kostanay State Pedagogical University named after O. Sultangazin, Kostanay, Kazakhstan; baubekova1973@mail.ru

Babeshina Larisa Gennadevna — doctor of biological science; docent; Head of the approbation department for draft general pharmacopoeial articles and pharmacopoeial articles, Moscow FSBI «Scientific Centre for Expert Evaluation of Medicinal Products» of the Ministry of Health of the Russian Federation E-mail: Babeshina@expmed.ru

Bodeeva Rakhat — associate professor of the Department Physiology, Academician E.A. Buketov Karagandy University, Karagandy, Kazakhstan. e-mail: rahat-karaganda@mail.ru

Bigara Tore Seidulauly — candidate of agricultural sciences, associate professor at the department of Biotechnology of M. Auezov South Kazakhstan State University, Shymkent, Kazakhstan; tore.bigara@bk.ru

Danilova Alevtina Nikolaevna — candidate of biological science, leading researcher of Natural flora Lab, Altai botanical garden, Ridder, Kazakhstan: a-n-danilova@yandex.ru

Gassanova Gulnara Gidoyatovna — PhD-student, scientific secretary of the Mangyshlak Experimental Botanical Garden, Kazakhstan; ggg_lilu7@mail.ru

Gavrilkova Helena Anatol'evna — master of biology, senior lecturer of botany department of E.A. Buketov Karaganda University, Karaganda, Kazakhstan; e-mail: elena_2809@mail.ru

Imanbayeva Akzhunis Altayevna — candidate of biological science, general director of the Mangyshlak Experimental Botanical Garden, Kazakhstan; imangarden@mail.ru

Ginayatova Islana Beibitkyzy — bachelor student of Al-Farabi Kazakh National University, Biodiversity and Bioresources Department, Almaty, Kazakhstan; iginayat1@gmail.com

Huang Weidong— doctor of biological sciences, senior researcher of Reproductive medicine center, XinJiang JiaYin Hospital, Urumchi, China; Email: 1272153743@qq.com

Imasheva Bagdat Sakenovna — Doctor of Biological Sciences, Professor, National Center of Public Health of the Republic of Kazakhstan, Nur-Sultan, bagdat_imasheva@mail.ru

Ishmuratova Margarita Yulaevna — candidate of biological science, associated professor, professor of botany department of E.A. Buketov Karaganda University, Kazakhstan; margarita.ishmur@mail.ru

Izbastina Klara Serzhankazy — PhD, Astana Botanical Garden, Nur-Sultan, Kazakhstan; e-mail: izbastina.k@gmail.com

Kanaev Ashimkhan Toktasynovich, doctor bio. sciences, professor, director of the research institute of problems of biotechnology, Zhetsu University named after I.Zhansugurov 187a, I.Zhansugurov str. 040009 Taldykorgan, Kazakhstan, e-mail: ashim1959@mail.ru

Karipbayeva Rassima Kurmanaliyevna, master of ped. sciences, head of laboratory of Bioresources, Research Institute of Biotechnology Problems, Zhetsu University named after I.Zhansugurov 187a, I.Zhansugurov str. 040009 Taldykorgan, Kazakhstan, e-mail: rasima.24.02@mail.ru

Kaiyrbekov Tursynbek Kaiyrbekuly — laboratory assistant of the department of biodiversity and bioresources, Al-Farabi Kazakh National University, Almaty, Kazakhstan, t.kayirbekov2@gmail.com

Kenzhina Kulpash Dakenovna — Master of Natural Sciences, Senior Lecturer of the Karaganda University named after academician E.A. Buketov, Kazakhstan; k29k29d13@mail.ru

Konysbaeva Damila Turemuratovna — candidate of Biological Sciences, Associate Professor of the Department of Plant Protection and Quarantine, S. Seifullin Kazakh Agro Technical University, Nur-Sultan, Kazakhstan; Damila_konysbaeva@mail.ru

Korulkin Dmitriy Yur'yevich — doctor of chemical sciences, professor of Al-Farabi Kazakh National University, Chemistry and technology of natural substances, compounds and polymers department, Almaty, Kazakhstan; physcion@rambler.ru

Korbozova Nazym Kurmanbaevna — 2nd year PhD student of Al-Farabi Kazakh National University, junior researcher of Institute of General Genetics and Physiology of SC MES, Almaty, Kazakhstan; naz-ik@mail.ru

Kotukhov Yuri Andreevich — candidate of biological sciences, Altai Botanical Garden, Ridder, Kazakhstan.

Kubentayev Serik Argynbekovich — PhD, candidate of biological sciences, Astana Botanical Garden, Nur-Sultan, Kazakhstan; e-mail: kubserik@mail.ru

Kudrina Natalya Olegovna - c.b.s., associate professor of the department of Biodiversity and Bioresources Al-Farabi Kazakh National University, leading researcher Institute of General Genetics and Physiology of SC MES RK, assistant professor of biological sciences; kudrina_nat@mail.ru

Kudabayeva Gulmira Mauletovna — candidate of biology science, leading researcher, laboratory of Flora of higher plants, Institute of Botany and Phytointroduction, Almaty, Kazakhstan; kgm_anita@mail.ru

Kushugulova Almagul — Professor, Head of the Laboratory of human microbiome and longevity, Center for Life Sciences, «National Laboratory Astana» PI, Nazarbayev University, Nur-Sultan, Kazakhstan. e-mail: akushugulova@nu.edu.kz

Kushnarenko Svetlana Veniaminovna — Associate Professor, PhD, Head of the Laboratory of Germplasm Cryopreservation at the Institute of Plant Biology and Biotechnology, Committee of Science, Ministry of Education and Science, Almaty, Kazakhstan; E-mail: svetlana_bio@mail.ru

Kusmangazinov Adil Bolatuly — PhD student, Al-Farabi Kazakh National University, Almaty, Kazakhstan, adil_06.1996@mail.ru

Kurmanbayeva Meruyert Sakenovna — doctor of biological sciences, associate professor, head of the department of biodiversity and bioresources, Al-Farabi Kazakh National University, Almaty, Kazakhstan, kurmanbayevakz@gmail.com

Kydyralieva Mereke Bazarbekkyzy — PhD doctoral student at the department of Biotechnology of M.Auezov South Kazakhstan State University, Shymkent, Kazakhstan; merekekzt@mail.ru

Khujamshukurov Nortoji Abdikholikovich — doctor of biological sciences, professor, dean of the faculty of wine technology and industrial viticulture of the Tashkent Chemical-Technological Institute, Tashkent, Uzbekistan; nkhujamshukurov@mail.ru

-
- Lukmanov Akimzhan Bauirzhanovich** — engineer of Mangyshlak Experimental Botanical Garden, master-student, imangarden@mail.ru
- Matveyeva Ekaterina Vladimirovna** — junior researcher, Altai botanical garden, Ridder, Kazakhstan, matveyeva77@gmail.com
- Matveev Andrey Nikolaevich** — engineer of Research Park of Biotechnology and Eco Monitoring of academician E.A. Buketov Karaganda University, Karaganda, Kazakhstan, ecoplus_ecoplus@mail.ru
- Mindubayeva Farida Anvarovna** — doctor of medical sciences, professor of the department of morphology and physiology, Karaganda Medical University, Kazakhstan; 7554422@mail.ru
- Mukhtubaeva Saule Kakimzhanovna** — candidate of biological sciences, Astana Botanical Garden, Nur-Sultan, Kazakhstan; e-mail: mukhtubaeva@mail.ru
- Musina Rosa Tletayevna** — senior lecturer of Botany Department of the Academician E.A. Buketov Karaganda University, Karaganda, Kazakhstan, rosanna@mail.ru
- Naimanbayeva Raushan Sadvakhasovna** — project manager 0146–18-GC of the Joint Stock Company Science Fund for projects for commercializing the results of scientific and scientific-technical activities of the Khoja Akhmet Yassawi International Kazakh-Turkish University, Turkestan, Kazakhstan; naimanbayeva_raushan@mail.ru
- Nigmatullina Razina Ramazanova** — doctor of biological sciences, professor of department of normal physiology, Kazan State Medical University, Russia; razin@@mail.ru
- Osmonali Bektemir Birimkululy** — PhD student, junior researcher, laboratory of Flora of higher plants, Institute of Botany and Phytointroduction, Almaty, Kazakhstan; be96ka_kz@mail.ru
- Pang Min** — master of biological sciences, senior researcher of Reproductive medicine center, XinJiang JiaYin Hospital, Urumchi, China; Email: 932215648@qq.com
- Premina Natalya Victorovna** — Researcher, Department of science and ecology, West Altai State Natural Reserve, Kazakhstan, Ridder, preminanv@mail.ru
- Ramazanov Alibek Kairidenovich** — PhD-student of E.A. Buketov Karaganda University, Karaganda, Kazakhstan; e-mail: kairidenovich_rak@mail.ru
- Romadanova Natalya Vladimirovna** — Associate Professor, Ph.D, Leading Researcher, Laboratory of Germplasm Cryopreservation, Institute of Plant Biology and Biotechnology, Committee of Science, Ministry of Education and Science, Almaty, Kazakhstan; E-mail: nata_romananova@mail.ru
- Saparbayeva Nurzipa Abubakirovna** — Candidate of Biological Sciences, Institute of Botany and Phytointroduction, Kazakhstan, Almaty, E-mail: nurzipa2576@mail.ru
- Sagyndykova Meruert Serikovna** — PhD, leading researcher of Mangyshlak Experimental Botanical Garden, Aktau, Kazakhstan; m.sagyndykova@mail.ru
- Samat Kozhakhmetov** — Professor, Laboratory of human microbiome and longevity, Center for Life Sciences, «National Laboratory Astana» PI, Nazarbayev University, Nur-Sultan, Kazakhstan. e-mail: skozhakhmetov@nu.edu.kz
- Sarkytbayeva Aisulu Karimkazhyevna** — PhD student, Kazakh National University al-Farabi, Almaty, Kazakhstan; e-mail: sarkytbaevaaisulu@gmail.com
- Silant'eva Marina Mikhailovna** — doctor of biological science, professor, dean of biological faculty of Altai State University, Barnaul, Russia; E.A. Buketov Karaganda University, Karaganda, Kazakhstan, e-mail: msilan@mail.ru
- Sumbembayev Aidar Aitkazyevich** — PhD-student, senior researcher of Natural flora Lab, Altai botanical garden, Ridder, Kazakhstan: aydars@list.ru
- Suyundikova Zhanar Tuleutaevna** — Master of Biology, Senior Lecturer of the Department of Biology and Chemistry, Kostanay State Pedagogical University named after Sultangazin, Kazakhstan; forwork.zhanar@mail.ru

Shokan Aksholpan Kanatkyzy — 1st year PhD student of Al-Farabi Kazakh National University, laboratory assistant of Institute of General Genetics and Physiology of SC MES, Almaty, Kazakhstan; aksholpan.shokan@gmail.com

Terletskaya Nina Vladimirovna — c.b.s., associate professor of the department of Biodiversity and Bioresources Al-Farabi Kazakh National University, head laboratory for Ecological Plant Physiology of Institute of General Genetics and Physiology of SC MES RK, assistant professor of biological sciences; teni02@mail.ru

Tleukanova Saltanat Ushkempirovna — candidate of biological science, docent of botany department of E.A. Buketov Karaganda University, Kazakhstan; damir—6@mail.ru

Turlykozha Ademi Naimanhankazy — master of ped. sciences, junior researcher of laboratory of Bioresources, Research Institute of Biotechnology Problems, Zhetsu University named after I.Zhansugurov 187a, I.Zhansugurov str. 040009 Taldykorgan, Kazakhstan, e-mail: adema.turlykoja@mail.ru

Tuyakova Altynay — research associate, Laboratory of human microbiome and longevity, Center for Life Sciences, «National Laboratory Astana» PI, Nazarbayev University, Nur-Sultan, Kazakhstan. e-mail: altynay_79@mail.ru

Tykezhanova Gulmyra Mengalievna — candidate of biological sciences, associate professor of E.A. Buketov Karaganda University, Kazakhstan; gulmyra.tykezhanova@mail.ru

Tyrzhanova Sayagul Serikovna — PhD-student of the academician E.A. Buketov Karaganda University, Karaganda, Kazakhstan; tssaya@mail.ru

Vesselova Polina Vasilevna — candidate of biology science, leading researcher, laboratory of Flora of higher plants, Institute of Botany and Phytointroduction, Almaty, Kazakhstan; pol_ves@mail.ru

Yergozova Diana Maratkyzy — 1st year of Master's student of Al-Farabi Kazakh National University, Almaty, Kazakhstan; diko_99.2012@mail.ru

Yi Jiangyan— master of biological sciences, junior researcher of Reproductive medicine center, XinJiang JiaYin Hospital, Urumchi, China; Email: 631028230@qq.com

Zhainagul Kozhabek — master of biological sciences, teacher of Saken Seifullin Kazakh Agrotechnical University, Nur-Sultan, Kazakhstan; Email: jaynahojabek@yahoo.com

Zhao Qiongzhen— master of biological sciences, junior researcher of Reproductive medicine center, XinJiang JiaYin Hospital, Urumchi, China; Email: 1179232265@qq.com

Zhumabayev Ualikhan Agabekovich — doctor of biological sciences, professor of the department of «General surgery, instrumental diagnostics and pharmacology» of the Khoja Akhmet Yassawi International Kazakh-Turkish University, Turkestan, Kazakhstan; zhumabaev_ualikhan@mail.ru

Zhumina Assel Galimovna — PhD, docent botany department of E.A. Buketov Karaganda University, e-mail: asbiol@list.ru

Zhumagul Moldir Zhakypzhanovna — PhD student, Kazakh National University al-Farabi, Almaty, Kazakhstan; e-mail: mzhakypzhan@mail.ru