

Here Today, Gone Tomorrow: Dynamics of Peacekeeper Entry and Exit on Violence Against Civilians

Codebook

Feb. 16, 2026

Authors: Sky Kunkel¹ Douglas B. Atkinson² Rebecca Dudley³ Zach Warner⁴

Replication Materials: https://github.com/skytheacademic/when_peacekeepers_leave

This codebook describes the variables for “Here Today, Gone Tomorrow” in the *International Political Science Review*. The data used (Kunkel-Atkinson-Dudley-Warner-final.RDS) is a merged PRIO-GRID × month-year panel dataset covering Africa from January 2000 through December 2017. The unit of observation is a PRIO-GRID cell-month. Data are drawn from ACLED, RADPKO, and PRIO.

Dataset Sources

This dataset integrates variables from multiple sources. For detailed information about variables from external datasets, please consult the original codebooks:

ACLED Variables

All variables prefixed with `acled_` are derived from the Armed Conflict Location & Event Data (ACLED) Project. These variables capture information on political violence events, demonstrations, and strategic developments. For complete definitions, coding rules, and methodology, please refer to the ACLED Codebook (included in this repository as `ACLED_Codebook_v1_January-2021.pdf`).

Citation: Raleigh, Clionadh, Andrew Linke, Håvard Hegre and Joakim Karlsen. 2010. “Introducing ACLED-Armed Conflict Location and Event Data.” *Journal of Peace Research* 47(5): 651-660.

RADPKO Variables

All variables prefixed with `radpko_` are derived from the RADPKO (Robust African Deployments of Peacekeeping Operations) dataset. These variables provide detailed information on UN peacekeeping deployments at the subnational level, including troop counts, personnel types, and contributing countries. For complete definitions and methodology, please refer to the RADPKO documentation (included in this repository as `radpko_appendix.pdf`).

Citation: Hunnicutt, Patrick and William G. Nomikos. 2020. “Nationality, Gender, and Deployments at the Local Level: Introducing the RADPKO Dataset.” *International Peacekeeping* 27(4): 645-672.

¹Postdoctoral Research Associate, Gender and Security Sector Lab, Cornell University. Email: sk3386@cornell.edu, web: www.skytheacademic.com

²Assistant Professor of Political Science, Brigham Young University. Email: atkinsond@byu.edu, web: dougbatkinson.wordpress.com

³Assistant Professor of Political Science, Brigham Young University. Email: rebecca.dudley@byu.edu, web: www.rebeccaedudley.com

⁴Independent researcher. Email: zachwarner11@gmail.com, web: zachwarner.net

PRIO-GRID Variables

All variables prefixed with `prio_` (or `priogrid_`) as well as core spatial identifiers (`gid`, `row`, `col`, `gwno`) are derived from the PRIO-GRID dataset. PRIO-GRID provides a standardized spatial grid structure with global coverage at 0.5 x 0.5 decimal degree resolution, integrating data on geography, climate, population, and resources. For complete definitions and methodology, please refer to the PRIO-GRID Codebook (included in this repository as `PRIO-GRID-Codebook.pdf`).

Citation: Tollefsen, Andreas Forø, Håvard Strand & Halvard Buhaug (2012) “PRIO-GRID: A unified spatial data structure.” *Journal of Peace Research* 49(2): 363-374.

Project-Specific Variables

The following variables were created specifically for this analysis:

Identifiers & Time

Core identifiers that locate each observation in space and time.

Variable	Description	Type
<code>year</code>	Calendar year (2000-2017)	Integer
<code>month</code>	Calendar month (1 = January, 12 = December)	Integer
<code>time</code>	Unified time index: $(\text{year} - 2000) \times 12 + \text{month}$. Positive integer required by the <code>did</code> package	Integer

Note: The spatial identifiers `gid` (PRIO-GRID cell identifier), `row` (PRIO-GRID row index), and `col` (PRIO-GRID column index) originate from the PRIO-GRID framework. Please see the PRIO-GRID Codebook for their definitions.

Treatment Variables

Variables constructed for use with the `did` package. Two treatments are defined: (1) peacekeepers arrive, and (2) peacekeepers leave.

Peacekeeper Arrival

Variable	Description	Type
<code>first_treated</code>	Time period of first PKO deployment in the cell. 0 = never treated (control)	Integer
<code>treated</code>	Binary: 1 if PKO ever deployed in the cell, 0 otherwise	Binary
<code>post_treatment</code>	Binary: 1 from the period of first deployment onward, 0 before	Binary

Peacekeeper Departure

Variable	Description	Type
<code>first_treated_leave</code>	Time period when PKO first departs (deployed→not deployed). 0 = never departed	Integer

Variable	Description	Type
treated_leave	Binary: 1 if PKO ever departed the cell, 0 otherwise	Binary
post_treatment_leave	Binary: 1 from the period of first departure onward, 0 before	Binary

Neighbor (Spatial Spillover) Variables

Computed via queen contiguity: for each cell-month, these are the sums of the corresponding ACLED/RADPKO variables across all adjacent cells. Prefixed neighbor_. Naming follows the same convention as ACLED variables.

Variable	Description	Type
neighbor_vac_gov_death_all	Sum of gov't VAC fatalities in neighbors	Integer
neighbor_vac_gov_death_any	Count of neighbors with any gov't VAC fatalities	Integer
neighbor_vac_reb_death_all	Sum of rebel VAC fatalities in neighbors	Integer
neighbor_vac_reb_death_any	Count of neighbors with any rebel VAC fatalities	Integer
neighbor_vac_gov_event_all	Sum of gov't VAC events in neighbors	Integer
neighbor_vac_gov_event_any	Count of neighbors with any gov't VAC events	Integer
neighbor_vac_reb_event_all	Sum of rebel VAC events in neighbors	Integer
neighbor_vac_reb_event_any	Count of neighbors with any rebel VAC events	Integer
neighbor_gov_death_all	Sum of all gov't fatalities in neighbors	Integer
neighbor_gov_death_any	Count of neighbors with any gov't fatalities	Integer
neighbor_reb_death_all	Sum of all rebel fatalities in neighbors	Integer
neighbor_reb_death_any	Count of neighbors with any rebel fatalities	Integer
neighbor_gov_event_all	Sum of all gov't events in neighbors	Integer
neighbor_gov_event_any	Count of neighbors with any gov't events	Integer
neighbor_reb_event_all	Sum of all rebel events in neighbors	Integer
neighbor_reb_event_any	Count of neighbors with any rebel events	Integer
neighbor_bat_death_all	Sum of battle fatalities in neighbors	Integer
neighbor_bat_death_any	Count of neighbors with any battle fatalities	Integer
neighbor_bat_event_all	Sum of battle events in neighbors	Integer
neighbor_bat_event_any	Count of neighbors with any battle events	Integer
neighbor_pko_any	Count of neighbors with any PKO deployment	Integer

Notes

- **Coverage:** Africa, January 2000 – December 2017, at the PRIO-GRID cell-month level.
- **Missing values:** RADPKO missing values within the study area are recoded to 0, as NA in RADPKO reflects non-deployment.
- **Binary variables:** “_any” variables are recoded to {0, 1} after aggregation.
- **Neighbor structure:** Queen contiguity (shared edge or vertex) defines the neighbor structure for spatial spillover variables.