
AIP AD 2 FLSW 10 - 1 ZAMBIA 29 DEC 2022 STANDARD DEPARTURE CHART -SOLWEZI/Solwezi **INSTRUMENT (SID) - ICAO** (FLSW) APP 123.925 TRANSITION ALTITUDE 7000 TWR 118.300 **RNAV SID RWY 08** ENKOT 1A, FLKM 1A, IBGOX 1A, ITLOR 1A, NIDOS 1A, XOSET 1A 26° 40' 26° 10' 26° 30' 27° 00' 27° 10' 27° 20' 27° 30 26° 00' 26° 20' 26° 50' RNAV 1 ELEV, ALT IN FEET DIST IN NM BRG ARE MAG **GNSS REQUIRED** 6700 VAR 3° W (2020) φ 11° 50 11° 50 MSA 25 NM ARP **DEMOCRATIC REPUBLIC OF CONGO** (07<u>9.3°T)</u> 12° 00 4459 ENKOT 1A ENKOT FL160 15.7 5506 (079.4°T) SW524 MIMMIN 082° DUDGO 37.8 12° 10 -12° 10 4605 FLD35 5000 AMSL 4639 12° 20 **FLKM** UTETI ⁽²⁸⁴.9°7) FL210 FL090 (256.8°T) ITLOR 1 (284.7°T) €0.3 (099.7°T) ITLOR FL245 102° 4505 14.8 36.2 IBGOX FL205 ⊞ **NOT TO SCALE** (099.6°T) IBGOX 1A **EPMOP** FL120 SW529 22.8 4314 UTADU 12° 40 **EGPEG** 12° 50 XOSET FL190 NIDOS _13° 10 13° 10



STANDARD DEPARTURE CHART - INSTRUMENT (SID) - ICAO

SOLWEZI/Solwezi (FLSW) RNAV SID RWY 08

ENKOT 1A, FLKM 1A, IBGOX 1A, ITLOR 1A, NIDOS 1A, XOSET 1A

TABULAR DESCRIPTION

RNAV SID RWY 08

ENKOT 1A

	Serial Number	Path Descriptor	Waypoint Identifier	Fly- over	Course M°(T°)	Magnetic Variation (°)	Distance (NM) / Duration	Turn Direction	Altitude (FT)	Speed Limit (KT)	VPA (%)	Rec Navaids	Navigation Specification
П	010	CF	DUDGO	Υ	079 (076.8)	-2.6	3.0	-	-	-	-	-	RNAV 1
П	020	TF	SW524	-	082 (079.4)	-	37.8	-	-	-	-	-	RNAV 1
П	030	TF	ENKOT	-	082 (079.3)	-	15.7	-	+FL160	-	-	-	RNAV 1

FLKM 1A

Serial Number	Path Descriptor	Waypoint Identifier	Fly- over	Course M°(T°)	Magnetic Variation (°)	Distance (NM) / Duration	Turn Direction	Altitude (FT)	Speed Limit (KT)	VPA (%)	Rec Navaids	Navigation Specification
010	CF	DUDGO	Υ	079 (076.8)	-2.6	3.0	-	-	-	-	-	RNAV 1
020	TF	UTETI	-	169 (166.8)	-	15.3	-	-FL090	-	-	-	RNAV 1
030	TF	EPMOP	-	260 (256.8)	-	14.8	-	+FL120	-	-	-	RNAV 1
040	TF	FLKM	-	287 (284.7)	-	49.1	-	+FL210	-	-	-	RNAV 1

IBGOX 1A

Serial Iumber	Path Descriptor	Waypoint Identifier	Fly- over	Course M°(T°)	Magnetic Variation (°)	Distance (NM) / Duration	Turn Direction	Altitude (FT)	Speed Limit (KT)	VPA (%)	Rec Navaids	Navigation Specification
010	CF	DUDGO	Υ	079 (076.8)	-2.6	3.0	-	-	-	-	-	RNAV 1
020	TF	UTETI	-	169 (166.8)	1	15.3	-	-FL090	-	-	-	RNAV 1
030	TF	SW529	-	102 (099.7)	-	36.2	-	-	-	-	-	RNAV 1
040	TF	IBGOX	-	102 (099.6)	-	22.8	-	+FL205	-	-	-	RNAV 1

ITLOR 1A

Serial Number	Path Descriptor	Waypoint Identifier	Fly- over	Course M°(T°)	Magnetic Variation (°)	Distance (NM) / Duration	Turn Direction	Altitude (FT)	Speed Limit (KT)	VPA (%)	Rec Navaids	Navigation Specification
010	CF	DUDGO	Υ	079 (076.8)	-2.6	3.0	-	-	-	-	-	RNAV 1
020	TF	UTETI	-	169 (166.8)	-	15.3	-	-FL090	-	-	-	RNAV 1
030	TF	EPMOP	-	260 (256.8)	-	14.8	-	-	-	-	-	RNAV 1
040	TF	FLKM	-	287 (284.7)	-	49.1	-	-	-	-	1	RNAV 1
050	TF	ITLOR	-	287 (284.9)	-	20.3	-	+FL245	-	-	-	RNAV 1

NIDOS 1A

Serial Number	Path Descriptor	Waypoint Identifier	Fly- over	Course M°(T°)	Magnetic Variation (°)	Distance (NM) / Duration	Turn Direction	Altitude (FT)	Speed Limit (KT)	VPA (%)	Rec Navaids	Navigation Specification
010	CF	DUDGO	Υ	079 (076.8)	-2.6	3.0	-	-	-	-	-	RNAV 1
020	TF	UTETI	-	169 (166.8)	-	15.3	-	-FL090	-	-	-	RNAV 1
030	TF	EGPEG	-	155 (151.8)	-	26.9	-	-	-	-	-	RNAV 1
040	TF	NIDOS	-	155 (151.7)	-	17.8	-	+FL175	-	-	-	RNAV 1

XOSET 1A

Seria Numb		Waypoint Identifier	Fly- over	Course M°(T°)	Magnetic Variation (°)	Distance (NM) / Duration	Turn Direction	Altitude (FT)	Speed Limit (KT)	VPA (%)	Rec Navaids	Navigation Specification
010	CF	DUDGO	Υ	079 (076.8)	-2.6	3.0	-	1	-	-	-	RNAV 1
020	TF	UTETI	-	169 (166.8)	-	15.3	-	-FL090	-	-	-	RNAV 1
030	TF	UTADU	-	226 (223.3)	-	13.0	-	-	-	-	-	RNAV 1
040	TF	XOSET	-	226 (223.3)	-	39.9	-	+FL190	-	-	-	RNAV 1

STANDARD DEPARTURE CHART - INSTRUMENT (SID) - ICAO

SOLWEZI/Solwezi (FLSW) RNAV SID RWY 08

ENKOT 1A, FLKM 1A, IBGOX 1A, ITLOR 1A, NIDOS 1A, XOSET 1A

WAYPOINT LIST RNAV SID RWY 08

WaypointIdentifier	Coor	dinates	WaypointIdentifier	Coor	dinates
ENKOT	S 11 59 32.0	E 027 19 33.0	XOSET	S 13 03 08.6	E 025 52 16.5
FLKM	S 12 15 15.0	E 025 26 15.0			
IBGOX	S 12 34 21.0	E 027 28 56.0			
ITLOR	S 12 10 00.2	E 025 06 13.4			
NIDOS	S 13 03 60.0	E 026 51 06.0			
UTADU	S 12 33 57.6	E 026 20 20.2			
DUDGO	S 12 09 31.2	E 026 25 53.0			
EPMOP	S 12 27 50.4	E 026 14 44.4			
SW524	S 12 02 29.1	E 027 03 47.6			
UTETI	S 12 24 26.7	E 026 29 27.1			
EGPEG	S 12 48 14.0	E 026 42 27.4			
SW529	S 12 30 32.5	E 027 05 53.9			

ROUTING

NAME	TEXT
ENKOT 1A	After take-off climb on course 079° to DUDGO, track 082° to SW524, then track 082° to ENKOT.
	MCA/MCL: ENKOT AT or ABOVE FL160.
FLKM 1A	After take-off climb on course 079° to DUDGO, track 169° to UTETI, track 260° to EPMOP, then track 2 87° to FLKM.
	MCA/MCL: UTETI AT or BELOW FL090, EPMOP AT or ABOVE FL120, FLKM AT or ABOVE FL210.
IBGOX 1A	After take-off climb on course 079° to DUDGO, track 169° to UTETI, track 102° to SW529, then track 1 02° to IBGOX.
	MCA/MCL: UTETI AT or BELOW FL090, IBGOX AT or ABOVE FL205.
ITLOR 1A	After take-off climb on course 079° to DUDGO, track 169° to UTETI, track 260° to EPMOP, track 287° to FLKM, then track 287° to ITLOR.
	MCA/MCL: UTETI AT or BELOW FL090, ITLOR AT or ABOVE FL245.
NIDOS 1A	After take-off climb on course 079° to DUDGO, track 169° to UTETI, track 155° to EGPEG, then track 1 55° to NIDOS.
	MCA/MCL: UTETI AT or BELOW FL090, NIDOS AT or ABOVE FL175.
XOSET 1A	After take-off climb on course 079° to DUDGO, track 169° to UTETI, track 226° to UTADU, then track 2 26° to XOSET.
	MCA/MCL: UTETI AT or BELOW FL090, XOSET AT or ABOVE FL190.