path.cm

```
Copyright (c) 2012-2016 Seppo Laakko
    http://sourceforge.net/projects/cmajor/
    Distributed under the GNU General Public License, version 3 (GPLv3).
    (See\ accompanying\ LICENSE.\ txt\ or\ http://www.gnu.org/licenses/gpl.html)
    */
// Copyright (c) 1994
// Hewlett-Packard Company
// Copyright (c) 1996
// Silicon Graphics Computer Systems, Inc.
// Copyright (c) 2009 Alexander Stepanov and Paul McJones
using System;
using System. Collections;
namespace System.IO
    public class InvalidPathException: Exception
        public InvalidPathException(const string& message_): base(
           message_)
        public default InvalidPathException(const InvalidPathException&);
    }
    public string GetCurrentWorkingDirectory()
        IOBuffer buffer (4096u);
        char* wd = get_current_working_directory(cast<char*>(buffer.Mem()
           ), cast<int>(buffer.Size()));
        if (wd != null)
            return Path. MakeCanonical (wd);
        else
            throw IOException("could not get current working directory");
    }
    public string GetPathToExecutable()
        IOBuffer buffer (4096u);
```

```
int result = get_path_to_executable(cast<char*>(buffer.Mem()),
       cast<int>(buffer . Size()));
    if (result = -1)
        string reason = strerror(get_errno());
        throw IOException ("could not get path to current executable:
           " + reason);
    string p = GetFullPath(cast<const char*>(buffer.Mem()));
    return p;
public nothrow bool FileExists(const string& filePath)
    return file_exists(filePath.Chars()) != 0;
public nothrow bool DirectoryExists(const string& directoryPath)
    return directory_exists (directoryPath.Chars()) != 0;
public nothrow bool PathExists(const string& path)
    return path_exists(path.Chars()) != 0;
public bool LastWriteTimeLess(const string& filePath1, const string&
   filePath2)
    int result = last_write_time_less(filePath1.Chars(), filePath2.
       Chars());
    if (result = -1)
        string reason = strerror(get_errno());
        throw IOException ("could not get last write time for file '"
           + filePath1 + "': " + reason);
    else if (result = -2)
        string reason = strerror(get_errno());
        throw IOException ("could not get last write time for file '"
           + filePath2 + "': " + reason);
    return result != 0;
}
public void CreateDirectories (const string& directoryPath)
    string path = GetFullPath(directoryPath);
    List < string > directories To Create;
    while (! Directory Exists (path))
```

```
directories To Create. Add(path);
        path = Path.GetParent(directoryPath);
    int n = directoriesToCreate.Count();
    for (int i = n - 1; i >= 0; —i)
        const string& directory = directoriesToCreate[i];
        int result = create_directory(directory.Chars());
}
public void RemoveFile(const string& filePath)
    int result = remove(filePath.Chars());
    if (result != 0)
        string reason = strerror(get_errno());
        throw IOException ("could not remove file '" + filePath + "':
            " + reason);
    }
}
public static class Path
    public static string MakeCanonical(const string& path)
        string result;
        char prev = ' ;
        for (char c : path)
            if (c = ' \setminus ')
                c = ', ', ';
            if (c == ',/')
                 if (prev != '/')
                     result.Append(c);
            _{
m else}
                 result.Append(c);
            prev = c;
        if (result.Length() = 3 \&\& IsAlpha(result[0]) \&\& result[1]
           == ':' && result[2] == '/')
            return result;
        if (result == "/")
```

```
{
        return result;
    if (!result.IsEmpty())
        if (result[result.Length() - 1] = '/')
             result.Substring(0, result.Length() - 1);
    return result;
public static nothrow string Change Extension (const string & path,
   const string& extension)
    int lastDotPos = path.RFind('.');
    if (extension.IsEmpty())
    {
        if (lastDotPos != -1)
            return path.Substring(0, lastDotPos);
        }
        else
        {
            return path;
    _{
m else}
        if (lastDotPos = -1)
            #assert (!extension.IsEmpty());
            if (extension [0] = '.')
                 return path + extension;
            }
            else
                 return path + "." + extension;
        _{\mathbf{else}}
             if (extension [0] = '.')
                 return path.Substring(0, lastDotPos) + extension;
            else
                 return path.Substring(0, lastDotPos + 1) +
                    extension;
        }
```

```
}
public static bool HasExtension(const string& path)
    string p = MakeCanonical(path);
    int lastDotPos = p.RFind('.');
    if (lastDotPos != -1)
        int lastColon = p.Find(':', lastDotPos + 1);
int lastDirSep = p.Find('/', lastDotPos + 1);
        if (lastColon > lastDotPos || lastDirSep > lastDotPos)
             return false;
        else if (lastDotPos < p.Length() - 1)
             return true;
        else
             return false;
    }
    else
        return false;
public static string GetExtension(const string& path)
    string p = MakeCanonical(path);
    int lastDotPos = p.RFind('.');
    if (lastDotPos != -1)
        if (p.Find('/', lastDotPos + 1) != -1)
        {
             return string();
        }
        else
             return p. Substring(lastDotPos);
    else
        return string();
public static string GetFileName(const string& path)
    if (path.IsEmpty())
        return string();
```

```
}
    else
        string p = MakeCanonical(path);
        char lastChar = p[p.Length() - 1];
        if (lastChar = '/' || lastChar = ':')
            return string();
        }
        else
        {
            int lastDirSepPos = p.RFind(',');
            if (lastDirSepPos != -1)
                return p. Substring(lastDirSepPos + 1);
            else
            {
                return p;
        }
    }
public static string GetFileNameWithoutExtension(const string&
   path)
{
    string fileName = GetFileName(path);
    int lastDotPos = fileName.RFind('.');
    if (lastDotPos != -1)
        return fileName.Substring(0, lastDotPos);
    else
        return fileName;
}
public static string GetDirectoryName(const string& path)
    string p = MakeCanonical(path);
    if (p.IsEmpty())
    {
        return string();
    else if (p.Length() = 3 \&\& IsAlpha(p[0]) \&\& p[1] = ':' \&\& p
       [2] = ',','
        return string();
    else
        int lastDirSepPos = p.RFind(',');
        if (lastDirSepPos != -1)
```

```
{
             return p. Substring(0, lastDirSepPos);
        _{
m else}
        {
             \mathbf{return} \ \operatorname{string} () \ ;
    }
public static string Combine (const string & path1, const string &
   path2)
{
    string p1 = MakeCanonical(path1);
    string p2 = MakeCanonical(path2);
    if (p1.IsEmpty())
    {
        return p2;
    else if (p2.IsEmpty())
        return p1;
    }
    else
        if (IsAbsolute(p2))
             return p2;
        else
             string result = p1;
             #assert(!result.IsEmpty());
             if (result [result.Length() - 1] != '/')
                  result.Append('/');
             result.Append(p2);
             return result;
        }
    }
public static bool IsAbsolute(const string& path)
    if (path.IsEmpty())
        return false;
    else
        string p = MakeCanonical(path);
        if (p[0] = '/')
             return true;
```

```
else if (IsAlpha(p[0]) \&\& p.Length() > 2 \&\& p[1] = ':'
               && p[2] = '/'
                return true;
            }
            else
                return false;
        }
    public static bool IsRelative (const string& path)
        return !IsAbsolute(path);
    public static string GetParent(const string& path)
        string fullPath = GetFullPath(path);
        int lastSlashPos = fullPath.RFind(',');
        return fullPath.Substring(0, lastSlashPos);
    }
}
public string GetFullPath(const string& path)
    string cp = Path.MakeCanonical(path);
    string p = cp;
    if (Path. Is Relative (p))
        p = GetCurrentWorkingDirectory();
        p. Append(',');
        p.Append(cp);
    List < string > components = p. Split (',');
    int w = 0;
    int n = components.Count();
    for (int i = 0; i < n; ++i)
        const string& c = components[i];
        if (i == 0 || (!c.IsEmpty() && c != "."))
            if (c == "..")
                if (w < 0)
                    throw InvalidPathException("path '" + path + "'
                        is invalid");
                }
            }
            else
```

```
if (w != i)
                     components[w] = components[i];
                +\!+\!w;
            }
        }
    return "/";
    else if (w == 1)
        const string\& p = components[0];
        if (p.Length() = 2 \&\& IsAlpha(p[0]) \&\& p[1] = ':')
            return p + "/";
    string result;
    for (int i = 0; i < w; ++i)
        if (i != 0)
            result.Append('/');
        result.Append(components[i]);
    {\bf return} \ {\bf result} \ ;
}
```