Getting Started Guide for Cmajor 1.0.0

Seppo Laakko

June 22, 2015

1 Installation in Windows

1.1 Prerequisites

Note: You must uninstall any previous Cmajor version before installing this version (1.0.0).

It is also recommended that you delete the `%APPDATA%\Cmajor` directory before installing this version because configuration files and system library files have been changed.

- Download and install MinGW_w64 GCC:
  http://sourceforge.net/projects/mingw-w64/files/Toolchains%20targetting%20Win32/
  Personal%20Builds/mingw-builds/installer/mingw-w64-install.exe/download

  Installation settings for my system:

  - Version 5.1.0
  - Architecture: x86_64
  - Threads: **posix**
  - Exception: sjlj
  - Build revision: 0

  Note: Threads setting must be "posix".

  After installation insert the bin-directory to the **PATH** environment variable. In my system this is
  `C:\Program Files\mingw-w64\x86_64-5.1.0-posix-sjlj-rt_v4-rev0\mingw64\bin`
  directory.

1.2 Cmajor Installation

- Download and run **cmajor-1.0.0-win-x86-setup.exe** (for 32-bit Windows) or **cmajor-1.0.0-win-x64-setup.exe** (for 64-bit Windows).

- Cmajor is installed by default to `C:\Program Files\Cmajor` directory (under 32-bit Windows) or to `C:\Program Files (x86)\Cmajor` directory (32-bit and 64-bit versions under 64-bit Windows).

  Note: The x64 version is also installed by default under `C:\Program Files (x86)` directory although the programs are genuingly 64-bit versions). This is due to restrictions of InstallShield Limited Edition.

- The setup adds `C:\Program Files\Cmajor\bin` directory or
  `C:\Program Files (x86)\Cmajor\bin` directory to your system's **PATH** environment variable, so the Cmajor programs can be executed from any directory from the command prompt without specifying full paths.

- The setup also adds a **CM_LIBRARY_PATH** environment variable and sets it to contain a path to the Cmajor System Library directory that is `%APPDATA%\Cmajor\system`. If you need to modify the **CM_LIBRARY_PATH** environment variable, you can find it from the Advanced System Settings pane in the System Control Panel.

  In my computer the `%APPDATA%` points actually to the `C:\Users\Seppo\AppData\Roaming\` directory. The **AppData** folder is hidden by default. To see it you will have to modify the settings in the *Folder Options* Control Panel.

- The setup adds an icon to **Cmajor Development Environment** to the desktop.

- After installation you have to build the Cmajor System Library.

1.3 Building the Cmajor System Library

- Option 1: using batch file:

  - Open command prompt and change to Cmajor system directory by issuing command `cd %APPDATA%\Cmajor\system`.
  - Run **build.bat**. This builds the Cmajor System Libary for each backend (LLVM/C) and configuration (debug/release).
  - Now the Cmajor system is ready for building user projects.

- Option 2: using IDE:

  - Start **Cmajor Development Environment**.
  - Open the `File|Built-in Projects|System Library` project.
  - Run `Build|Rebuild Solution` command for the `debug` configuration.
  - Select `release` configuration from the configuration combo box and run `Build|Rebuild Solution` command for the `release` configuration.
  - Select `debug` configuration from the configuration combo box and `C` backend from the backend combo box and run `Build|Rebuild Solution` command for the `C` backend and the `debug` configuration.
  - Select `release` configuration from the configuration combo box and run `Build|Rebuild Solution` command for the `C` backend and for the `release` configuration.
  - Now the Cmajor system is ready for building user projects.

  Note: If you are updating from previous Cmajor version, it is important to issue the **rebuild** command (not just build command), because System Library directories are not cleared when uninstalling Cmajor.

1.4 Troubleshooting

- library reference 'system.cml' not found.

  You have to build the System Library for the used configuration (debug/release) and backend (LLVM/C) first.

- **gcc is not recognized as an internal or external command...**

  or

  Cannot start llc.exe because libgcc_s_sjlj-1.dll is missing (or something like that).

  The bin directory of mingw_w64
  (in my machine
  `C:\Program Files\mingw-w64\x86_64-5.1.0-posix-sjlj-rt_v4-rev0\mingw64\bin`)
  must be in the PATH environment variable.

- Build seems to succeed but program does not work, or other mysterious error.

  Try **rebuild** command (-R option) or **clean** and then **build**.

- IDE messes up things.

  Try using the command line compiler (cmc.exe).

- The compiler is still in experimental stage, so surely many bugs exist...

  Hope this helps!

2 Installation in Linux

2.1 Prerequisites

- GCC
  Must be recent enough to compile C++11 code.

- Download, build and install Boost (http://www.boost.org/). At minimum you will need to build and install the **filesystem** and **iostreams** libraries:
  `(./b2 --with-filesystem --with-iostreams install)`

- Donwload, build and install LLVM tools (http://llvm.org/). Installation instructions can be found in http://llvm.org/docs/GettingStarted.html document.

2.2 Cmajor Installation

- Download and extract **cmajor-1.0.0-src.tar.gz** to some directory here called `<cmajor>`.

- Change to `<cmajor>` directory and run `make` and then `[sudo] make install`.

- Set an environment variable `CM_LIBRARY_PATH` to contain path to `<cmajor>/system` directory. You may want to insert a statement like:
  `export CM_LIBRARY_PATH=/path/to/cmajor/system`
  into you .bashrc script.

2.3 Building the System Library

- Run command `make sys` from `<cmajor>` directory.

- Now the Cmajor system is ready for building user projects.

2.4 Troubleshooting

- library reference 'system.cml' not found

  You have to build the System Library for the used configuration (debug/release) and backend (LLVM/C) first.

- sh: 1: llc: not found

  You have probably not installed LLVM tools.

- Build seems to succeed but program does not work, or other mysterious error.

  Try **rebuild** command (-R option) or **clean** and then **build**.

- Ubuntu Document Viewer does not show PDF documents included in Cmajor.

  At least **okular** shows them beautifully.

- The compiler is still in experimental stage, so surely many bugs exist...

  Hope this helps!