

AI Accelerator Chip Import And Export Control Agreement

HelioChip Logistics Ltd. and Meridian Research Compute - controlled AI accelerator procurement, import, re-export, and end-use restrictions

Synthetic legal-style test document for agent evaluation. Not legal advice. No real parties.

Transaction Overview

HelioChip Logistics Ltd. will source, import, warehouse, configure, and deliver AI accelerator hardware, high-bandwidth interconnects, firmware packages, and management software for Meridian Research Compute. The shipment may include items classified under export control regimes applicable to advanced computing, semiconductor manufacturing, encryption, and high-performance AI workloads.

No party may ship, re-export, transfer, lend, resell, virtualize, colocate, or make available the controlled items to any restricted party, embargoed destination, prohibited end use, or military-intelligence end user without written authorization and any required government license.

Export Classification And Licensing

- Supplier shall provide export classification numbers, harmonized tariff codes, country of origin, license exception analysis, encryption classification, and supporting manufacturer certifications before purchase order release.
- Potential classifications may include advanced computing controls, encryption controls, and related software controls. Final classification must be confirmed by the manufacturer or qualified export counsel.
- Importer of record shall verify whether import permits, re-export licenses, end-user statements, or strategic goods approvals are required for each destination and deployment site.

End Use And End User Certification

- Customer represents that the items will be used for internal research, model inference, secure analytics, and workload testing in approved data center locations only.
- Items shall not be used for nuclear, missile, chemical, biological, military command, surveillance targeting, weapons design, or restricted military-intelligence applications.
- Customer shall maintain asset inventory, deployment site records, operator logs, model workload categories, and access records for at least seven years.

Sanctions And Restricted Party Screening

Before each shipment, Supplier shall screen Customer, affiliates, freight forwarders, brokers, consignees, data center operators, financing parties, and known end users against applicable sanctions, denied party, unverified, military end user, and export restriction lists.

A positive or unresolved screening hit is a shipment blocker. The parties must document disposition, counsel review, and approval before release.

Data, Firmware, And Remote Access

- Supplier may receive device serial numbers, firmware versions, data center rack locations, network diagrams, import documents, operator contact data, and support logs.
- Supplier remote access for firmware support requires ticketed approval, time limits, named personnel, MFA, session recording, and customer observation where feasible.

- No production model weights, datasets, prompts, customer personal data, or inference outputs shall be transferred to Supplier unless covered by a separate security and data processing agreement.

Customs, Chain Of Custody, And Physical Security

- Supplier shall maintain tamper-evident packaging, serial number reconciliation, bonded warehouse controls, delivery photographs, and chain-of-custody logs.
- Lost, stolen, diverted, substituted, or delayed shipments must be reported within 24 hours with an incident record and corrective action plan.

Audit Rights

Customer may audit classification records, screening records, shipping documents, import permits, chain-of-custody evidence, and end-use certification files. Supplier shall preserve transaction records for seven years or longer if required by law.

Blocking Conditions

- No purchase order may be released without export classification, sanctions screening, end-use certification, delivery location approval, and importer-of-record confirmation.
- No support access may start without privileged access approval, firmware integrity evidence, and a documented support window.

Reference Basis For Synthetic Fixture

This fixture is original synthetic text. It uses public legal, regulatory, security, cloud, export-control, and AI governance sources only as structural reference points. It is not legal advice and is not a copy of any source template.

Reference | GOV.UK Model Services Contract | Applied for: complex services structure, schedules, service levels, exit management, security, schedule patterns | <https://www.gov.uk/government/collections/model-services-contract>

Reference | ICO controller and processor contract guidance | Applied for: processor instructions, confidentiality, subprocessors, assistance, deletion, audit, breach support | <https://ico.org.uk/for-organisations/uk-gdpr-guidance-and-resources/accountability-and-governance/contracts-and-liabilities-between-controllers-and-processors-multi/>

Reference | European Commission controller-processor SCCs and transfer SCC overview | Applied for: SCC-style annexes, processing description, technical measures, transfer safeguards | https://commission.europa.eu/publications/standard-contractual-clauses-controller-and-processors-eueea_en

Reference | BIS Export Administration Regulations and advanced computing end-use controls | Applied for: classification, license analysis, end-use, end-user, restricted-party, re-export, transfer controls | <https://www.bis.gov/entity-list>

Reference | NIST SP 800-161 Rev. 1 Cybersecurity Supply Chain Risk Management | Applied for: supplier assurance, provenance, counterfeit/tamper controls, ongoing monitoring, acquisition evidence | <https://csrc.nist.gov/pubs/sp/800/161/r1/upd1/final>

Reference | NIST SP 800-53 Rev. 5 security and privacy control families | Applied for: access control, audit, incident response, contingency planning, acquisition, privacy, supply-chain controls | <https://csrc.nist.gov/pubs/sp/800/53/r5/upd1/final>

Reference | NIST AI Risk Management Framework | Applied for: AI governance, human oversight, testing, documentation, transparency, monitoring, risk management | <https://www.nist.gov/itl/ai-risk-management-framework>

Reference | Cloud Security Alliance Cloud Controls Matrix | Applied for: cloud shared responsibility, identity, logging, data security, resilience, vendor assurance domains | <https://cloudsecurityalliance.org/research/cloud-controls-matrix>

Schedule A - Commercial And Governance Terms

This schedule converts the business request into a production-ready contract package for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware. The parties acknowledge the primary regulated focus as export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions.

1. Definitions And Interpretation

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall define controlled terms, service boundary, covered affiliates, data classes, evidence artifacts, and approval gates. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for definitions and interpretation.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 01 | Area: Definitions And Interpretation | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

2. Order Of Precedence

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall resolve conflicts between the order form, schedules, security annex, DPA, support policies, and statements of work. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for order of precedence.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 02 | Area: Order Of Precedence | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

3. Statement Of Work Controls

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require every work package to identify scope, owners, data, systems, locations, subcontractors, acceptance tests, and blockers. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for statement of work controls.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 03 | Area: Statement Of Work Controls | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

4. Governance Board

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall establish operational, legal, security, privacy, finance, and compliance reviewers with documented decision rights. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for governance board.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 04 | Area: Governance Board | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

5. Onboarding Gate

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall block production use until risk classification, architecture review, data owner approval, security review, and contract signoff are complete. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for onboarding gate.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 05 | Area: Onboarding Gate | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

6. Service Description

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall state what the provider may do, what it may not do, and which activities need a separate change order. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for service description.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 06 | Area: Service Description | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

7. Customer Responsibilities

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall identify required approvals, access provisioning, data-quality responsibilities, and evidence response timelines. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for customer responsibilities.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 07 | Area: Customer Responsibilities | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

8. Provider Responsibilities

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require professional care, trained personnel, documented controls, subcontractor oversight, and audit cooperation. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for provider responsibilities.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 08 | Area: Provider Responsibilities | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

9. Regulatory Change

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require impact assessment, control updates, pricing discussion, and implementation plan when law or regulator guidance changes. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for regulatory change.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 09 | Area: Regulatory Change | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

10. Policies And Standards

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall bind the provider to security, privacy, AI, procurement, continuity, records, and acceptable-use policies supplied by customer. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for policies and standards.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 10 | Area: Policies And Standards | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

11. Personnel And Background Screening

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require appropriate screening, role-based training, confidentiality obligations, and access removal at exit. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for personnel and background screening.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 11 | Area: Personnel And Background Screening | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

12. Conflicts Of Interest

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require disclosure of conflicting customers, incentives, related-party arrangements, and independence impairments. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for conflicts of interest.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 12 | Area: Conflicts Of Interest | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

13. Subcontracting

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require approval for material subcontractors, flow-down clauses, evidence rights, and termination support. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for subcontracting.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 13 | Area: Subcontracting | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

14. Change Control

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require risk assessment before changing scope, location, subprocessors, integrations, data classes, AI use, or access model. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for change control.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 14 | Area: Change Control | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

15. Fees And Invoicing Controls

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall align billing events to accepted deliverables, usage reports, rate cards, credits, and disputed invoice procedures. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for fees and invoicing controls.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 15 | Area: Fees And Invoicing Controls | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

16. Service Levels

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall define uptime, response, restoration, data delivery, support, reporting, and incident communication measures. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for service levels.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 16 | Area: Service Levels | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

17. Service Credits

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall state credits do not replace corrective actions, regulatory duties, or termination rights for chronic failure. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for service credits.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 17 | Area: Service Credits | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

18. Acceptance Testing

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require functional, security, privacy, continuity, integration, and reporting tests before production acceptance. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for acceptance testing.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 18 | Area: Acceptance Testing | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

19. Documentation

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require architecture diagrams, runbooks, integration inventory, data maps, control matrix, and evidence pack maintenance. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for documentation.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 19 | Area: Documentation | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

20. Records Retention

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall preserve approvals, logs, exports, support records, change records, audit evidence, and decision files for defined periods. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for records retention.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 20 | Area: Records Retention | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

21. Audit Rights

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall permit questionnaire, evidence review, independent assurance report, interview, remediation tracking, and targeted audit. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for audit rights.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 21 | Area: Audit Rights | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboard and annual refresh

22. Incident Management

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall define security, privacy, continuity, physical, export, payment, and data-quality incidents with severity levels. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for incident management.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 22 | Area: Incident Management | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

23. Notification

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require prompt notices, factual updates, root cause, containment, legal hold, communications approval, and corrective plan. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for notification.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 23 | Area: Notification | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboard and annual refresh

24. Remediation

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require tracked corrective actions, owners, deadlines, residual risk acceptance, and executive escalation for overdue blockers. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for remediation.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 24 | Area: Remediation | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

25. Business Continuity

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require continuity plan, disaster recovery plan, tabletop test, restoration evidence, manual workaround, and dependency mapping. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for business continuity.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 25 | Area: Business Continuity | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

26. Exit Management

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require transition plan, data export, knowledge transfer, secrets rotation, subcontractor disengagement, and deletion certification. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for exit management.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 26 | Area: Exit Management | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

27. Termination Rights

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall allow termination for uncured breach, security failure, regulatory prohibition, chronic SLA failure, or unresolved approval blocker. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for termination rights.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 27 | Area: Termination Rights | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

28. Liability Allocation

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall separate ordinary commercial liability from confidentiality, data protection, security, fraud, wilful misconduct, and IP claims. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for liability allocation.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 28 | Area: Liability Allocation | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

29. Insurance

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require technology E&O, cyber, crime, professional liability, transit/warehouse coverage where relevant, and evidence of renewal. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for insurance.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 29 | Area: Insurance | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

30. Confidentiality

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall cover business, technical, pricing, architecture, security, data, model, and investigation information with survival terms. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for confidentiality.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 30 | Area: Confidentiality | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

31. Intellectual Property

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall separate background IP, deliverables, configurations, customer data, trained artifacts, documentation, and feedback. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for intellectual property.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 31 | Area: Intellectual Property | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

32. Open Source And Third-Party Components

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require inventory, license compliance, vulnerability management, provenance, and replacement rights. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for open source and third-party components.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 32 | Area: Open Source And Third-Party Components | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

33. Publicity Restrictions

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall prohibit public use of customer name, data, logo, case study, benchmark, or regulator discussion without written approval. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for publicity restrictions.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 33 | Area: Publicity Restrictions | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

34. Dispute Escalation

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require operational escalation, executive escalation, interim performance, evidence preservation, and venue selection. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for dispute escalation.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 34 | Area: Dispute Escalation | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

35. Regulator Cooperation

For AI Accelerator Import And Export Control, HelioChip Logistics Ltd. shall require assistance for supervisory authority inquiries, audits, information requests, breach notifications, and remediation evidence. The obligation applies to procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and to all records concerning controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

- Required evidence: owner, approval date, artifact ID, renewal date, exception status, and reviewer for regulator cooperation.
- Approval blocker: unresolved gaps affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook must remain visible in the risk register until accepted by Customer.

Clause 35 | Area: Regulator Cooperation | Customer: Meridian Research Compute | Provider: HelioChip Logistics Ltd. | Evidence cadence: onboarding and annual refresh

Schedule B - Security, Privacy, Operational, And Supply-Chain Control Matrix

The following controls are written as test evidence for an enterprise compliance agent. Each row should be parsed as a possible obligation, blocker, owner action, or evidence requirement for AI Accelerator Import And Export Control.

CTRL-01 Identity And Access

The parties assign identity and access as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering named accounts, MFA, least privilege, joiner-mover-leaver workflow, and quarterly recertification.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.

- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-01 | Control: Identity And Access | Evidence: named accounts, MFA, least privilege, joiner-mover-leaver workflow, and quarterly recertification | Blocker if missing: yes for high-risk or regulated processing

CTRL-02 Privileged Access

The parties assign privileged access as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering ticketed elevation, time limits, session recording, command logging, approval evidence, and emergency break-glass review.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-02 | Control: Privileged Access | Evidence: ticketed elevation, time limits, session recording, command logging, approval evidence, and emergency break-glass review | Blocker if missing: yes for high-risk or regulated processing

CTRL-03 Authentication

The parties assign authentication as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering SSO, certificate or key rotation, conditional access, device posture, and credential vaulting.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-03 | Control: Authentication | Evidence: SSO, certificate or key rotation, conditional access, device posture, and credential vaulting | Blocker if missing: yes for high-risk or regulated processing

CTRL-04 Authorization

The parties assign authorization as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering role definitions, segregation of duties, service account ownership, API scope limits, and customer revocation rights.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-04 | Control: Authorization | Evidence: role definitions, segregation of duties, service account ownership, API scope limits, and customer revocation rights | Blocker if missing: yes for high-risk or regulated processing

CTRL-05 Encryption

The parties assign encryption as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering TLS for transit, encryption at rest, key ownership, key rotation, and secure backup encryption.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.

- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-05 | Control: Encryption | Evidence: TLS for transit, encryption at rest, key ownership, key rotation, and secure backup encryption
Blocker if missing: yes for high-risk or regulated processing

CTRL-06 Logging

The parties assign logging as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering admin activity, API calls, data exports, model calls, configuration changes, and failed access attempts.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-06 | Control: Logging | Evidence: admin activity, API calls, data exports, model calls, configuration changes, and failed access attempts | Blocker if missing: yes for high-risk or regulated processing

CTRL-07 Monitoring

The parties assign monitoring as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering alert thresholds, SIEM export, anomaly detection, health checks, and operational dashboards.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-07 | Control: Monitoring | Evidence: alert thresholds, SIEM export, anomaly detection, health checks, and operational dashboards
Blocker if missing: yes for high-risk or regulated processing

CTRL-08 Vulnerability Management

The parties assign vulnerability management as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering scanning, severity rules, patch timelines, exception approval, and retest evidence.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-08 | Control: Vulnerability Management | Evidence: scanning, severity rules, patch timelines, exception approval, and retest evidence
| Blocker if missing: yes for high-risk or regulated processing

CTRL-09 Secure Development

The parties assign secure development as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering secure SDLC, code review, dependency scanning, branch protection, secrets scanning, and release approval.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.

- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-09 | Control: Secure Development | Evidence: secure SDLC, code review, dependency scanning, branch protection, secrets scanning, release approval | Blocker if missing: yes for high-risk or regulated processing

CTRL-10 Penetration Testing

The parties assign penetration testing as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering annual testing, scope approval, remediation evidence, executive summary, and retest letter.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-10 | Control: Penetration Testing | Evidence: annual testing, scope approval, remediation evidence, executive summary, and retest letter | Blocker if missing: yes for high-risk or regulated processing

CTRL-11 Network Security

The parties assign network security as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering segmentation, private connectivity where available, firewall rules, allowlists, and egress control.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-11 | Control: Network Security | Evidence: segmentation, private connectivity where available, firewall rules, allowlists, and egress control | Blocker if missing: yes for high-risk or regulated processing

CTRL-12 Endpoint Security

The parties assign endpoint security as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering managed devices, EDR, disk encryption, patching, removable media restrictions, and lost-device handling.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-12 | Control: Endpoint Security | Evidence: managed devices, EDR, disk encryption, patching, removable media restrictions, and lost device handling | Blocker if missing: yes for high-risk or regulated processing

CTRL-13 Cloud Configuration

The parties assign cloud configuration as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering baseline hardening, configuration drift, infrastructure-as-code review, and tenant isolation verification.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.

- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-13 | Control: Cloud Configuration | Evidence: baseline hardening, configuration drift, infrastructure-as-code review, and tenant isolation verification | Blocker if missing: yes for high-risk or regulated processing

CTRL-14 Data Classification

The parties assign data classification as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering classification labels, handling rules, field mapping, retention rules, and data owner signoff.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-14 | Control: Data Classification | Evidence: classification labels, handling rules, field mapping, retention rules, and data owner signoff | Blocker if missing: yes for high-risk or regulated processing

CTRL-15 Data Minimization

The parties assign data minimization as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering purpose limitation, field reduction, sampling controls, masking, and prohibited-data scanning.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-15 | Control: Data Minimization | Evidence: purpose limitation, field reduction, sampling controls, masking, and prohibited-data scanning | Blocker if missing: yes for high-risk or regulated processing

CTRL-16 Data Retention

The parties assign data retention as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering retention schedule, legal hold, deletion queue, backup retirement, and deletion certificate.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-16 | Control: Data Retention | Evidence: retention schedule, legal hold, deletion queue, backup retirement, and deletion certificate | Blocker if missing: yes for high-risk or regulated processing

CTRL-17 Data Transfer

The parties assign data transfer as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering approved locations, transfer safeguards, encryption, access controls, and destination inventory.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.

- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-17 | Control: Data Transfer | Evidence: approved locations, transfer safeguards, encryption, access controls, and destination inventory | Blocker if missing: yes for high-risk or regulated processing

CTRL-18 Subprocessor Oversight

The parties assign subprocessor oversight as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering due diligence, flow-down terms, change notice, objection right, and annual review.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-18 | Control: Subprocessor Oversight | Evidence: due diligence, flow-down terms, change notice, objection right, and annual review | Blocker if missing: yes for high-risk or regulated processing

CTRL-19 Incident Response

The parties assign incident response as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering playbooks, severity taxonomy, containment, forensic preservation, and communication approval.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-19 | Control: Incident Response | Evidence: playbooks, severity taxonomy, containment, forensic preservation, and communication approval | Blocker if missing: yes for high-risk or regulated processing

CTRL-20 Continuity

The parties assign continuity as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering RTO/RPO, tabletop test, alternate processing, dependency mapping, and restoration evidence.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-20 | Control: Continuity | Evidence: RTO/RPO, tabletop test, alternate processing, dependency mapping, and restoration evidence | Blocker if missing: yes for high-risk or regulated processing

CTRL-21 Exit

The parties assign exit as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering export format, assistance period, knowledge transfer, data deletion, and transition governance.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.

- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-21 | Control: Exit | Evidence: export format, assistance period, knowledge transfer, data deletion, and transition governance | Blocker if missing: yes for high-risk or regulated processing

CTRL-22 Audit Evidence

The parties assign audit evidence as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering control owner, evidence artifact, refresh cadence, reviewer, deficiency handling, and evidence ID.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-22 | Control: Audit Evidence | Evidence: control owner, evidence artifact, refresh cadence, reviewer, deficiency handling, and evidence ID | Blocker if missing: yes for high-risk or regulated processing

CTRL-23 Responsible AI

The parties assign responsible ai as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering intended use, prohibited use, human approval, testing, monitoring, and unsupported certainty controls.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-23 | Control: Responsible AI | Evidence: intended use, prohibited use, human approval, testing, monitoring, and unsupported certainty controls | Blocker if missing: yes for high-risk or regulated processing

CTRL-24 Model Data Use

The parties assign model data use as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering training opt-in, fine-tuning prohibition, prompt/output retention, service improvement controls, and deletion.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-24 | Control: Model Data Use | Evidence: training opt-in, fine-tuning prohibition, prompt/output retention, service improvement controls, and deletion | Blocker if missing: yes for high-risk or regulated processing

CTRL-25 Integration Governance

The parties assign integration governance as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering system owner, data owner, API scopes, field mapping, failure handling, and rollback.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.

- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-25 | Control: Integration Governance | Evidence: system owner, data owner, API scopes, field mapping, failure handling, and rollout plan | Blocker if missing: yes for high-risk or regulated processing

CTRL-26 Financial Controls

The parties assign financial controls as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering approval authority, segregation of duties, payment-change controls, reconciliation, and exception reporting.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-26 | Control: Financial Controls | Evidence: approval authority, segregation of duties, payment-change controls, reconciliation, exception reporting | Blocker if missing: yes for high-risk or regulated processing

CTRL-27 Supplier Risk

The parties assign supplier risk as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering criticality, dependency, concentration risk, ownership, subcontractor risk, and remediation tracking.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-27 | Control: Supplier Risk | Evidence: criticality, dependency, concentration risk, ownership, subcontractor risk, and remediation tracking | Blocker if missing: yes for high-risk or regulated processing

CTRL-28 Physical Security

The parties assign physical security as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering facility access, visitor logs, chain of custody, asset tracking, and environmental controls.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-28 | Control: Physical Security | Evidence: facility access, visitor logs, chain of custody, asset tracking, and environmental controls | Blocker if missing: yes for high-risk or regulated processing

CTRL-29 Export Controls

The parties assign export controls as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering classification, license analysis, sanctions screening, end-use, end-user, re-export, and transfer restrictions.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.

- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-29 | Control: Export Controls | Evidence: classification, license analysis, sanctions screening, end-use, end-user, re-export, and transfer restrictions | Blocker if missing: yes for high-risk or regulated processing

CTRL-30 Marketing Consent

The parties assign marketing consent as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering lawful basis, consent source, suppression, audience upload approval, data partner review, and deletion.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

CTRL-30 | Control: Marketing Consent | Evidence: lawful basis, consent source, suppression, audience upload approval, data partner review, and deletion | Blocker if missing: yes for high-risk or regulated processing

Schedule C - Domain-Specific Requirements For AI Accelerator Import And Export Control

These clauses are intentionally specific to AI Accelerator Import And Export Control and should trigger specialized reasoning rather than generic vendor-risk handling.

DOM-01 Classification And License Analysis

The parties assign classification and license analysis as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering ECCN or equivalent classification, manufacturer evidence, license exceptions, counsel review, and hold points.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

DOM-01 | Control: Classification And License Analysis | Evidence: ECCN or equivalent classification, manufacturer evidence, license exceptions, counsel review, and hold points | Blocker if missing: yes for high-risk or regulated processing

DOM-02 End Use And End User

The parties assign end use and end user as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering use case, data center location, operator population, prohibited applications, and certification refresh.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

DOM-02 | Control: End Use And End User | Evidence: use case, data center location, operator population, prohibited applications, and certification refresh | Blocker if missing: yes for high-risk or regulated processing

DOM-03 Restricted Party Screening

The parties assign restricted party screening as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering customer, affiliate, forwarder, broker, consignee, financing party, and support personnel screening.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

DOM-03 | Control: Restricted Party Screening | Evidence: customer, affiliate, forwarder, broker, consignee, financing party, and support personnel screening | Blocker if missing: yes for high-risk or regulated processing

DOM-04 Chain Of Custody

The parties assign chain of custody as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering serial reconciliation, tamper evidence, bonded warehouse control, delivery photographs, and discrepancy investigation.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

DOM-04 | Control: Chain Of Custody | Evidence: serial reconciliation, tamper evidence, bonded warehouse control, delivery photographs, discrepancy investigation | Blocker if missing: yes for high-risk or regulated processing

DOM-05 Firmware And Remote Access

The parties assign firmware and remote access as a control family for export controls, sanctions screening, end-use and end-user controls, physical security, technical risk, re-export restrictions. Provider must operate the control for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware and retain evidence covering ticket approval, named personnel, MFA, session recording, customer observation, and support-window expiry.

- Testing procedure: sample the latest production configuration, one recent change, one access approval, one exception, and one renewal artifact.
- Failure mode: if evidence is stale, incomplete, or inconsistent with export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, the control is treated as not operating for approval purposes.

DOM-05 | Control: Firmware And Remote Access | Evidence: ticket approval, named personnel, MFA, session recording, customer observation and support-window expiry | Blocker if missing: yes for high-risk or regulated processing

Schedule D - Operational Runbook And Scenario Tests

Provider shall maintain a runbook for normal operations, failed operations, emergency operations, and exit operations involving controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files.

D.1 Scenario - New Production Launch

If a new production launch occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-01 | Trigger: new production launch | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.2 Scenario - Material Subprocessor Change

If a material subprocessor change occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-02 | Trigger: material subprocessor change | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.3 Scenario - Privileged Support Request

If a privileged support request occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-03 | Trigger: privileged support request | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.4 Scenario - Suspected Data Leakage

If a suspected data leakage occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-04 | Trigger: suspected data leakage | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.5 Scenario - Regional Outage

If a regional outage occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-05 | Trigger: regional outage | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.6 Scenario - Billing Dispute

If a billing dispute occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-06 | Trigger: billing dispute | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.7 Scenario - Regulatory Inquiry

If a regulatory inquiry occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-07 | Trigger: regulatory inquiry | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.8 Scenario - Failed Access Review

If a failed access review occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-08 | Trigger: failed access review | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.9 Scenario - Expired Assurance Report

If a expired assurance report occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-09 | Trigger: expired assurance report | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.10 Scenario - Unapproved Integration

If a unapproved integration occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-10 | Trigger: unapproved integration | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.11 Scenario - Customer Exit

If a customer exit occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-11 | Trigger: customer exit | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.12 Scenario - Security Incident

If a security incident occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-12 | Trigger: security incident | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.13 Scenario - Privacy Incident

If a privacy incident occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-13 | Trigger: privacy incident | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.14 Scenario - Change Rollback

If a change rollback occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-14 | Trigger: change rollback | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.15 Scenario - Evidence Challenge

If an evidence challenge occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-15 | Trigger: evidence challenge | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.16 Scenario - Policy Exception

If a policy exception occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-16 | Trigger: policy exception | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.17 Scenario - Critical Vulnerability

If a critical vulnerability occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-17 | Trigger: critical vulnerability | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.18 Scenario - Unsupported Component

If a unsupported component occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-18 | Trigger: unsupported component | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.19 Scenario - Operator Departure

If a operator departure occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-19 | Trigger: operator departure | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.20 Scenario - Service Level Breach

If a service-level breach occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-20 | Trigger: service-level breach | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.21 Scenario - Data Deletion Request

If a data deletion request occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-21 | Trigger: data deletion request | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.22 Scenario - Audit Sample Failure

If a audit sample failure occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-22 | Trigger: audit sample failure | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.23 Scenario - Dependency Concentration Issue

If a dependency concentration issue occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-23 | Trigger: dependency concentration issue | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.24 Scenario - Cross Border Transfer Review

If a cross-border transfer review occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-24 | Trigger: cross-border transfer review | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

D.25 Scenario - Third Party Destination Review

If a third-party destination review occurs, Provider shall open a tracked record, identify the affected service boundary, assess impact to export classifications, serial numbers, firmware versions, import records, operator contacts, data center locations, and support logs, assign owner and deadline, and preserve evidence for audit review.

- Required decision output: continue, pause, remediate, escalate, or exit. The decision must reference current evidence and any gap affecting final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook.

SCN-25 | Trigger: third-party destination review | Evidence: ticket, owner, chronology, impact, control response, closure approval | Reviewer: customer control owner

Schedule F - Evidence Acceptance Matrix

EVID-001 | Artifact: contract approval | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-001A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-001B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-002 | Artifact: risk assessment | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-002A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-002B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-003 | Artifact: data map | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-003A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-003B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-004 | Artifact: system architecture | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-004A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-004B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-005 | Artifact: integration inventory | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-005A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-005B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-006 | Artifact: security assurance | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-006A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-006B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-007 | Artifact: access approval | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-007A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-007B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-008 | Artifact: privileged access review | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-008A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-008B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-009 | Artifact: change record | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-009A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-009B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-010 | Artifact: incident playbook | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-010A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-010B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-011 | Artifact: continuity test | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-011A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-011B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-012 | Artifact: exit plan | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-012A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-012B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-013 | Artifact: subcontractor review | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-013A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-013B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-014 | Artifact: retention schedule | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-014A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-014B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-015 | Artifact: deletion certificate | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-015A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-015B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-016 | Artifact: service level report | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-016A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-016B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-017 | Artifact: availability report | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-017A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-017B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-018 | Artifact: support ticket sample | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-018A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-018B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-019 | Artifact: audit log export | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-019A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-019B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-020 | Artifact: training record | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-020A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-020B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-021 | Artifact: policy exception | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-021A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-021B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-022 | Artifact: threat model | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-022A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-022B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-023 | Artifact: vulnerability report | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-023A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-023B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-024 | Artifact: penetration test summary | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-024A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-024B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-025 | Artifact: remediation plan | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-025A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-025B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-026 | Artifact: business owner signoff | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-026A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-026B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-027 | Artifact: legal approval | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-027A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-027B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-028 | Artifact: privacy approval | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-028A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-028B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-029 | Artifact: security approval | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-029A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-029B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

EVID-030 | Artifact: finance approval | Applies to: AI Accelerator Import And Export Control | Minimum fields: owner, date, source system, reviewer, finding status, renewal cadence

EVID-030A | Acceptance rule: artifact must address controlled integrated circuits, firmware packages, remote support access, delivery sites, and end-use files and must not contradict the stated scope for procurement, import, warehousing, delivery, firmware support, and chain-of-custody control for AI accelerator hardware.

EVID-030B | Blocking rule: if artifact is absent, expired, unsigned, or limited to a non-production environment, the approval status remains conditional.

Schedule G - Known Gaps And Approval Conditions

As of the synthetic effective date, the following items are intentionally incomplete to test blocker detection: final classification, license analysis, end-use certificate, import permit, delivery-site approval, remote support runbook. No production approval may be inferred from partial evidence.

G.1 Open Item - Final Classification

The open item 'final classification' remains a blocking or conditional approval factor until a named owner supplies final evidence, legal and security review are complete, and the residual risk decision is recorded.

- Agent expectation: classify the gap, map the affected domain, state the missing artifact, and recommend the next owner action.

G.2 Open Item - License Analysis

The open item 'license analysis' remains a blocking or conditional approval factor until a named owner supplies final evidence, legal and security review are complete, and the residual risk decision is recorded.

- Agent expectation: classify the gap, map the affected domain, state the missing artifact, and recommend the next owner action.

G.3 Open Item - End Use Certificate

The open item 'end-use certificate' remains a blocking or conditional approval factor until a named owner supplies final evidence, legal and security review are complete, and the residual risk decision is recorded.

- Agent expectation: classify the gap, map the affected domain, state the missing artifact, and recommend the next owner action.

G.4 Open Item - Import Permit

The open item 'import permit' remains a blocking or conditional approval factor until a named owner supplies final evidence, legal and security review are complete, and the residual risk decision is recorded.

- Agent expectation: classify the gap, map the affected domain, state the missing artifact, and recommend the next owner action.

G.5 Open Item - Delivery Site Approval

The open item 'delivery-site approval' remains a blocking or conditional approval factor until a named owner supplies final evidence, legal and security review are complete, and the residual risk decision is recorded.

- Agent expectation: classify the gap, map the affected domain, state the missing artifact, and recommend the next owner action.

G.6 Open Item - Remote Support Runbook

The open item 'remote support runbook' remains a blocking or conditional approval factor until a named owner supplies final evidence, legal and security review are complete, and the residual risk decision is recorded.

- Agent expectation: classify the gap, map the affected domain, state the missing artifact, and recommend the next owner action.