Brand Book & product specification

Version 3.0 · 2026-10-19

The finished, user-facing halo. Identity, light and motion, every screen and state, halo Screen, and the engineering contract. Pinned to repo 3f217ccb4378.

CONTENTS

Brand Book 3.0

One latest version. Chapters 01–13 carry the identity and earlier screen work forward unchanged. Chapters 14–22 are the finished product specification.

01–13	Foundations, logo, colour, type, voice, FX & motion, Round 2 screens, learning, voice & read everywhere (from v2.3)	4
14	Product map, navigation, Settings	93
15–16	Home, tasks, notifications · native assistant · Settings · the halo light	100
17	Notebook, writing with halo, Canvas, Memory, Study	129
18	Kids mode · voice and reading for everyone	146
19	halo Screen	158
20	How halo answers · voice settings · privacy · setup	175
21	Devices, glasses, BuddyBot · routines, apps, skills	196
22	Appearance, language, app-wide states, storage · Advanced	213

Build from: chapters 14–22, each package's PACKAGE_*.md, USER_FACING.md and the product matrix in DevKit 2.0. Round 1 pages in chapter 11 are history only.

WHAT'S NEW IN 3.0

From a brand to a finished product.

Built from the Android implementation audit and the halo Screen brief, then tightened to a user-facing standard.

Finished, user-facing

One Settings list. Everything technical lives in Advanced, and developer tools sit behind a switch with a confirm.

The halo light

An aura that follows real state, an edge light only while halo is acting or listening, glass surfaces, a live task pill, and one step ahead.

Native Android assistant

An overlay over any app, the app's own actions, honest problems, and a hand-off back to halo.

halo Screen

Chat | Screen in Home, cards that update in place, honest data states, full screen on phone and tablet, and the data contract.

Every screen and state

95 design IDs and 56 routes mapped, 827 frames in dark and light at 360 and 412dp, 200% text, and 24 themes.

Motion, not descriptions

31 motion films, 9 new animations with stills, and a motion table for every package.

Honest everywhere

Connected ≠ ready, delivery not confirmed, 'Did you hear halo?', and nothing ever preselects the cloud.

Ready to build

Strings keyed for translation, data contracts, Compose references, and a clickable prototype with 33 journeys.

01 · MISSION

Make technology feel like a natural extension of what you can do.

Halo is an open-source, privacy-first personal cognitive assistant. It connects voice, vision, memory, everyday tasks, phone controls and wearables into one experience. It runs on your device first and reaches for the cloud only when you choose.

On-device first | Open source | Your data stays yours

Everyone. Starting with the curious.

Now

Early adopters

Alpha testers, open-source contributors, makers and tinkerers who want to shape a genuinely useful assistant.

Next

Everyday people

Students, families and privacy-conscious users who want AI that actually helps with daily life.

Always

The not-so-techy

Children, older adults and anyone who finds tech intimidating. If they feel at home, everyone does.

Design test: could a 9-year-old and a 79-year-old both understand this at a glance? If not, simplify.

01 · BRAND PRINCIPLES

Three words. Every decision.

Futuristic

Technology from tomorrow, shown with restraint. Light, glow and space instead of circuits and chrome.

Human

Warm, honest and a little playful. Halo shows its results and its failures. It talks like a friend, never a machine.

Effortless

Nothing to operate, nothing to decode. Fewer words, bigger type, one clear action at a time.

We are **not**: robotic · mystical · corporate · hype-driven · intimidating

Our primary logo.

PRIMARY LOCKUP — MINT GRADIENT RING + NIGHT INK WORDMARK ON CREAM

02 · WHAT THE MARK MEANS

An open circle.

A closed ring is a boundary. Ours is open on purpose.

The gap = open source. Halo is built in the open, with room for anyone to contribute.

The ring = a halo of light. Help that surrounds you quietly, instead of a screen you stare at.

The gradient = on-device to cloud. Bright and close at the core, softer as it reaches outward.

Rounded ends = human. No sharp edges, nothing robotic.



Give it room to glow.

Keep clear space on all sides equal to the ring's stroke height × 2 — marked **x**. Nothing enters this zone: no text, edges or other logos.

FULL LOCKUP

halo

120 px digital
30 mm print

RING ALONE

24 px digital
8 mm print

One mark, four ways.

Primary
Default for light surfaces.

Reversed
Night Ink and dark photography.

Mono
One-color print, engraving, stamps.

App icon
Launcher, favicon, avatars, glasses HUD.

Please don't.

✕ Stretch or squash it

✕ Rotate it, or move the gap

✕ Recolor it outside the palette

✕ Place it on purple-blue "AI" gradients

✕ Add sparkles, stars or effects

✕ Retype the wordmark

HALO · ROUND 2

The lowercase wordmark

“halo” in Sora, with the Open Ring as its “o”. One idea for the logo, the app icon and the header.

halo

PRIMARY · ON NIGHT INK

halo

ON CREAM · RING STAYS MINT

halo

ON MINT · ONE COLOUR

halo

Ready
Static ring

halo

Needs you
Apricot dot in the gap

halo

Kids
Mint → Apricot

halo

Offline
Dusk, no glow

halo

SPLASH

halo · now
Timer done · 10 minutes

NOTIFICATION

halo

Talk

WIDGET



- The “o” is the Open Ring: same 45° gap, upper right. Never a plain letter o.
- Ring is always halo Mint (deeper Mint on light). It does not follow the accent colour.
- In the app header the ring may show three states only: ready, needs you, offline.
- Min size 16dp tall. Clear space = the ring’s width on every side.
- Sora 600, tracking −3%. Never capitalised, never stretched, never outlined.

Mint light on night ink.

Halo Mint

Primary
#0CF2BA · RGB 12 242 186
CMYK 64 0 41 0
Pantone 3385 C (nearest)

Night Ink

Secondary
#060330
RGB 6 3 48
CMYK 88 94 0 81
Pantone 2765 C

Deep Mint

Secondary
#047A5E
RGB 4 122 94
CMYK 97 0 23 52
Pantone 3415 C

Cream

Neutral
#FAFAF4
RGB 250 250 244
CMYK 0 0 2 2
Pantone 11-0601

Slate

Neutral
#4A4F63
RGB 74 79 99
CMYK 25 20 0 61
Pantone 7545 C

Sunrise Apricot

Accent
#FF9F6B
RGB 255 159 107
CMYK 0 38 58 0
Pantone 1565 C

Balance guide: Cream or Night Ink ~70% · Mint ~20% · Deep Mint & Slate for text · Apricot ≤5%, for warmth only. Tint: Mist #B4E6D6 (ring gradient end).

03 · ACCESSIBILITY

Every pair, checked.

WCAG 2.2 contrast. AA needs 4.5:1 for body text, 3:1 for large text.

Aa
Ink on Cream
18.9 : 1 · AAA

Aa
Ink on Mint
13.6 : 1 · AAA

Aa
Apricot on Ink
9.8 : 1 · AAA

Aa
Mint on Ink
13.6 : 1 · AAA

Aa
Slate on Cream
7.7 : 1 · AAA

Aa
Deep Mint on Cream
5.1 : 1 · AA

Aa
Mint on Cream
1.4 : 1 · FAIL

Aa
Apricot on Cream
1.9 : 1 · FAIL

Rule: Mint and Apricot are light, never text on light surfaces. For mint-colored text on Cream, use Deep Mint. Never convey meaning by color alone.

Aa

Sora

Display & headlines · Light 300 → ExtraBold 800

Geometric and forward-looking, with round friendly forms that echo the ring.

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz 0123456789

Aa

Atkinson Hyperlegible Next

Body, UI & captions · Regular 400, Bold 700

Designed for readers with low vision: every letter is distinct (Il1, O0).

Accessibility, built into the brand.

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz 0123456789

Display · Sora 700
72 / 1.05 · –2%

Ask anything. Out loud.

Heading · Sora 600
40 / 1.15

Your notes, remembered for you

Body · Atkinson 400
20 / 1.6

Halo runs on your phone first. When a question needs more power, you decide whether it reaches the cloud — and you can always see what was shared.

Label · Sora 600
14 · +22% · caps

OPEN SOURCE · ANDROID ALPHA

Button · Sora 600
18

Try the alpha View source

Minimum body size: 16 px on screen, 10 pt in print. Sentence case everywhere. Never all-caps for more than three words.

A thoughtful friend who knows a lot.

Warm

We sound glad to help. Never cold, never transactional.

Clear

Short sentences, plain words. If a child can't follow it, rewrite it.

Honest

We say what Halo can and can't do yet. Failures are shown, not hidden.

Lightly playful

A smile, not a joke. Delight in the details, never at the user's expense.

Tone shifts with the moment: **celebratory** for wins, **calm and precise** for errors and privacy, **inviting** for contributors.

05 · SAY IT LIKE HALO

Do / Don't.

DO

"Done — your alarm is set for 7:00. Sleep well."

DON'T

"Task executed successfully. Alarm parameter configured."

DO

"I couldn't open that app. Want me to try another way?"

DON'T

"Error 403: Action not permitted."

DO

"This stays on your phone. Nothing is sent anywhere."

DON'T

"Revolutionary AGI-powered magic that changes everything!"

Avoid: "magic", "revolutionary", "AGI", "unleash", "seamless", jargon, fear-based privacy messaging.

The Halo voice.

A custom-designed brand voice: warm, calm and unhurried, with a soft smile in it. Neutral international English, crisp articulation that children, older adults and non-native listeners can follow easily.

Pace: unhurried, natural pauses

Pitch: gentle mid-range, gender-neutral leaning

Feel: reassuring, lightly playful, never robotic

Use for: onboarding, product videos, tutorials, voice replies

VOICE SAMPLE AVAILABLE IN THE HALO BRAND KIT

How halo talks: confident, welcoming, transparent

Every string from your screenshots, rewritten. Full list in the strings file: English first, ready for Latvian and Russian.

Confident

Say what halo will do, in the first person, then do it.

“I’ll set a 10-minute timer.”

Welcoming

Plain, warm words. Talk with people, never at them.

“Ready when you are.”

Transparent

Say where it happens, what it touches, and why.

“I answered on this phone. Nothing left it.”

TODAY IN THE APP	HALO SAYS
~~Configured · not checked~~	Saved. Not tested yet.
~~Configuration is saved. Check the connection before relying on it.~~	One quick test and you’re ready.
~~Mode: Automatic~~	I’ll pick Ask or Act, and check with you before I touch your phone.
~~Task paused~~	“Open Chrome” is paused at step 2. Pick up where I left off?
~~No pending actions right now.~~	All clear. Nothing needs you.
~~Reflection · No durable learning needed~~	(hidden) · or “Nothing new to remember.”
~~Provider turn started (provider.litert.local)~~	Thinking on this phone
~~Cancelled · Interaction interrupted~~	Stopped when you interrupted. Nothing was changed.
~~Enter a learning goal or choose material to begin.~~	What would you like to learn? I’ll take it from there.
~~hf-8b7104a44b99c29c22bfb6b5~~	On-device model · 2.1 GB (full ID under Details)
~~Unknown glasses · 31:E3:A5:BA:A6:16~~	Glasses ·A6:16 · very close
~~Searching does not connect it.~~	Searching won’t connect anything until you choose.

Say
I · you · on this phone · paused · didn’t work · needs your OK · ready

Avoid
error · failed · invalid · provider turn · configured · durable · execute

Numbers
“Step 2 of 3”, “about 5 seconds”, “1 update” — exact and singular when it’s one

Kids
Short sentences. One idea. “Ask a grown-up if you’re not sure.”

Show the light, not the machine.

Motif: soft mint rings and glows that radiate, ripple or frame. Always calm, never busy.

Photography: real people in everyday moments — kitchens, buses, classrooms, workbenches. Natural window light, warm tones, Halo present but in the background.

Surfaces: Cream paper and stone in daylight; Night Ink for evening and focus.

Never: robots, glowing brains, circuit boards, sparkles, holograms, purple-blue neural gradients.





07 · APPLICATIONS

In the hand.

On every screen.



08 · IN-APP SYSTEM

The ring comes alive.

Inside the app, the Open Ring becomes Halo's body language. Its gap rests, travels, closes and calls for you. Icons share the same hand, and every surface, from the 16dp notification to the full-screen orb, speaks one visual language.

85 icons · 24dp · 1.75 stroke

21 presence states · 15 animated

3 layers · 4 sizes · Mini Halo, Floating Halo, widgets, launcher

HALO IN-APP SYSTEM · 01

Icon system

24dp grid · 1.75 stroke · round caps & joins · 2–4.5 radius corners. Every circle carries the Open Ring gap at upper right. Active = Mint dot in the corner, never color alone.

NAVIGATION

home

activity

notebook

devices

settings

LAYER 2 · CONTEXT & EXECUTION

on-device

lan

cloud

glasses

mic

camera

tool

memory

phone-action

LAYER 3 · CONDITIONS

approval

permission

failure

battery-low

disconnected

unavailable

automation

retry

download

ON NIGHT INK · ACTIVE STATES

home · active

activity

notebook

devices

settings

HALO IN-APP SYSTEM · ICON LIBRARY

85 icons, one hand

24dp · 1.75 stroke · round. Every circle keeps the Open Ring gap. AI-assisted actions carry a small open ring (ai-draft, ai-organize, intelligence).

NAVIGATION

home · activity · notebook · devices · settings

NOTEBOOK & CANVAS

canvas · study · memory · conversations · inbox · new-note · new-canvas · import · export · search · favorite · collections · sort · archive · trash · multi-select · tag · link · group · draw · annotate · ocr · transcribe · ai-draft · ai-organize

HOME & ASSISTANT

send · stop · mic · camera · attach · image · timer · open-app · new-chat · ask-mode · action-mode · reminder · task

SETTINGS

intelligence · model · voice · language · appearance · accent · kids-mode · privacy · permission · skills · integrations · automation · routines · storage · backup · guided-setup · diagnostics · lab · runtime-status

DEVICES & HARDWARE

phone · glasses · watch · headphones · speaker · robot · bluetooth · add-device · battery-low · disconnected

HALO SURFACES

mini-halo · floating · widget

CONTEXT (LAYER 2)

on-device · lan · cloud · glasses · mic · camera · tool · memory · phone-action

CONDITIONS (LAYER 3)

approval · permission · failure · battery-low · disconnected · unavailable · automation · retry · download

HALO IN-APP SYSTEM · 02

Halo presence states

Layer 1. One ring, one gap: the gap travels when Halo thinks, closes when a task completes, and turns Apricot when Halo needs you. Error is the only Ember moment, and always pairs with a glyph.

CORE · 12 + VISION SPLIT



RUNTIME EXTRAS



HALO IN-APP SYSTEM · 03

Three layers, four sizes

State (Layer 1) never changes because of where AI runs. Context badge sits bottom-right, condition badge bottom-left: independent dimensions, composed at runtime.

Thinking · on-device

Speaking · after cloud reply

Phone action · LAN · needs approval

Listening via glasses · battery low

SIZE LADDER

Hero

160–240dp · full motion, glow, ripples

Standard

80–120dp · Home, Mini Halo

Compact

40–64dp · cards, overlays, floating

Micro

16–32dp · notifications

Micro reads by ring shape + color: idle · waiting · warning · error · offline · done

HALO SURFACES · MINI HALO

Mini Halo

The compact assistant: 88dp orb with full motion, live status in plain words, Stop always one tap away, quick tools as chips, mic as the primary action. Context and condition badges sit on the orb.



Listening · mic open

Thinking · on-device

Approval required

HALO SURFACES · FLOATING HALO & WIDGETS

Always near, never in the way

Floating Halo: a 56dp static orb on a Night Ink disc, docked to the screen edge; it shows a condition badge only when Halo truly needs you. Widgets: Talk and Capture first, continue learning second.



Floating · idle, docked



Floating · needs your OK



Widgets · light



Widgets · dark

HALO SURFACES · LAUNCHER ICON

App icon

Adaptive icon: Mint ring foreground inside the 66dp safe zone, Night Ink background, and a monochrome layer for Android 13+ themed icons. The ring holds its shape in every mask.



Squircle mask | Circle mask | Rounded square | Themed (monochrome) | 48dp

DEVELOPER FILES

launcher/ic_launcher.xml (adaptive) · ic_launcher_foreground.xml · ic_launcher_monochrome.xml · ic_launcher_background.xml (#060330) · ic_launcher_full.svg (Play Store 512 source)

KIDS MODE · 01

Same Halo, a warmer hello.

Kids mode keeps every state and every honesty rule, then warms the ring with Apricot, thickens it by 25%, gives idle a smile, and speaks in short, kind sentences. Anything that acts on the phone asks a grown-up.

Hi! I'm here when you need me.

IDLE

I'm listening!

LISTENING

Hmm, let me think...

THINKING

On it!

ACTING

Here's what I found!

SPEAKING

I'm waiting for you.

WAITING

Can I do this? Ask a grown-up if you're not sure.

APPROVAL_REQUIRED

All done!

SUCCESS

Oops, something got in the way. Let's try again.

WARNING

That didn't work. It's okay, we can try again.

ERROR

I need a grown-up to say yes first.

PERMISSION_MISSING

Okay, I stopped.

STOPPED

ALPHA ONBOARDING

Four screens to trust.

Hello, then choose where Halo thinks, then honest permissions, then the alpha invitation. Every screen shows the orb in the state it describes, and nothing is switched on without a tap.



1 · Welcome



2 · Where



3 · Listen



4 · Alpha

APPEARANCE · 01

24 themes, one Halo

Your Appearance settings (Light/Dark × 4 accents × 3 background tones) mapped to brand-safe colors. Every combination passes WCAG AA for text and controls.



APPEARANCE · 02

Personal, still on-brand



Dark · Natural · Mint (default)



Light · Warm · Lilac

Accent changes

Buttons, selected chips, links, progress, the active-tab dot, and the in-app orb ring.

Accent never changes

The logo, launcher icon and marketing (always Halo Mint), plus the meaning colours: Apricot = Halo needs you, red = error.

Coral, retuned

Your current Coral (#F5BEA9) sits right next to Apricot, so "accent" and "needs you" would look the same. Coral moves to rose #FF9EB3, clearly apart.

Light mode text

Accents are pastel fills with dark text on top. As text or icons on light backgrounds, each accent has an ink shade: Mint #047A5E, Blue #1F5FBF, Lilac #6446D6, Coral #B8325A.

Background tones

Natural = brand Night Ink / Cream. Warm and Cool shift the background and surfaces only; text keeps AA.

Kids mode

Defaults to the Warm tone and keeps the Mint→Apricot kids ring regardless of accent. Parents can still change the tone.

What round 1 missed

Round 1 fixed order, wording and icons. Round 2 adds what was missing, gives halo a signature light, and makes it guide people.



New this round: Light Home and the real Intelligence screen. I also went back through all 34 screenshots from Notebook, Tools, Appearance, Devices and Settings.

ROUND 2 SETS OUT TO ADD

- **halo FX** A signature light language: aura, trace, edge glow, shimmer, bloom, ripple.
- **halo Guide** halo's light points to the one best next step, on every screen.
- **Kids 2.0** A real place for children, with a parent space.
- **2027 polish** Floating nav, bigger type, softer depth, light + dark.
- **Language** Confident, welcoming, transparent. Every string rewritten.

STILL MISSING FROM THE DESIGN

1. **Light theme**
   The app ships Light (your Home screenshot, Lilac). Round 1 only showed Dark.
2. **Notifications centre**
   Home has a Notifications button, but there was no design for what it opens.
3. **Reply actions**
   Copy, Save to Notebook and Copy reply exist on every answer. Add Listen.
4. **The real Intelligence screen**
   "Your conversation" model card, Next step, Providers, Model library, On device, Model roles, Context & privacy, Vision Lab, Local audio test, System check.
5. **Notebook editing parts**
   Find & replace bar, Paragraph blocks (move, add, delete), Add block, Insert object.
6. **Canvas "More" and Card actions**
   Organize board, Ask halo to organize, Find, Rename, Fit all, Reset view, Export to note, Study this canvas.
7. **Study material + options**
   Read text from a photo, Saved material, Add a file, and "Age, language & learning options".
8. **System pieces**
   Toasts, confirm dialogs, loading, text-field errors, empty states and the language picker.
9. **One wordmark**
   Decided: lowercase "halo", with the Open Ring as its "o". See the wordmark page.

KEEP AND BUILD ON

The "Next step" card
Your Intelligence screen already tells people what to do next. That idea becomes the halo Guide everywhere.

Plain section names
"Context & privacy", "Choose what halo can use" — close to right already.

Honest status
"Configured · not checked" is truthful. It just needs warmer, clearer words.

HALO · ROUND 2

halo Guide: the light shows the way

On every screen, halo’s light rests on the single best next step. People always know what to do, and why.



Intelligence · next step

Your real “Next step” card, warmer: it says what the test does, how long it takes, and that nothing leaves the phone.



Pairing · best match

The step path shows where you are. The likeliest pair gets the light, so the choice is obvious.



halo tip

halo spots something useful and offers it once, with a clear yes and no.

GUIDE PARTS

Next step card
The one thing to do next, why, and how long it takes. Always with “Not now”.

Traced action
The button inside gets Trace. Only one per screen.

Step path
Multi-step flows. Done = filled, current = glowing ring, next = outline.

halo tip
A suggestion halo noticed. Dismiss once and that tip type goes quiet for a week.

RULES

- Guide = your next step (accent light). Apricot = halo needs you. Red = something broke.
- Never guide toward the cloud, a purchase, a new permission or anything destructive.
- Always say why, and offer a way out.

Home, refined for 2027

Floating navigation, bigger type, softer depth. Light and Dark from the same parts. halo’s light only moves when something is happening.



Home · dark
A calm hero with Aura, where halo thinks, and how it acts. The Guide offers the one thing to continue. The mic is the hero action.



Home · light (Lilac)
The conversation with real reply actions: Listen, Copy, Save to Notebook. Every answer says where it was made.



halo is acting
Edge glow around the whole screen while halo works on your phone. The steps card floats, and Stop is always there.



Updates (Notifications)
The missing Notifications screen. “Needs you” items carry Apricot. A clear end line, so nothing feels endless.

Intelligence, from the real screen

Every part of today’s Intelligence screen, rewritten in plain words: where halo thinks, which model does which job, and how to check it.



Intelligence
Built from your real screen. The model ID becomes plain words, “Configured · not checked” becomes “Not tested yet”, and the test gets the Guide.



Providers
Each place to think, with an honest status. The home computer that can’t be reached is grey, not red.



Model library
On this phone / Cloud. Sizes in GB, what each model is for, and downloads that never block halo.



Model roles + diagnostics
“Route different kinds of work” becomes a list of jobs. Vision Lab, audio test and System check sit under “Check and compare”.

HALO · ROUND 2

Notebook, Canvas and Study

The editing pieces that were missing, now designed: find & replace, blocks, the Canvas menu and Study’s material step.



Notebook home

One-tap create, Continue with progress, and a halo tip for memories waiting.



Note editor

The missing parts: find & replace as one slim bar, blocks with move / add / delete, and a floating format bar.



Canvas · More

The 8-item menu becomes one sheet. halo actions sit on top with the ring colour; view tools below.



Study · material

Photo, Notebook or file, plus “Age, language and style”. Continue carries the Guide.

Activity, approvals and Devices

Same parts, new light: halo’s Guide shows the next step; Apricot only appears when halo really needs you.



Activity · light

Needs you / Running / Done. Human titles, the user’s own words, and Apricot only where halo needs you.



Approval

“I’ll do exactly this”, numbered. What it uses and where, then Not now / Send it. The button says the action, not “Allow”.



Devices

A hero card for the main device, with battery and signal. Not connected stays calm grey.



Add glasses

Aura around the device, a two-item checklist, and the Guide on Search.

Settings, Context and the system check

Light and dark from the same parts. The Guide picks the one fix that matters; everything else just says it's fine.



Settings · light
The lowercase wordmark in the status card, values on every row, and Memory's Apricot dot when something waits.



Context and privacy
From your Preferences group: plain switches for what halo can use, and a promise about the cloud.



Language
The missing picker. Native names first, auto-detect for replies, and dates that follow the language.



System check
A health check with one Guide: the single fix that matters. "Share a safe report" for support.

HALO · ROUND 2

The everyday parts

Toasts, dialogs, fields, empty and loading states, banners. Destructive actions say exactly what goes, and keep a way back.



Toasts · with Undo / Open



Confirm dialog



Text fields · error + focus



Empty state



Loading · skeleton + shimmer



Buttons and chips



Banners · paused + problem



Light theme · Lilac

HALO · ROUND 2

Kids mode 2.0: a place of their own

Warm tone, Mint-to-Apricot ring, 56dp+ targets, 18sp+ text, and never more than three choices. Grown-ups set the rules.



Kids home
Big, friendly orb with a smile and three choices only. Voice first. The lock top-right opens the grown-up space.



Adventures
Learning as a path of stops. Stars for what's done, a glowing ring for "now". No timers, no pressure.



Read-along
Words light up as halo speaks: support for early readers. "Again" and "I get it!" are big and clear.



Grown-up space
PIN-locked. A weekly summary, daily time, cloud off by default, camera asks a grown-up.



Bloom moment
Celebrations use Bloom in Apricot plus a sticker. Kind and short. No streaks to lose, no leaderboards.

HALO · ROUND 2

halo FX: a light that means something

Six effects, all made from the Open Ring. When halo's light moves, something real is happening.

Aura

halo's presence. A soft Mint-to-Apricot glow behind the orb and hero moments.

Radial, 2× element size, 40% → 0. Breathes with IDLE (4s). One per screen.



Trace

The Guide. A soft glow breathes around the one next step.

Stroke 2.5dp, gap 30° fixed upper right, pulse 2.4s. One lap only the first time.

Edge glow

halo is acting on your phone. The screen edge breathes, so you always know.

Pulse 2.4s, no rotation. On only while acting; stops the instant halo does.



Shimmer

halo is thinking or writing. Text and placeholders shimmer, never spin.

Gradient sweep 1.6s left→right. Skeleton lines for anything loading.



Bloom

Done. The ring closes and light blooms outward once.

3 rings, 0.6s, ease-out, play once. Pairs with a light haptic.



Ripple

halo is listening. Rings move with your voice.

Driven by mic level. Shown only while the mic is truly open.

One light at a time
Aura or Trace, never both competing. The orb doesn't count.

Light means something
Each effect maps to one state. No decoration-only glow.

Follows your theme
Uses the accent ring colours: Mint, Blue, Lilac or Coral. Apricot stays "needs you".

Breathe first, rotate rarely
Only Thinking orbits. Reduced motion: static glow, no movement.

HALO FX · MOTION v2

Breathe first, rotate rarely

Edge and Guide now pulse. New moments for startup, waking halo, using tools, remembering, the cloud and devices.

Edge pulse

Breathes every 2.4 s while halo acts. No rotation.

Guide pulse

The resting Guide: the next step glows softly. One lap only on first appearance.

Startup

The ring draws, then “hal” arrives. 1.8 s.

Summon

Side button or “Talk”: light gathers into halo. 0.8 s.

Tool use

The gap opens, the tool steps in, the ring closes when done.

Remember

A thought drifts into the gap and is kept.

Cloud handoff

Shows a message leaving for the cloud and coming back.

Device connect

Pulses travel while connecting, the line lights up when done.

HALO · MOTION

Where halo moves

Every moment in the app that earns motion, all 20 now built.

MOTION

- **Startup** · Splash
  Ring draws, “hal” arrives, aura settles
- **Wake / summon** · Summon
  Light gathers into halo from the side button or Talk
- **Listening** · Ripple
  Rings move with your voice
- **Thinking** · Orbit
  The gap orbits. The ONE place rotation lives
- **Using a tool** · Tool use ×6
  Gap opens, tool steps in, ring closes when done
- **Acting on the phone** · Edge pulse
  Screen edge breathes, steps tick off
- **Needs your OK** · Waiting
  Apricot dot breathes in the gap
- **Done** · Bloom
  Ring closes, light blooms once
- **Remembering** · Remember
  A thought drifts into the gap and is kept
- **Using the cloud** · Cloud handoff
  A message visibly leaves and comes back
- **Pairing a device** · Device connect
  Pulses travel, the link lights up
- **Next step** · Guide pulse
  The Guide glows softly; one lap on first appearance
- **Pull to refresh** · Ring draw
  The ring draws as you pull, closes on release
- **Model download** · Progress ring
  Ring fills like a progress arc
- **halo writes a draft** · Draft draw-on
  Dashed Mint border draws around the new card
- **Tidy the canvas** · Arrange
  Cards glide into place, groups breathe once
- **Theme change** · Accent sweep
  New accent sweeps through the ring
- **Screen to screen** · Shared orb
  The orb travels between screens as one object
- **Kids: right answer** · Bloom · Kids
  Apricot bloom + a sticker drops in
- **Kids: read-along** · Word glow
  Each word glows as halo says it

MOTION RULES V2

Breathe first
Most light pulses at 2.4 s, the pace of calm breathing.

Rotate rarely
Only Thinking orbits. The Guide may do one lap the first time, then rests.

Every motion = a state
If nothing is happening, nothing moves.

Short and done
Moments play once in under 2 s. Only waiting states loop.

Always honest
Ripple only with the mic open, edge only while acting, cloud handoff every time the cloud is used.

Reduced motion
Each animation has a still version.

All built

HALO FX · MOTION v2.1

The last seven moments

Every candidate from the motion map, now built. All breathe or glide; none spin.

Pull to refresh

The ring draws as you pull, closes on release, breathes while it loads.



Model download

The ring fills with real progress, then closes into a check.

Draft draw-on

halo's new card draws its dashed border, then fills in.

Tidy the canvas

Cards glide into place; the new group breathes once.



Accent sweep

Pick a new accent and it sweeps in from the gap.



Shared orb

The orb travels between screens as one object, never cut.

Kids read-along

Each word glows as halo says it, synced to the voice.

Driven by real data
Pull distance, download %, voice timing.

Glide, don't bounce
Ease 0.2/0/0/1, 0.6–0.9 s.

One moving thing
The rest of the screen holds still.

Rules for these

Same system: breathe first, rotate rarely.

KIDS MODE · 02

Built for small hands.



Kids home

Grown-up check

Touch targets

56dp minimum, 72dp for the main mic button. Never two small buttons side by side.

Type

Body 18sp+, titles Sora 700 at 24sp+. One idea per screen, max 3 choices.

Color

Apricot leads for warmth and the main action. Text stays Night Ink on Cream: Apricot is never text on light.

Words

Short, kind and concrete. "Let's try again", never error codes. Say who decides: "Ask a grown-up".

Safety

Phone actions, camera and new permissions always ask. Provider, model and advanced settings are hidden behind a parent lock.

Honesty

Same rules as adult Halo: the mic and camera indicators show only while they're truly on.

NOTEBOOK & TOOLS · 02

Notebook hub & Library

The hub becomes a launchpad: create in one tap, continue where you left off, and see Study and Memory at a glance. Skills moves out to Settings.



Notebook hub



Library

LIBRARY ITEM ANATOMY



- **Type tile:** 38dp, Mint icon on Surface 2. The type is readable without color.
- **Title:** Sora 600/13, one line. Never “Untitled”: use the first line, file name cleaned up, or “Voice memo · date”.
- **Meta:** type · collection · time, in the app language.
- **“In chat”:** Mint pill when the item is attached to the current conversation (was “Context”).
- **Favorite:** Apricot heart on dark only.
- **Long-press:** multi-select; swipe left: archive.

NOTEBOOK & TOOLS · 03

Note editor

Writing first. Tools appear where the hands are, and Halo's help lives in one place with one marker.



Edit mode



Ask Halo sheet

EDITOR RULES

Top bar: back · title + collection/revision · **Think with Halo** (ring with dots) · more.

Mode switch: Edit / Read / Source as one segmented control. Read hides all tools.

Formatting bar sits on the keyboard, only while editing: undo · heading · bold · italic · bullets · numbers · quote · link · code · attach. Paragraph style lives in the heading button.

Ask Halo sheet: every AI action wears the open-ring marker, so people always know what Halo will touch. File actions sit below a divider; trash is the only warm-red row and asks to confirm.

Status: "Saved on this phone" with the on-device icon, words, revision. Honest and always visible in the sheet and Read mode.

NOTEBOOK & TOOLS · 04

Canvas

One dock for every tool, Halo one tap away. Card types read at a glance: notes, images, files, groups, and Halo drafts with a dashed Mint border until you keep them. Connections end in Mint dots.



Canvas · cards, groups, links



Sketch mode



Empty canvas

NOTEBOOK & TOOLS · 05

Study

Continue first, then start new. The long setup form becomes a 4-step stepper, and practice cards keep Halo beside you: voice answers, gentle hints, two honest buttons.



Study home



New lesson · step 3



Practice card

ROUND 1 · VISUALS REPLACED BY PAGE 39

NOTEBOOK & TOOLS · 06

51 new icons

Same hand as the core set: 24dp, 1.75 stroke, Open Ring gap on circles. Halo actions all carry the small open ring. Library now has 133 icons.

EDITOR

bold · italic · heading · bullet-list · numbered-list · quote · code

find-replace · undo · redo · read-mode · source · add-block

CANVAS & SKETCH

select · card · connection · sketch · draw · highlighter · eraser

shapes · link · group · fit-all · zoom-in

STUDY

guide-me · practise · explain · flashcard · quiz · review · sources

saved-reply

LIBRARY

filter · grid-view · list-view · calendar · file-doc · file-audio · saved-chat

HALO ACTIONS

create-image · use-in-chat · remember · think-with-halo · study-this

BASICS

back · add · close · check · more · chevron-down

HALO'S TOOLS · 02

Home: the conversation

Home becomes a real chat with Halo's presence on top: state, where it's thinking, and an Ask / Act switch. Tools live behind "+", chat actions in the menu, and a paused task gets one clear banner with an Apricot edge.



Home · conversation



"+" tools & attachments



Paused task

HALO'S TOOLS · 03

Approve, act, recover

Before a phone action, Halo shows the exact steps and what it will touch. While it works, the steps tick off with Stop always visible. When it fails, it says what happened in plain words and offers a way forward.



Approval sheet



Action running



Failure & recovery

HALO'S TOOLS · 04

Activity: what Halo did

Three tabs (Needs you · Running · Done). Each run gets a human title, a status chip, where it ran and how long it took. Details tell the story in four steps; the raw log stays one tap away for developers and curious testers.



Activity list



Run details



Stopped run · log open

ROUND 1 · VISUALS REPLACED BY PAGE 40

Devices: one place for everything Halo works with

The Devices tab answers three questions at a glance: what's connected, is it working, and where does Halo's voice come from.



Devices · first run

"This phone" shows where Halo thinks and how much it can do. The empty state sells the why, and headphones get a real link.



Devices · connected

Each device shows state, battery and what it's doing for Halo. Not connected is calm grey, never red. Sound routing lives here too.



This phone · abilities

The 33 internal names become 7 abilities with on / asks first / off. The raw list stays one tap away for developers.



Add device

One chooser for glasses, BuddyBot and headphones. Headphones hand off to Android with an ↗ so it's clear you're leaving Halo.

HALO · DEVICES

ROUND 1 · VISUALS REPLACED BY PAGE 36

Pairing glasses: three steps, no guesswork

One flow, the same for every supported device. BuddyBot uses the same three steps with its own picture.

BRAND BOOK v1.6



1 · Get ready

A three-step checklist. Bluetooth is checked for the user, not explained to them.



2 · Find

Glasses only, closest first, with signal bars and the last 4 address characters to tell twins apart. Stop is neutral.



3 · Connect

Progress in plain steps. The code check only appears if the glasses show a code.



Ready

A success ring, a friendly name, and three clear switches. Camera defaults to “only when you ask”.

IF IT DOESN’T WORK

Red only for a real failure. Never a dead end: every message has a next step.

HALO · SETTINGS

Settings and the Intelligence centre

Shorter, searchable, and grouped by what people want to change, not by how Halo is built.

ROUND 1 · VISUALS REPLACED BY PAGE 41

BRAND BOOK v1.6



Settings · top

Search, a status card that answers “where does Halo think?”, and the current value on every row.



Settings · rest

Privacy gets its own home and every row its own icon. Memory waiting for you gets the Apricot dot. Advanced is the last row.



Intelligence

Three places to think, one clear choice. The cloud is never preselected; a model download never blocks Halo.



Cloud provider

Connection, model, key and usage on one screen. “Ask me” is the default.

HALO · SETTINGS

Voice, Privacy, Permissions and Advanced

Same words everywhere: the abilities in Permissions match Devices, and “on this phone” means the same thing on Home, Settings and Privacy.

ROUND 1 · VISUALS REPLACED BY PAGE 41

BRAND BOOK v1.6



Voice

A live mic test, two simple choices, Halo’s own voice with speed, and the same sound routing as Devices.



Privacy

Leads with the answer people want: did anything leave my phone today? Then where each kind of data lives.



Permissions

The same 7 abilities as Devices, each with Allowed / Ask first / Off. Apricot only when something you use is blocked.



Advanced

Runtime status reads like a health check first. Raw logs and exports stay here, away from everyday settings. Reset always confirms.

What’s new in v2.2

A new chapter for learning: Kids Explore, homework, Kids Create and adult Study as one shared journey, built on the existing halo system: same ring, same type, same FX. Chapters 01–11 are unchanged, and chapter 12 is added at the end (pages 61–78) so every page number in the contents stays correct.

CHAPTER 12 · 17 PAGES

Learning — Kids + Study

Shared journey, screen map, journeys A–D with every real state, components, hint ladder, Intent rules, motion cue sheet, accessibility, gaps.

DEVKIT v1.3 · learning/

Contract + assets

21 screen IDs with entry/exit events, 16 component IDs, 128 localisable strings, 6 new Lotties + static fallbacks, clickable prototype, Compose motion wiring.

UNCHANGED

Everything else

Palette, type, ring, icons and the 58 existing FX stay as they are. Learning reuses them first and only adds motion for meanings that didn’t exist yet.

Baseline inspected: **github.com/slafftrosheen/Halo @ 97c82273** · DevKit v1.2 · BrandBook v2.1. Screens are design comps of the contract, not screenshots of a shipped build.

One learning journey, two presentations

Kids Explore and adult Study show the same learning state. halo asks what you know, explains one idea, follows curiosity, offers practice, checks understanding and remembers what's next.

C01
One journey
Start → Discover → Explain → Explore → Practice → Reflect → Continue

C02
Kids home
Talk is everywhere; Explore and Create are the two lanes

C03
Homework
Inside Explore, or from Study; one exercise at a time, reasoning first

C04
Voice-first
Big Speak/Stop, tap alternatives, captions, no typing needed

C05
Motion guides
Ring + Intent + DevKit Lotties; one highlighted next action

C06
No answer dumping
Hint ladder; checked attempts; full solution is opt-in

C07
Effort, not screen time
Light progress and bloom; help never costs points

C08
Real creative work
Keep / Change / Discard; no promised features that aren't there

C09
Local first
Local / cloud / waiting-for-OK / failed shown on voice, vision, generation

C10
One design language
BrandBook + DevKit; no new mascot

C11
Remembers
Resumable lessons, sources, goals, branches, voice/text choice

C12
Real states only
Loading, listening, offline, OCR unsure, cancelled — as they are

The journey and the map

Every screen reads two things from the learning state: the current stage and the one next meaningful action. Stage is shown as icons for kids and as a breadcrumb for adults.



KIDS	
K00	Home
K10–K14	Explore: start · what I know · focus · topic map · reflect
H20–H23	Homework: source · check · one exercise · why
C30–C34	Create: choose · idea · make · keep/change/discard · project
G90	Global: voice, Stop, help, status, grown-ups
ADULT STUDY	
S40	Home · resume · start from anything
S41	Guided start
S42	Active study (same journey)
S43	Lesson details sheet
S44	Review · cards · Notebook / Canvas

A node can be a state of one focus view; it doesn't have to be its own route. What matters is the explicit state contract.

Today → proposed

ID	PROPOSED SCREEN	IN THE APP TODAY (FROM SOURCE, REVISION 97C82273)	STATUS
K00	Kids home	KidsModeScreen + KidsHomeChoices: Signal Face, Ask me anything / Learn / Create, Stop/options.	CHANGED
K10	Explore start	Kids LEARN entry: topic field + voice, Maths/Reading chips, up to two resumable sessions.	CHANGED
K11	Discover — what do you know?	Not present: lesson starts with a tutor explanation.	NEW
K12	Learning focus	KidsLesson: latest tutor turn, read-along/TTS, answer draft, attempt, question, next, finish, completion bloom.	CHANGED
K13	Topic map	Not present.	NEW
K14	What I learned	Lesson completed + bloom.	CHANGED
H20	Homework source	Study home has file import + local extraction review; camera still source exists in host-android.	CHANGED
H21	Check the exercises	Study extraction review entry (adult).	CHANGED
H22	One exercise	KidsLesson / StudyScreen attempt + guided advance.	CHANGED
H23	Why it works	Feedback inside lesson transcript.	NEW
C30	What shall we make?	KidsCreationPanel: idea field + Write a story / Invent a character.	CHANGED
C31	Shape the idea	Not present (one-shot text generation).	NEW
C32	Make it	Assistant text generation in home.submitText; result below.	CHANGED
C33	Keep, change or discard	Not present (auto-shown result).	NEW
C34	My project	Not present.	NEW
S40	Study home	StudyHomeScreen: continue sessions, review due, new lesson Goal → Material → Style → Options, Notebook picker, file import.	CHANGED
S41	Guided start	4-step wizard Goal → Material → Style → Options.	CHANGED
S42	Active study	StudyScreen: tutor turns, composer, attempt, guided advance, citations, reader, cards, save summary, menus.	CHANGED
S43	Lesson details	Details sheet tabs: Material, Languages, Setup, Schedule, Progress.	KEPT
S44	Review & keep	Focused review: check/reveal/skip/source.	KEPT
G90	Global layer	Kids header stop/options, My tools sheet, Full Halo exit.	CHANGED

From “help with my homework” to the right exercise



K00 home
Intent on the mic when nothing is open

K10 start
Four ways in, no typing

H20 searching
learn_frame · searching

H20 locked
Page found; Intent on the shutter

H21 reading
Real reading state; Stop cancels

One exercise, reasoning before answers



H21 check

Unsure box first: dashed + Apricot

H22 ask

“What did you do in class?”

H22 hesitate

Intent moves to Hint, nothing else

H22 hint

Rung 2 of 5 — a nudge, not the answer

H22 listening

Ripple only while the mic is open

Why it works — and what happens when it doesn't



H22 checking
Stop = no late result

H23 correct
insight → bloom once; the child's step highlighted

H23 not yet
learn_retry; the reason + Try again

G90 consent
Cloud needs a grown-up; local option; Not now

K14 reflect
Own words, effort not time, save

Continued learning, not a quiz about the last answer



K10 ask

"What is a black hole?"

K11 discover

What do you know? "I don't know" is fine

K12 explain

learn_open → one idea + one question

K12 not yet

Another way, never a false "understood"

K12 checked

Insight + bloom; Intent → Show me more

K13 branch

learn_branch; the child chooses

The child stays the author



C30 choose
Story · Character · Project; honest Drawing

C31 idea
One inspiring question at a time

C32 drafting
draft_drawon; "not saved"

C32 no helper
Usable alternative, no fake picture

C33 discard?
Keep / Change / Discard; confirm

C34 saved
Saved in My notes; grown-up share

Same journey, adult presentation



S40 home
Voice entry, continue with stage, due review

S41 start
Goal + material + level; options collapsed

S42 explain
Breadcrumb, source chips, depth controls

S42 practice
Own words + the same ladder

S43 details
Sheet over the paused lesson

S44 review
Recall first, source backlink

Night reading, same hierarchy

Kids use the warm dark tone, Study the natural Night Ink. Mint stays the light; Apricot still means “needs you”.



K00 home · **K12** speaking · **H22** listening · **C33** review · **S42** explain · **G90** offline

Shared component inventory

CMP-RING — EXISTING

Halo Ring (kids / standard)

Presence bound to the REAL runtime state (idle, listening, capturing_voice, thinking, speaking, waiting, stopped, error, offline, success).

`kids/lottie/halo_kids_orb_<state>_<theme>.json · orb/lottie/halo_orb_<state>_<theme>.json; static: kids/orb_svg, orb/svg`

CMP-INTENT — EXISTING

Intent indicator (Guide trace)

Marks the ONE recommended action: one lap on first appearance, then breath pulse. Moves, never multiplies.

`Modifier.haloTrace(enabled, accent, lapOnAppear) · fx/lottie halo_fx_trace_pill|trace_pulse_pill`

CMP-DOCK — NEW

Voice dock

Persistent bottom dock: big mic (72dp kids / 56dp adult) ⇄ Stop, captions line, Type alternative, Help. Mic ripple only while mic is open.

`HaloRipple(micOpen, level) · new layout`

CMP-CAPTION — RESTYLED

Caption strip

Live captions of what halo says and what it heard. Tap a word to hear it again (kids read-along).

`Compose · kids read-along (v1.1)`

CMP-FOCUS — RESTYLED

Focus card

The single live learning task: concept/question, optional illustration, 1-3 contextual actions. Never scrolls the task away.

`HaloFocusFrame / StudyFocusFrame (existing) → restyled`

CMP-PATH — NEW

Journey path

7 stages as an open-ring path; kids see icons only (Now / Next), adults see a breadcrumb.

`new`

CMP-LADDER — NEW

Hint ladder

5 rungs; climbing is the learner's choice; shows where you are, never a score.

`new · TutorStage`

CMP-SOURCE — RESTYLED

Source chip

Where an explanation comes from: note, file page, photo, general knowledge. Tap → source view (S43).

`existing citations → chip`

CMP-WHERE — RESTYLED

Where-it-runs chip

On this phone / Needs cloud OK / In the cloud / Offline / Provider unavailable. Required on voice, vision and generation screens (C09).

`kit halo-language .h-where → Compose chip`

CMP-CONSENT — NEW

Cloud consent sheet

Explains what leaves the phone, who must agree (grown-up PIN for kids), local alternative, Not now. Never traced.

`new · cloud_handoff plays only AFTER consent`

CMP-DRAFT — RESTYLED

Draft review

AI draft visually separate (dashed accent border, 'Draft' tag) from the child's work; Keep / Change / Discard; no auto-accept.

`Modifier.haloDraftBorder + fx draft_drawon`

CMP-PROGRESS — NEW

Effort progress

Counts reasoning steps tried and ideas understood — never minutes, streaks or rank. Optional bloom on genuine progress.

`fx bloom_kids · new card`

CMP-PROVIDER — NEW

Provider-state message

Calm card for unsupported provider / offline / OCR unsure / cancelled, always with a usable alternative.

`new`

CMP-CHOICE — RESTYLED

Big choice tile

Kids picture tile ≥ 56dp, icon + 1-2 words, max 3 per screen.

`KidsChoice (existing) → restyled`

CMP-EXTRACT — NEW

Extraction overlay

Outlined exercise boxes on the photo with confidence: solid = sure, dashed + Apricot dot = please check.

`new · Study extraction review data`

CMP-GROWNUP — EXISTING

Grown-up gate

PIN-protected parent options, adult-mode exit, sharing, cloud consent.

`existing Grown-up space`

Help one step at a time, one light at a time

The learner climbs the ladder by choice. Intent (the rotating halo treatment: one lap, then a breath pulse) marks exactly one recommended action and moves with real events.

RUNG 1	RUNG 2	RUNG 3	RUNG 4	RUNG 5
Remember	**Hint**	**Worked step**	**Another way**	**Full solution**
What did you do in class?	One nudge toward the method	Halo does one step, you do the rest	The same idea explained differently	Every step with reasons — opt-in, with confirm
`TutorStage.ASK`	`TutorStage.HINT`	`TutorStage.PARTIAL_SOLUTION`	`TutorStage.ANALOGY (+EXPLAIN)`	`TutorStage.SOLUTION`

INTENT FOLLOWS EVENTS, NOT TIMERS ALONE

halo finishes speaking	Intent → mic	trace lap 850 ms, then pulse 1.2 s
no input for 12 s (kids) / 20 s (adult)	Intent → Hint	one target only; the mic keeps its normal look
attempt CHECKED correct	insight → bloom once → Intent → Next	never for time spent, never after Stop
checked not yet	retry sway → Intent → Another way	no red, no cross
Stop / barge-in / navigation	all FX cancelled in the same frame	Ring shows stopped; no late success

Intent never sits on cloud opt-in, purchases, new permissions or destructive actions. The current app order of TutorStage differs from the brief's ladder order: see Gaps.

Six new Lotties, only for missing meanings

Everything else reuses DevKit v1.2: kids orb states, Intent trace, ripple, shimmer, bloom_kids, remember, draft_drawon, canvas_arrange, cloud_handoff, tool_camera.



`halo_fx_learn_open`

Learning opens

Ring opens into the focus card (start of a lesson / resume).

once 900 ms · markers: open

`halo_fx_learn_frame`

Worksheet framing

Camera corners find the page; settle when the page is held still; dashed when unsure.

markers · markers: searching, locked, unsure



`halo_fx_learn_insight`

Comprehension insight

Two ideas connect through the ring gap after a CHECKED correct explanation.

once 800 ms · markers: connect



`halo_fx_learn_branch`

Topic branching

Three branches grow from the topic ring; one is chosen.

markers · markers: grow, choose



`halo_fx_learn_advance`

Exercise advance

Finished exercise tucks away, next slides in, progress dot fills.

once 700 ms · markers: advance

`halo_fx_learn_retry`

Gentle misunderstanding

Ring sways once and re-centres: 'let's look again'. Never red, never a cross.

once 900 ms · markers: sway

`bloom_kids`	independent success after a checked attempt (kids)
`bloom`	independent success (adult)
`remember`	saved to Notebook / checkpoint
`draft_drawon`	AI draft appears in Create
`canvas_arrange`	idea becomes cards on Canvas
`cloud_handoff`	after consent, while cloud runs
`tool_camera`	capture in progress
`shimmer`	real loading / OCR / generating
`download_ring`	model download
`ripple`	mic actually open (HaloRipple)
`trace_pill / trace_pulse_pill`	Intent indicator on the one next action

Kids Explore + homework

ID	TRIGGER	ANIMATION	SCOPE	EXIT / CANCEL	FALLBACK	NEXT ACTION
K00	screen shown, runtime idle	halo_kids_orb_idle	Ring 160dp · 4 s breath loop	app background / Stop	kids/orb_svg idle	Intent on mic only when there is no Resume; otherwise on Resume tile
K00	mic opened (real audio focus granted)	HaloRipple + halo_kids_orb_listening	Ring + dock mic	mic closed / Stop / barge-in	static listening svg + 'Listening' caption	—
K10	screen shown	trace lap → pulse on mic	Dock mic 72dp	mic opened / tile tapped	static accent outline	Mic
K11	halo finished speaking the question (TTS onDone)	trace lap → pulse on mic	Dock mic	user taps any answer / mic opens	static outline	Mic
K11	learning.priorKnowledge accepted	halo_learn_open	Ring → focus card 900 ms	Stop / back	cross-fade 150 ms	—
K12	question asked (TTS done)	Intent on mic	Dock mic	mic opens	outline	Mic
K12	no input for 12 s after question AND mic closed	Intent moves to Hint	Hint button	any input	outline	Hint
K12	attempt checked correct by tutor	halo_learn_insight then bloom_kids (only first independent success per idea)	Focus card / Ring	Stop cancels unplayed bloom	SUCCESS glyph + 'You worked it out'	Next (one lap)
K12	attempt checked not yet	halo_learn_retry	Ring 900 ms	—	static ring + caption	Another way
K13	branches returned	halo_learn_branch: grow	Map 600 ms	Stop / back	static map	none — the child chooses
K13	branch tapped	halo_learn_branch: choose	chosen branch 400 ms	—	highlight	—
K14	notebook.save success	remember	Save button → Notebook icon 700 ms	—	check glyph	Keep going later
H20	frame analyser finds page quad	halo_learn_frame: searching → locked	viewfinder corners	camera paused / Stop	static corners + 'Hold still'	Capture (Intent)
H20	capture.still	tool_camera: start	shutter 400 ms	—	flash-free still	—
H21	extraction result	box outlines draw (Compose 300 ms each, staggered)	photo overlay	Stop	static outlines	Unsure box first, else exercise 1
H22	question asked	Intent on mic	Dock	input	outline	Mic
H22	12 s hesitation	Intent → Hint rung	ladder	input	outline	Hint
H22	checking attempt	halo_kids_orb_thinking + shimmer on feedback slot	Ring + slot	Stop (no late result)	static	—
H23	checked correct reasoning	halo_learn_insight → bloom_kids (once)	card	—	check glyph	Next exercise (one lap)
H23	not yet	halo_learn_retry	Ring	—	static	Try again
H23	homework.next	halo_learn_advance	card 700 ms	—	slide	Mic

Create, Study, global

ID	TRIGGER	ANIMATION	SCOPE	EXIT / CANCEL	FALLBACK	NEXT ACTION
C30	screen shown	Intent on mic	Dock	input	outline	Mic
C31	idea updated from speech	canvas_arrange (idea card settles)	card 600 ms	—	fade	Let's make it
C32	draft text streaming	shimmer → draft_drawon	draft card	Stop (draft discarded, nothing saved)	static dashed border	—
C33	Keep	remember	draft → work 700 ms	—	check	—
C34	shown	Intent on 'Keep making'	button	—	outline	Keep making
S40	due reviews exist and no study open	Intent on Review	card	—	outline	Review
S41	Start	halo_learn_open	card	—	fade	—
S42	as K12 (adult timing: hesitation 20 s)	Intent / insight / bloom	—	—	—	one
S43	open	native sheet	sheet	—	—	—
S44	set finished	bloom (adult, once)	card	—	check	Continue lesson
G90	runtime.stop	Ring → stopped (static), all FX cancelled same frame	global	—	—	none

Readable, reachable, calm



K00 text 150%

Tiles stack, ring shrinks



H22 text 150%

Picture folds away; ladder wraps



S42 412 dp

Wider phone, same order

Targets
Kids ≥ 56 dp (mic 72 dp), adults ≥ 48 dp touch area; max 3 choices on a kids screen.

Never motion alone
Every cue has words, speech and a TalkBack label. Captions are on by default in Kids.

Reduced motion
Static SVG of the same state from DevKit; Intent becomes a fully drawn outline.

Focus order
Status → current task → recommended action → other actions → dock. While halo speaks, Stop comes first.

Large text
At 130%+ the picture folds away, ladders wrap, rows stack, the body scrolls under the pinned dock.

Calm
No flashing, one light at a time, bloom ≤ 600 ms once, no streaks or rankings.

What is native, what depends on a provider, what's open

KIDS CREATE IDEAS

NATIVE **Story Builder**
Branching chapters, read-aloud, "what happens next?" — local text model + TTS.

MIXED **Character Lab**
Name, traits, costume text native; sketches only with a configured image provider + grown-up OK, else draw in Canvas.

NATIVE **Idea to Canvas**
Spoken idea → editable cards (canvas_arrange). Visual drafts are proposals, never edits.

NATIVE **Little Inventor**
Age-safe materials and thinking guide; never assumes dangerous tools.

VERIFY **Family Project**
Saved to Notebook/Canvas natively; sharing to a parent via the grown-up gate — share path not verified in source.

ANNOTATED GAPS (NOT GUESSED)

PL strings
The app ships values / values-lv / values-ru; there is no values-pl. Polish copy, speech and TTS availability must be verified per installed model.

LearningStage enum
The 7-stage journey is new; today only StudyLearningPhase (4) exists. Codex defines the enum; UI binds to it.

Hint order
Brief order ≠ current TutorStage order (ASK, HINT, EXPLAIN, ANALOGY, CHECK_ATTEMPT, PARTIAL_SOLUTION, SOLUTION). UI shows rungs in the brief's order; CHECK_ATTEMPT is the 'Check my thinking' action, not a rung. The solution rung is never locked by points or time (C07) — it is opt-in and confirmed, as today.

Kids image generation
Only cloud image providers exist (WorkspaceImageService / AiImageProvider). Drawing tile is hidden unless a provider is configured AND a grown-up consented; otherwise 'Draw it yourself in Canvas'.

Camera page framing
halo_learn_frame needs a page-quad signal from the analyser; without it, show static corners + 'Hold still', never fake a lock.

Kids sharing
Grown-up gated share is designed; the existing share path for Kids was not verified in source.

Hesitation timing
12 s kids / 20 s adult are design defaults, to be tuned in testing; the trigger is 'no input after halo finished speaking', never a timer alone.

Visual audit
Comps follow BrandBook v2.1 + DevKit v1.2 tokens; no device screenshots of the current Kids/Study screens were provided, so current-state notes come from source only.

What’s new in v2.3

Voice input and read aloud become part of every surface that takes input or shows content, and the learning chapters grow by six screens.

CHAPTER 13 · 12 PAGES

Voice & Read everywhere

Eight field kinds, a coverage map of all 39 input surfaces, journeys for Home, Notebook, Canvas, tools and settings, honest voice states, components, nine new Lotties, accessibility and gaps.

KIDS + STUDY, EXPANDED

K15–K17 · S45–S47

Read-along stories, “read it myself” practice, pre-reader mode; listen mode, speak-to-answer cards and explain it back.

DEVKIT v1.4 · voice/

Contract + assets

Voice/read contract, HaloTextField reference with field kinds and the voice-approval rule, 65 strings, 9 Lotties + static fallbacks, 7-journey prototype.

Pages 1–78 are unchanged, so every page number in the contents and in chapter 12 still holds. Chapter 13 starts on page 80.

Speak anywhere.
Listen to anything.

Every place that takes input can be spoken into, and every piece of content can be read aloud — with one shared field, the same ring language and the privacy rules halo already has.



RULE 1
Every text field is a HaloTextField with a kind; nobody adds a raw OutlinedTextField.

RULE 2
Speech never commits silently: TEXT/SHORT/NUMBER/CODE show a preview first; SEARCH applies instantly with undo.

RULE 3
SECRET fields have no mic and are never read aloud or sent to any speech engine.

RULE 4
Pressing a mic stops any reading (barge-in); starting to read stops listening. One audio owner at a time.

RULE 5
Voice may approve reversible actions only. Send, call, delete, pay, share, new permission and cloud consent always need a tap.

RULE 6
Local speech only for dictation (never OEM cloud recognition). Cloud voices for reading ask first (Send and read / Keep text private).

RULE 7
Everything voice can do has a visible tap equivalent; everything read aloud is on screen.

RULE 8
Reduced motion: mic and speaker show static states; word follow becomes an underline without the wash animation.

One field, eight kinds

Every input is a HaloTextField with a kind. The kind decides whether there is a mic, how speech lands, and what Read aloud says.



V05 routine

SHORT · NUMBER · TEXT · SEARCH



V05 provider

SHORT · URL_ID · SECRET · STRUCTURED

KIND	VOICE	READ	BEHAVIOUR
TEXT Free text (notes, cards, replies, prompts, routines)	on	on	Mic in the field. Speech becomes a PREVIEW chip: Use spoken text · Edit before using · Discard. Read aloud reads the draft.
SEARCH Search & filter	on	results	Mic in the field. Spoken words go straight in and run the search (harmless, one-tap undo).
SHORT Names, titles, labels	on	on	Mic in the field; single line; preview chip; auto-capitalised.
NUMBER Numbers, durations, page numbers	on	on	Mic in the field; shows what was heard and the number it became: "twelve" → 12.
CODE Pairing / verification codes	on	masked by default	Mic in the field; digits spoken one by one, shown grouped; always confirmed before use.
URL_ID URLs, server addresses, IDs	off	spelled	No mic by default (speech is unreliable here). Paste, scan or pick; read aloud spells it out.
SECRET API keys, passwords, tokens	never	never	No mic, no read aloud, never sent to speech. TalkBack says "hidden". Lock glyph instead of mic.
STRUCTURED JSON / schema / code	describe	summary	No dictation into raw syntax. Mic opens "Describe it" — halo drafts the structure, shown as a draft to review.

39 surfaces · 113 text fields

From the app source (revision 97c82273). Today voice reaches 9 of them and read aloud 5. Orange = missing today. P1 first.

P	SURFACE	FIELDS	VOICE	READ	KIND
P1	Home composer + answers	2	yes	no	TEXT
P1	Mini halo	1	yes	no	TEXT
P1	Note editor	8	yes	yes	TEXT, SHORT
P1	Canvas	11	partly	partly	TEXT, SHORT
P1	Notebook home	2	yes	no	SEARCH, SHORT
P1	Quick capture	1	no	no	TEXT
P1	Contextual capture	3	no	no	TEXT, SHORT
P1	Tool forms (halo asks for input)	4	no	no	per field
P1	Extraction review	3	no	no	TEXT
P1	Study home / setup	7	partly	no	TEXT, SHORT, SEARCH
P1	Study lesson	10	yes	yes	TEXT
P1	Kids	4	yes	yes	TEXT (kids dock)
P1	Memory	5	no	no	TEXT, SEARCH
P1	Notification detail	1	no	no	TEXT (reply)
P1	Settings search	2	partly	no	SEARCH
P2	Conversations	1	no	no	SEARCH
P2	Workspace object	1	no	no	TEXT
P2	Canvas organise	2	no	no	SHORT
P2	Image prompt	2	no	no	TEXT
P2	Object picker	1	no	no	SEARCH

P	SURFACE	FIELDS	VOICE	READ	KIND
P2	Notification inbox	1	no	no	SEARCH
P2	Routine editor	6	no	no	TEXT, SHORT, NUMBER
P2	Skill starter	2	no	no	TEXT, SHORT
P2	Speech lab	1	no	no	TEXT
P2	Speech output	2	no	no	SECRET, TEXT
P2	BuddyBot control	2	no	no	TEXT
P2	Pairing	1	no	no	CODE
P2	Setup	2	no	no	SHORT, SECRET
P3	Sandboxes	2	no	no	TEXT
P3	Model & skill lists	5	no	no	SEARCH
P3	Model picker	1	no	no	SEARCH
P3	Model compare / tuning	2	no	no	TEXT, NUMBER
P3	Notification settings	1	partly	no	SHORT
P3	PDF page jump	1	no	no	NUMBER
P3	Integrations / MCP	5	no	no	URL_ID, SECRET, SHORT
P3	Cloud provider keys	2	no	no	SECRET, URL_ID
P3	Backup passwords	2	no	no	SECRET
P3	Routine schema	1	no	no	STRUCTURED
P3	Diagnostics	3	no	no	NUMBER

Home and Notebook: speak, check, listen



V01 listening

voice_field · open → listen; partial words

V01 preview

Use · Edit · Discard; unsure words underlined

V01 reading

read_aloud; word follow; read-aloud bar

V02 long dictation

voice_wave sheet; local speech

V02 inserted

dictation_insert → “Added 2 sentences”

Canvas and tools: commands, plans, the tap rule



V03 command
canvas_voice_add → draft card

V03 reading
spatial order; card outlined

V03 commands
every command has a button

V04 plan
"Read it to me" reads the exact steps

V04 tap rule
sending can't be undone → tap

Honest states, one fix each



V07 needs help

model missing · permission · nothing heard



V07 cloud voice

Keep text private / Send and read



V04 tool form

halo asks; answer by voice



V06 read bar

sentence skip · speed · Stop



V08 settings

one Voice & reading page

Voice & Read components

VR-FIELD · NEW

HaloTextField (voice field)

The ONE text field: label, value, kind, trailing mic (or lock for SECRET), read button when there's text. Replaces direct OutlinedTextField use. Built on HaloVoiceTextActions.

VR-PREVIEW · EXISTING

Spoken-text preview

What was heard, as an uncommitted chip under the field: Use spoken text · Edit before using · Discard. Low-confidence words underlined.

VR-READ · NEW

Read aloud button

Speaker in a small open ring. Ring fills as reading progresses; tap again = pause; long-press = speed.

VR-BAR · NEW

Read-aloud bar

Pinned above the nav while reading: title, ⏮ sentence, ⏯, ⏭ sentence, speed, voice, Stop. Survives scrolling and screen changes within the same object.

VR-HIGHLIGHT · EXISTING

Word follow

The word being read gets an accent wash; the line scrolls into view. Off-screen → a 'Back to reading' pill.

VR-SHEET · NEW

Long dictation sheet

Bottom sheet for long speech (notes, stories): live partial text, waveform ring, Pause, Done. Text lands as a preview.

VR-CMD · NEW

Voice commands

Per-surface spoken commands (Canvas: add card, connect, read this card; Home: ask; Settings: find). Shown in the 'What can I say?' sheet.

VR-CONFIRM · RULE

Spoken confirmation rule

Voice can fill, navigate and approve reversible actions. Irreversible or sensitive actions (send, call, delete, pay, share, new permission, cloud consent) always need a tap.

VR-STATUS · NEW

Voice status chip

Local speech ready · Speech model missing · Mic permission needed · Cloud voice needs OK · Offline. Shown in the field's helper line, never as a toast only.

VR-SETTINGS · EXISTING

Voice & reading settings

Dictation language, auto-punctuation, read speed, voice, follow words, auto-read answers, kids read-along.

Nine new Lotties for voice and reading

Phases follow the real speech pipeline (IDLE → RECORDING → RECOGNIZING) and real TTS events — never a timer. Mic level drives Compose, not the Lottie.

`halo_fx_voice_field`

Mic ↔ listening ring

The mic glyph opens into a small open ring (open); breathes while recording (listen, loops; level comes from Compose); tightens while recognising (recognize); closes back to the mic (close).

markers: open, listen, recognize, close

`halo_fx_dictation_insert`

Spoken text lands

The preview chip shrinks into the caret and the caret blinks once.

markers: insert

`halo_fx_read_aloud`

Read aloud

Sound arcs leave the speaker through the ring gap (start), loop gently while reading (reading), fold away (stop).

markers: start, reading, stop

`halo_fx_voice_wave`

Long dictation wave

Level bars arranged along the open ring for the dictation sheet; loops while the mic is open.

markers: listen



`halo_fx_canvas_voice_add`

Card from voice

A spoken card drops from the ring onto the canvas and a connector draws to its neighbour.

markers: add

`halo_fx_kids_page_turn`

Read-along page turn

Story page curls from the upper-right corner (the gap) to the next page.

markers: turn



`halo_fx_kids_word_pop`

Hear it again

A tapped word lifts in a soft bubble while it's spoken.

markers: pop

`halo_fx_listen_chapters`

Listen mode progress

A segmented open ring fills chapter by chapter; current segment breathes.

markers: chapter

`halo_fx_explain_back`

Explain it back

Two speech arcs meet; gaps that weren't covered stay open as small Apricot dots.

markers: compare

Read-along, read it myself, pre-reader



K15 read-along

words light up; page turns at the gap

K15 word pop

kids_word_pop: hear it again

K16 your turn

words read get a soft wash

K16 I heard

one tricky word together, no score

K17 pre-reader

touch once to hear, twice to choose

Listen, speak to answer, explain it back



S45 listen
listen_chapters; ask by voice

S46 speak
question read; answer → preview

S46 compared
meaning, not exact words

S47 explain
up to 2 min local speech

S47 gaps
explain_back: covered + gaps

Same voice, at night



V01 reading

V03 canvas



V05 secret

K15 read-along



S45 listen

Works with big text, TalkBack and no motion



V01 text 150%

Field grows, preview wraps



K15 text 150%

Story text reflows

TalkBack first
When TalkBack speaks, halo's own reading pauses; every mic/speaker has a spoken label and state.

Targets
Mic, speaker and bar buttons 48 dp; kids 56 dp; preview actions 44 dp + touch padding.

Reduced motion
Static SVGs of each state; word follow becomes an underline.

Never motion or audio alone
Everything read aloud is on screen; every voice command has a button.

GAPS · NOT GUESSED

Word timing — needs word boundaries from the TTS provider; else sentence follow

Long speech — capture caps at 15 s today; long sheet + S47 need chunking

Media session — lock-screen/headset controls not found in source

Number words — LV/RU/PL normalisation per STT model

Polish — no values-pl yet

CHAPTER 14 · PRODUCT MAP

Five places. Everything else hangs from them.

The real app has five tabs. Study opens from Notebook and Home, not as a sixth tab. ✎ means the nav pill hides while editing.

Home

`home`

H01 Conversation feed
H02 Composer
H03 Attach sheet
H04 Tools menu
H05 Answer states
H06 Next step
H07 Approval (global)

`notifications`
N01 Notification inbox

`notifications/{key}`
N02 Detail / reply

`notification_settings`
N03 Policy

Activity

`activity?runId`

A01 List · All/Needs you/Running/Done

`activity?runId=…`
A02 Run detail

Notebook

`notebook`

NB01 Hub + Library

`notebook/note/{id}`
NB02–03 Note editor ✎

`notebook/canvas/{id}`
NB04–05 Canvas ✎

`notebook/file/{id}`
NB06 File detail

`notebook/memory…`
NB07 Memory hub + item

`notebook/conversations`
NB08 Conversations + detail

`study?captureSource`
S01–02 Study home + new lesson

`notebook/study/{id}`
S03–05 Lesson · review

Devices

`devices`

D01 Devices root

`discovery`
D02–03 Choose + pair

`device/{id}`
D04 Glasses · D05 BuddyBot

`permissions`
D06 Phone controls

Settings

`settings`

ST01 One list · search inside

`ai_settings`
I01 How halo answers → I02–I05 · I07–I08

`voice_settings`
VO01 Voice & reading → VO02–VO05

`Appearance · Language`
P05 · P06 (inline)

`context · permissions`
P01 · P02

`memory · storage`
P03 · P04

`nearby · assistant · kids`
C05 · AS05 · K01

`apps · skills · routines`
C02 · C01 · C03

`Help`
ST04 Check-up · O01 Set up again

`Advanced · last row`
ST02 → roles · MCP · report · dev labs

Outside the tabs · `guided_setup` O01–O02 (first launch) · `mini_halo` D08 · floating orb · widgets · read-aloud bar · approval sheet

Kids mode · Kids home replaces Home · child-safe: home, study, note, canvas, lesson · everything else asks a grown-up first

CHAPTER 14 · SETTINGS

Simple for everyone. Technical in one place.

The finished app has no Everyday/Advanced tabs. One list, five groups, and Advanced as the last row. Every row maps to code that exists today.

SETTINGS · FOR EVERYONE

halo

How halo answers	ai_settings	D1	I01
Voice & reading	voice_settings	D0	VO01
Appearance	inline page	D1	P05
Language	inline page	D1	P06

Privacy

What halo can use	…/context	D1	P01
Permissions	permissions	D1	P02
Memory	memory_learning	D0	P03
Storage & backup	storage_backup	D0	P04

Everyday

halo nearby	inline page	D1	C05
Android assistant	android_assistant		AS05
Notifications	notification_settings	D0	N03
Kids mode	inline page	D1	K01

Connections

Apps & services	integrations	D0	C02
What halo can do in apps	skills	D0	C01
Routines	automation	D0	C03

Help

Check-up	system_check	D1	ST04
Set up again	guided_setup	D2	O01
About halo	inline	D1	ST01

ADVANCED · LAST ROW OF SETTINGS

Technical · always in Advanced

Model roles	…/roles	D1	I06
Custom servers (MCP)	integrations/mcp/{id}	D0	C02
Technical report	system_check (report)	D1	X01

Labs & diagnostics · only with Developer tools on

Runtime status	runtime_status	D0	X02
Workload diagnostics	workload_diagnostics	D0	X02
Assistant diagnostics	assistant_diagnostics	D0	X02
Vision Lab	vision_lab	D0	X02
Speech Lab	…/speech-lab	D0	VO06
Local audio test	local_audio_lab	D0	VO06
Phone + automation sandboxes	…_sandbox	D0	X02

The strict rule — Settings is one list for everyone. Advanced is the last row. Nothing technical (IDs, endpoints, tokens, logs, model files, diagnostics) appears on any other screen, in search results, notifications or the assistant. Developer tools is a switch inside Advanced with a confirm; when it is off, lab routes refuse to open.

CHAPTER 14 · NAVIGATION CONTRACT

When the nav shows, hides, and asks a grown-up.

Read straight from AppShell.kt. These rules decide every screen in packages B–G.

Everyday
Floating pill, 5 items, width <600dp

Wide ≥600dp
Same 5 items in a side rail

Editing
Note + Canvas hide the pill; Back saves first

Kids mode
No pill. Big talk button. Gate on adult routes

Mini halo · Setup
Own window · setup has "Save and leave"

Pill (bottom)	Shown when width <600dp AND not mini_halo AND not Kids AND not editing (notebook/note/*, notebook/canvas/*) AND not guided_setup.
Rail (side)	Same conditions at width ≥600dp — the five destinations move to a NavigationRail.
Five destinations	Home · Activity · Notebook · Devices · Settings. Study is NOT a tab — it opens from Notebook / Home capture.
Home: Chat | Screen	A two-way switch at the top of the Home tab. Chat (default, unchanged) is where you talk to halo; Screen is where halo works for you. No sixth tab. Tablet ≥ 840dp landscape may show both side by side. DESIGN DECISION pending sign-off.
Kids mode	Turning Kids on returns to home and swaps it for Kids home. Child-safe routes: home, mini_halo, study, notebook/note/*, notebook/canvas/*, notebook/study/*. Every other route asks for the grown-up credential first.
Credential unavailable	If the phone has no screen lock, the gate cannot verify → show 'Ask a grown-up to set a screen lock' and stay put. Never fall back to a guessable PIN.
Back	Tabs: Back from a non-Home tab → Home; from Home → leave app. Nested: Back → parent in the table. Inline pages (Appearance, Language, Halo nearby, Kids) close to Settings. Editors: Back saves draft first, then returns.
Global layers	Approval sheet and read-aloud bar live above navigation — they follow the user across tabs. Only one audio owner at a time.
Deep links	No external deep links are declared in source today. Internal entries only (notifications, widgets, Mini halo). Any future deep link must pass the Kids gate.
Guided setup	Start destination on first launch only. 'Save and leave' is durable; a 'Return to guided setup' button stays at the top until it is finished.
Settings	ONE list for everyone (no Everyday/Advanced tabs). Groups: halo · Privacy · Everyday · Connections · Help. Advanced is a single muted row at the very bottom.
Advanced only	Every technical thing lives in Advanced and nowhere else: model roles, custom MCP servers, technical report. No IDs, endpoints, tokens, logs, model file names or diagnostics on any other screen.
Developer tools	A switch inside Advanced, off by default, with a confirm. On: Labs & diagnostics appear inside Advanced only. Off: dev routes refuse to open, even from old links.

CHAPTER 14 · ROUTE SIGN-OFF

All 56 routes, mapped (1/2).

Every composable in AppShell.kt has a design ID, a parent for Back and a visibility rule. Aliases share their target's screen. Orange = asks a grown-up in Kids mode; lilac = developer only.

#	ROUTE	DESIGN	PARENT / BACK	VISIBILITY
01	mini_halo	D08	(own activity)	no pill · own Back → finish
02	guided_setup	O01 O02	start destination (first launch)	no pill · 'Save and leave'
03	home	H01 H02 H03 H04 H05 H06 H07 K01	root tab 1	pill · in Kids: Kids home
04	study?captureSource={captureSource}	S01 S02	Notebook / Home	pill
05	activity?runId={runId}	A01 A02	root tab 2	pill · kids gate
06	notebook	NB01	root tab 3	pill · kids gate
07	notebook/note/{noteId}	NB02 NB03	notebook	pill hidden (editor) · kids allowed
08	notebook/study/{sessionId}?review={review}	S03 S04 S05	study	pill · kids allowed
09	notebook/canvas/{canvasId}?nodeId={nodeId}	NB04 NB05	notebook	pill hidden (editor) · kids allowed
10	notebook/file/{objectId}	NB06	notebook	pill · kids gate
11	notebook/memory?section={section}&noteId={noteId}	NB07	notebook	pill · kids gate
12	notebook/memory/{objectId}	NB07	notebook/memory	pill · kids gate
13	devices	D01 D02	root tab 4	pill · kids gate
14	device/{deviceId}	D04 D05	devices	pill · kids gate
15	integrations	C02	settings	pill · kids gate
16	integrations/mcp/{serverId}	C02	advanced_settings	Advanced · kids gate
17	skills	C01	settings	pill · kids gate
18	workload_diagnostics	X02	advanced_settings	Advanced › developer tools only
19	advanced_settings	ST02	settings	pill · kids gate
20	runtime_status	X02	advanced_settings	Advanced › developer tools only
21	system_check	ST04 X01	settings	pill · kids gate
22	automation_sandbox	X02	advanced_settings	Advanced › developer tools only
23	phone_control_sandbox	X02	advanced_settings	Advanced › developer tools only
24	notebook/conversations	NB08	notebook	pill · kids gate
25	notebook/conversation/{conversationId}	NB08	notebook/conversations	pill · kids gate
26	settings	ST01 P05 P06 C05	root tab 5	pill · kids gate
27	automation?routineId={routineId}	C03	settings	pill · kids gate
28	automation_review/{routineId}/{suggestionId}	C03	automation	pill · kids gate

CHAPTER 14 · ROUTE SIGN-OFF

All 56 routes, mapped (2/2).

Every composable in AppShell.kt has a design ID, a parent for Back and a visibility rule. Aliases share their target's screen. Orange = asks a grown-up in Kids mode; lilac = developer only.

#	ROUTE	DESIGN	PARENT / BACK	VISIBILITY
29	memory_learning	P03	settings	pill · kids gate
30	notifications	N01	home	pill · kids gate
31	notifications/{notificationKey}	N02	notifications	pill · kids gate
32	notification_settings	N03	notifications	pill · kids gate
33	ai_settings	I01	settings	pill · kids gate
34	local_audio_lab	VO06	advanced_settings	Advanced › developer tools only
35	vision_lab	X02	advanced_settings	Advanced › developer tools only
36	provider_setup	alias	ALIAS → settings/intelligence/providers	—
37	settings/intelligence/providers	I02	ai_settings	pill · kids gate
38	settings/intelligence/providers/{providerId}	I03	providers	pill · kids gate
39	settings/intelligence/images/{providerId}	I08	ai_settings	pill · kids gate
40	model_browser	alias	ALIAS → settings/intelligence/models	—
41	settings/intelligence/models?providerId={providerId}&role={role}	I04	ai_settings / roles	pill · kids gate
42	settings/intelligence/usage	I08	ai_settings	pill · kids gate
43	settings/intelligence/roles	I06	advanced_settings	Advanced · kids gate
44	settings/intelligence/on-device	I05 I07	ai_settings	pill · kids gate
45	settings/intelligence/context	P01	settings	pill · kids gate
46	settings/voice/input	VO02	voice_settings	pill · kids gate
47	settings/voice/speech-lab	VO06	advanced_settings	Advanced › developer tools only
48	settings/voice/output	VO03 VO04	voice_settings	pill · kids gate
49	settings/intelligence/policy	I08	ai_settings	pill · kids gate
50	settings/voice/elevenlabs	VO05	voice/output	pill · kids gate
51	assistant_diagnostics	X02	advanced_settings	Advanced › developer tools only
52	android_assistant	C04	settings	pill · kids gate
53	voice_settings	VO01	settings	pill · kids gate
54	permissions	P02 D06	settings	pill · kids gate
55	storage_backup	P04	settings	pill · kids gate
56	discovery	D02 D03	devices	pill · kids gate

CHAPTER 14 · COVERAGE

75 design IDs. Seven packages.

Status at audit. Package A (this chapter) is the map; each later package replaces its D0/D1/D2 chips with designed, signed-off screens.

Package A · Navigation + design system

D0 ×2 D1 ×9

NAV01 NAV02 NAV03 NAV04 I06 P05 P06 ST01 ST02 ST04 XS01

Package B · Home, tasks, notifications

D0 ×6 D1 ×5

H01 H02 H03 H04 H05 H06 H07 A01 A02 N01 N02

Package C · Notebook, Canvas, Memory, Study

D0 ×7 D0–D1 ×2 D1 ×4

NB01 NB02 NB03 NB04 NB05 NB06 NB07 NB08 S01 S02 S03 S04 S05

Package D · Kids + voice accessibility

D0 ×3 D0–D1 ×1 D1 ×1

K01 K02 K03 K04 K05

Package E · Intelligence, local models, voice

D0 ×11 D1 ×5 D2 ×1

O01 O02 I01 I02 I03 I04 I05 I07 I08 VO01 VO02 VO03 VO04 VO05 P01 P02 P03

Package F · Devices + automation

D0 ×9 D1 ×5

N03 D01 D02 D03 D04 D05 D06 D07 D08 C01 C02 C03 C04 C05

Package G · Advanced + QA

D0 ×3 D1 ×1

VO06 P04 X01 X02

SURFACES WITH NO ROUTE — DESIGNED TOO

Appearance page	P05	`SettingsScreen Dialog page`
Language page	P06	`LanguagePickerPage`
Halo nearby page	C05	`HaloNearbyControls`
Kids mode switch page	K01	`SettingsScreen Dialog page`
Settings search	ST01	`SettingsScreen`
Developer tools switch (inside Advanced)	ST02	`halo_developer_tools_enabled`
Kids grown-up gate	NAV03	`rememberKidsGrownUpGate`
Kids subflows Learn/Homework/Create/Read	K02–K05	`KidsModeScreen + flows`
Approval / interaction sheet (global)	H07	`InteractionSurfaceRenderer`
Read-aloud bar (global)	NAV04	`HaloReadAloudBar`
Attach / capture sheet	H03	`ContextualCaptureSheet`
Extraction review sheet	S04	`ExtractionReviewSheet`
Floating edge orb	D08	`nearby service`
Home-screen widgets	D08	`HaloNativeWidget`
Return to guided setup button	NAV04	`AppShell setupSession`
'Back to my learning space' (Kids)	NAV03	`AppShell`

CHAPTER 14 · VERSIONS

One book, one kit, one date.

The audit read the 60-page v2.1 while the repo pointed at v2.3. From today there is one latest version, and everything older is labelled.

ONE LATEST VERSION

Brand Book 3.0 · DevKit 2.0

Revised 2026-10-19 · pinned to repo 3f217ccb4378

BrandBook 2.3 (91pp)	kept as chapters 01–13; v3 adds Product chapters 14–20
BrandBook 2.1 (60pp, the PDF used in the audit)	superseded by 2.2 → 2.3 → 3.0
DevKit 1.4	contained in 2.0 unchanged; new product/ folder
Round 1 pages (v2.1 pp48–60)	historical only — never build from them

ID CLEAN-UP

Audit voice-settings IDs V01–V06 clashed with DevKit 1.4 V01–V08 (voice & read everywhere). The 1.4 IDs keep their meaning; voice settings become **VO01–VO06**. Learning IDs K00/K10–K17, H20–H23, C30–C34, S40–S47, G90 stay and sit inside K01–K05 / S01–S05.

COPY TO FIX IN SOURCE (LOWERCASE HALO)

"Choose what Halo can use"	"Choose what halo can use"
"Review what Halo remembers"	"Review what halo remembers"
"Use Halo from your phone"	"Use halo from your phone"
"Actions Halo can use"	"Actions halo can use"
"Halo nearby"	"halo nearby"
"Mini halo, floating orb and home-screen widget"	"Mini halo, floating orb and home-screen widget ✓"

LANGUAGES IN SOURCE

`values`	en
`values-lv`	lv
`values-ru`	ru
`values-pl`	MISSING in source

Polish has no values-pl folder yet.

RULES THAT DON'T MOVE

Only Thinking rotates · one glow per screen · Apricot = halo needs you · red = error · cloud never preselected · connected ≠ ready · approve buttons name the action.

CHAPTER 15 · H01

Home conversation feed

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



empty · conversation · ahead · live · earlier · edit · ime

Route	`home`
Code	`ui/screens/home/HomeScreen.kt`
Entry	app start · nav Home · Kids off
Back	leave app
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Tap 'Show N earlier messages'	`feed.expand`	Older turns load above; scroll position kept	—
Long-press own message	`message.menu`	Use earlier question / Copy / Read aloud	—
Use earlier question	`draft.replace?`	Copies into composer; if a draft exists asks 'Replace your draft?' (Keep my draft / Replace)	—
New answer arrives	`feed.autoscroll`	Scrolls to newest only if the user is already at the bottom; else shows 'New reply ↓'	—
Keyboard opens	`ime.show`	Composer rides above the IME; nav pill hides behind keyboard	—

STATE	NEXT ACTION SHOWN
empty	Do the one next step, or pick a starting point
conversation	Ask a follow-up
earlier	Collapse back
edit	Use the earlier question
ime	Send

CHAPTER 15 · H02

Home composer / action area

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



idle · typing · listening · busy · mode · disabled

Route	`home (component)`
Code	`ui/screens/home/HomeComposer.kt`
Entry	always pinned above nav
Back	closes IME / menu first
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Tap mic	`voice.open`	Listening; mic becomes Stop with ripple	mic permission; local STT ready
Tap Stop while listening/answering	`runtime.stop`	Cancels capture or turn; pending FX + stale success cancelled	—
Speak while halo talks (barge-in)	`voice.bargeIn`	TTS stops, listening starts	voice on
Type text	`composer.input`	Mic swaps to Send	—
Tap mode chip	`mode.menu`	Automatic / Ask / Plan / Act	—
No provider	`provider.missing`	Field disabled; 'Set up answers' → Intelligence	—

STATE	NEXT ACTION SHOWN
idle	Talk or type
typing	Send
listening	Stop listening
busy	Stop
mode	Pick a mode
disabled	Set up answers

CHAPTER 15 · H03

Attach / context sheet

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



sheet · chips · review · vision-missing · camera-denied

Route	`home (sheet)`
Code	`HomeScreen.kt · ContextualCaptureSheet.kt`
Entry	composer Attach
Back	closes sheet, keeps selection
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Camera	`capture.camera`	Camera → Review captured image	camera permission
Photo / File	`capture.pick`	System picker; chip added	—
Notebook	`context.pickNote`	Object picker; chip added	—
Remove chip ×	`context.remove`	Source removed from this message only	—
Done	`sheet.close`	Attach shows count; scope chip visible above field	—

STATE	NEXT ACTION SHOWN
sheet	Done
chips	Send with sources
review	Use in message / Edit text
vision-missing	Set up image model or attach as file
camera-denied	Pick a photo or open Android settings

CHAPTER 15 · H04

Tools menu + forms

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



menu · timer · open-app · clear

Route	`home (menu)`
Code	`HomeScreen.kt`
Entry	composer Tools
Back	closes menu/form
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Save to Inbox	`inbox.save`	Saves composer text; toast with Undo	text present
New note	`note.create`	Opens notebook/note/{new}	—
Timer	`tool.timer.form`	Form; confirm starts Clock timer	Clock app
Open app	`tool.openApp.form`	Form with validation + suggestions	app installed
New conversation	`conversation.new`	Empty feed; old one kept in Notebook › Conversations	—
Clear conversation	`conversation.clear?`	Confirm dialog; destructive red confirm	—

STATE	NEXT ACTION SHOWN
menu	Pick a tool
timer	Start timer
open-app	Open the suggested app
clear	Keep messages (safe) or Clear

CHAPTER 15 · H05

Agent response states

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



Route	`home (feed item)`
Code	`HomeScreen.kt · HomeResponseCard.kt · interaction renderer`
Entry	every turn
Back	—
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Read aloud	`tts.speak`	Read-aloud bar appears; one audio owner	TTS available
Copy / Save to Notebook	`answer.copy / answer.save`	Toast 'Saved' only after write confirms	—
Try again	`turn.retry`	Re-runs; previous answer kept above	—
Retry failed step	`task.retryStep`	Runs only the failed step	—
Cloud choice	`cloud.choose`	Two equal buttons; nothing preselected	cloud provider configured

STATE	NEXT ACTION SHOWN
streaming	Stop
tool	Stop
answer	Follow up / read / save
partial	Try the failed step
stopped	Continue from here
refusal	Rephrase
offline	Answer on this phone / Try again
cloud-ask	Choose where it runs

CHAPTER 15 · H06

Today / Continue / Next step

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



one · more · dismissed · none

Route	`home (section)`
Code	`DailyAssistantSection`
Entry	Home empty / top of feed
Back	—
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Primary action	`next.do`	Opens the target flow	—
Not now	`next.dismiss`	Hidden until tomorrow; toast Undo	—
See N more	`next.more`	List of secondary items, no glow	—

STATE	NEXT ACTION SHOWN
one	Do it / Not now
more	Pick one
dismissed	Undo
none	Nothing — by design

CHAPTER 15 · H07

Approval / recovery sheet

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



request · inspect · running · done · failed · expired

Route	`global layer (any tab)`
Code	`interaction/InteractionSurfaceRenderer.kt`
Entry	any pending approval
Back	closes sheet; request stays waiting in Activity
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
See the steps	`plan.inspect`	Expands plan + affected apps	—
Approve (action verb)	`interaction.approve`	Running state; steps tick on real progress	permission valid
Decline ('Don't send')	`interaction.decline`	Recorded as declined in Activity	—
Stop	`runtime.stop`	Cancels; shows what already happened	—
Try again	`task.retry`	Re-runs failed part	—
Open Android settings	`system.settings`	Returns to sheet; re-checks permission	—

STATE	NEXT ACTION SHOWN
request	Approve with the verb / decline
inspect	Approve / decline
running	Stop
done	Done / See in Activity
failed	Try again / Leave it
expired	Open Android settings

CHAPTER 15 · A01

Activity list

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



all · needs · empty · failed

Route	`activity?runId={runId}`
Code	`ui/screens/activity/ActivityScreen.kt`
Entry	nav Activity · 'See in Activity'
Back	Home
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Filter chip	`activity.filter`	All / Needs you / Running / Done	—
Tap card	`activity.open`	Run detail (same route, runId)	—
Review	`interaction.open`	Approval sheet H07	—
Retry	`task.retry`	New run linked to the failed one	—

STATE	NEXT ACTION SHOWN
all	Review what needs you
needs	Review
empty	Open Home
failed	Retry / Details

CHAPTER 15 · A02

Activity run detail

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



running · done · failed · what-happened

Route	`activity?runId={runId}`
Code	`ActivityScreen.kt`
Entry	card · notification · approval sheet
Back	Activity list (filter kept)
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Stop	`runtime.stop`	Stops; timeline shows stopped step	running
Retry	`task.retry`	Re-runs failed step	failed
Edit in Home	`draft.fromRun`	Copies request into composer	—
What halo did	`run.summary`	Plain summary: apps used, where it ran, how long. No IDs or logs (those are only in Advanced › Technical report)	—

STATE	NEXT ACTION SHOWN
running	Stop
done	Do it again
failed	Retry / Edit in Home
what-happened	Do it again

CHAPTER 15 · N01

Notification inbox

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



list



filter



empty



no-access

Route	`notifications`
Code	`ui/screens/notifications/NotificationInboxScreen.kt`
Entry	Home bell · digest routine
Back	Home
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Search / app filter	`notif.filter`	Filters list; 'Clear filters' when narrowed	—
Digest speaker	`tts.speak`	Reads local digest	TTS
Row	`notif.open`	Detail N02	—
Open notification access	`system.listenerSettings`	Android settings; returns and re-checks	—

STATE	NEXT ACTION SHOWN
list	Open one / hear digest
filter	Clear filters
empty	Nothing to do
no-access	Open notification access

CHAPTER 15 · N02

Notification detail / reply

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



Route	`notifications/{notificationKey}`
Code	`ui/screens/notifications/NotificationDetailScreen.kt`
Entry	inbox row
Back	Notifications
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Reply	`notif.reply`	Reply field (voice dictation allowed, 1–500 chars)	app offers reply action
Send reply...	`notif.confirm?`	Confirm dialog names app + person	—
Send reply	`notif.send`	'Reply handed to ...' · Delivery not confirmed	—
Dismiss	`notif.dismiss?`	Asks the app to remove it	app allows dismissal

STATE	NEXT ACTION SHOWN
detail	Reply / save / dismiss
reply	Review reply
confirm	Send reply / Keep editing
handed	Check the app
expired	Open the app

Assistant overlay · ask & answer

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



invoke · listening · understanding · answer · speaking

Route	`system overlay (VoiceInteractionSession)`
Code	`assistant/HaloVoiceInteractionSession.kt` · `assistant/ui/AssistantSurface.kt`
Entry	hold power · corner swipe · Quick Settings tile · 'Talk to halo'
Back	Back / tap outside → hide(); interaction keeps running only if it needs you (then it waits in Activity)
Status	Design: **designed v3** (was not in audit) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Invoke	`onShow → begin(invocation)`	Edge sweeps up both sides, card rises, mic opens	halo is the active assistant
Android shares screen	`onHandleAssist → attachScreen`	'Current screen included' chip appears (× removes it for this request)	'Use text from screen' on
Speak	`startListening`	Live words fill in; edge pulses	mic free
Stop	`cancelAssistantInteraction(user_stop)`	Speech + task cancel, overlay hides	—
Open halo	`launch app`	Shared orb moves into Home; conversation continues	—
Ask more	`startListening`	Follow-up in the same card	—

STATE	NEXT ACTION SHOWN
invoke	Speak
listening	Finish or Stop
understanding	Wait / Stop
answer	Ask more / act / close
speaking	Stop

Assistant overlay · act in the current app

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



Route	`system overlay`
Code	`HaloVoiceInteractionSession.attachNativeActions · appFunctionConsumer`
Entry	answer offers an app action
Back	Back = 'Not now'
Status	Design: **designed v3** (was not in audit) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
App action offered	`DIRECT_ACTION / App Functions`	Card names the app's own action ('Start navigation')	app exposes it
Approve (verb)	`interaction.approve`	Edge pulses while running; steps tick	—
Sensitive action	`approval required`	Apricot edge + plain consequence + verb button	—
Done	`receipt CONFIRMED`	Check + 'Maps confirmed'; card shrinks away	—

STATE	NEXT ACTION SHOWN
offer	Do it / Not now
approve	Share / Don't share
running	Stop
done	Done

Voice request from another app

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



app-asks pick

Route	`system overlay`
Code	`onRequestConfirmation / onRequestPickOption (pauseForNativeChoice)`
Entry	an app calls VoiceInteractor
Back	Cancel → request cancelled to the app
Status	Design: **designed v3** (was not in audit) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
App asks yes/no	`ConfirmationRequest`	App's question quoted; 'The app is asking you'	—
App asks to pick	`PickOptionRequest`	Big options + say-it	—
Cancel	`onCancelRequest`	App told: cancelled	—

STATE	NEXT ACTION SHOWN
app-asks	Yes / No / Cancel
pick	Pick or say it

Assistant problems + hand-off

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



no-screen **mic** **failed** **handoff**

Route	`system overlay`
Code	`AssistantSurface error states`
Entry	any failure
Back	Close
Status	Design: **designed v3** (was not in audit) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Screen not shared	`assist structure null`	Amber chip + how to turn it on (Android setting)	—
Mic busy	`Microphone capture could not start`	Type instead / Retry	—
Task failed	`receipt FAILED`	Reason + 'Nothing was changed' + Retry / Open halo	—
Continue in halo	`open app`	Progress + shared orb	—

STATE	NEXT ACTION SHOWN
no-screen	Speak anyway
mic	Type instead / Retry
failed	Retry / Open halo
handoff	—

Android assistant settings

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



active



selected



not-selected



repair

Route	`android_assistant`
Code	`ui/screens/settings/AndroidAssistantScreen.kt`
Entry	Settings › Daily life › Android assistant
Back	Settings
Status	Design: **designed v3** (was not in audit) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Set as assistant	`RoleManager / ACTION_VOICE_INPUT_SETTINGS`	Android default-assistant screen; on return re-inspect	—
Check again	`Re-inspect`	Re-reads role + interactor state	—
Allow speech recognition	`permission request`	Repairs input path	—
Technical status	`→ Advanced › Assistant diagnostics`	Developer-only details (routes, endpoints)	developer tools on

STATE	NEXT ACTION SHOWN
active	—
selected	Check again
not-selected	Set as assistant
repair	Allow speech recognition

Other entry points

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



tile

lockscreen

Route	`Quick Settings tile · lock screen`
Code	`nativeactions/HaloTalkTileService.kt · (lock screen: proposal)`
Entry	QS panel · power on lock screen
Back	—
Status	Design: **designed v3** (was not in audit) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Tile tap	`HaloTalkTileService`	Opens the assistant overlay listening	—
Invoke while locked	`PROPOSAL`	General answers only; personal data needs unlock	engineering to confirm keyguard handling

STATE	NEXT ACTION SHOWN
tile	Tap to talk
lockscreen	Unlock for more

Settings · one list (search inside)

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



top · issue · bottom · search · search-empty

Route	`settings`
Code	`ui/screens/settings/SettingsScreen.kt`
Entry	nav Settings
Back	Home
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Status card	`checkup.open`	Check-up (ST04); shows the one fix when something is off	—
Row	`settings.open`	Opens the page; selection kept on Back	—
Search	`settings.search`	Searches user settings only; no match → 'Technical options live in Advanced'	—
Advanced (last row)	`settings.advanced`	ST02	—

STATE	NEXT ACTION SHOWN
top	Open a setting
issue	Fix
bottom	Advanced (last row)
search	Open a result
search-empty	Open Advanced

Advanced (+ developer tools switch)

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



Route	`advanced_settings`
Code	`SettingsScreen.kt (advanced)` · `halo_developer_tools_enabled`
Entry	Settings › Advanced
Back	Settings
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Model roles / Custom servers / Technical report	`advanced.open`	Technical pages; never linked from everyday screens	—
Developer tools switch	`developer.enable?`	Confirm dialog, then Labs & diagnostics appear here only	—
Switch off	`developer.disable`	Labs disappear; dev routes refuse to open	—

STATE	NEXT ACTION SHOWN
default	—
confirm	Show developer tools / Cancel
developer	Open a lab

Check-up (user view of System check)

Dark and light, every state. 360dp reference width. Labels are the production English strings (keys in strings/en.json).



checking · one-fix · hear · all-good

Route	`system_check (user view)`
Code	`ui/screens/settings/SystemCheckScreen.kt (split: user view + technical report in Advanced)`
Entry	Settings status card · Help › Check-up · setup readiness
Back	Settings
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Run	`checkup.run`	Checks answers, listening, speaking, assistant, notifications	—
Speaking test	`tts.test`	Plays a sentence; asks 'Did you hear halo?' — only a human yes marks it working	—
Fix	`checkup.fix`	One fix at a time, the most important first	—
Share	—	Not here: Technical report is in Advanced	—

STATE	NEXT ACTION SHOWN
checking	Stop
one-fix	Fix it
hear	Yes / No
all-good	Check again

CHAPTER 15 · JOURNEYS

The journeys, click by click.

Each arrow is a real event from the interaction tables. The same journeys run in the clickable prototype.

ASK → SEE IT DONE

H01 · empty

H02 · typing

H05 · tool



H07 · request

H07 · running

H07 · done



A02 · done

SOMETHING WENT WRONG

H05 · partial

H07 · failed



A01 · failed



A02 · failed



A02 · what-happened

H07 · expired

Recovery, context and notifications.

Each arrow is a real event from the interaction tables. The same journeys run in the clickable prototype.

BRING CONTEXT



H03 · sheet

H03 · review

H03 · chips

H03 · vision-missing

H05 · cloud-ask



H05 · answer

NOTIFICATIONS

N01 · list



N02 · detail

N02 · reply



N02 · confirm

N02 · handed



N01 · no-access

Recovery, context and notifications.

Each arrow is a real event from the interaction tables. The same journeys run in the clickable prototype.

SETTINGS, SIMPLE BY DEFAULT

ST01 · top → ST01 · issue → ST04 · one-fix → ST04 · all-good → ST01 · bottom → ST02 · default → ST02 · confirm

CHAPTER 15 · VARIANTS

Same screens, bigger text, other themes.

412dp, 200% text, and the 4 accents across warm and cool tones.

WIDER PHONES · 412DP



H01 · 412dp | H02 · 412dp | H07 · 412dp | A01 · 412dp | N02 · 412dp

200% TEXT



H01 · 200% text | H02 · 200% text | H07 · 200% text | A01 · 200% text | N02 · 200% text

ACCENTS × TONES



blue · warm | blue · cool | lilac · warm | lilac · cool | coral · warm | coral · cool

At 200%, Attach and Tools collapse to icons (labels stay for TalkBack), filter chips scroll sideways, and the composer stays pinned. The logo ring stays Mint in every accent; only the guide and controls take the accent.

CHAPTER 15 · THE HALO LIGHT

Light is the interface.

The aura and edge light show what halo is doing before you read a word. Subtle at rest, clearly visible when something happens, and always tied to a real state.



Aura	Soft light at the top of every screen in the accent colour. Breathes: idle 4.8 s, thinking 2.6 s, acting 2.4 s, listening 1.8 s. Apricot when halo needs you, faint red on error, one bloom on a confirmed result.
Edge light	The phone itself gets a halo, but only while halo is listening as your assistant or actually acting. One sweep up both sides on invoke, then a slow pulse. Apricot when it needs you. Never spins.
Live task pill	A running task hugs the nav on every tab: orb, short title, real progress, Stop. Tap opens the run. Turns Apricot when it needs you.
One step ahead	After an answer, up to 3 next actions appear above the composer and a ghost suggestion sits in the field. Nothing is sent until you tap. Never suggests cloud, payments, permissions or deleting.
Glass + depth	Nav, composer, sheets and the assistant card are frosted glass over the aura. No live blur below Android 12 or when the phone is hot: solid surfaces, same layout.
Real events only	Listening when the mic is open. Speaking when audio plays. Edge while acting. Bloom only on a CONFIRMED receipt. Stop collapses every light in 333 ms.

halo offers the next step. You decide.

Suggestions come from what just happened. Nothing is sent until you tap, and halo never suggests cloud, payments, permissions or deleting.

next actions + ghost suggestion

live task pill



assistant over any app



uses the app's own action



light



light

CHAPTER 14 · USER-FACING CONTRACT

Nothing technical outside Advanced.

The finished app speaks people, not logs. Every technical string found in today's screens moves to Advanced or becomes plain words. Engineering checklist below (from source).



before

→

after

SCREEN	TODAY (IN CODE)	FINISHED APP
Activity	Provider turn started (providerId) · Model reflection skipped · State Changed	Plain step names; IDs only in Technical report
Android assistant	VoiceInteractionService Declared · Interactor · Actual endpoint · Role after return	4 human states (AS05); details → Advanced › Assistant diagnostics
Skills	Direct Actions · N · Functions discovered · N	'12 actions halo can use in your apps'
System check	speech probe · Copy voice latency report · Copy local AI diagnostics	Check-up (ST04); report → Advanced › Technical report
Glasses detail	Diagnostics section	Battery, storage, connection in words; diagnostics → Advanced
Integrations	Endpoint · Bearer token fields	Sign in to apps; raw servers → Advanced › Custom servers (MCP)
Intelligence	System check and diagnostics link	Removed; Check-up lives in Help
Home / photos	Model-extracted draft · Verify visible text…	'halo read this from the photo. Check the highlighted parts.'
Run detail	Technical details (monospace receipt)	'What halo did': apps used, where it ran, how long

CHAPTER 14 · TIGHTER FLOWS

Fewer taps. One obvious next step.

Every flow ends in one primary action. Errors always offer one fix. Nothing important is more than two taps from where you are.

TASK	BEFORE	FINISHED APP	GAIN
Change any setting	Settings → pick tab → find row	Settings → row (one list, search)	–1 decision
Fix a problem	Advanced › System check → read report → find setting	Status card → Fix	4 → 1 tap
Approve an action	Notification → Activity → open → review → approve	Sheet on any screen → verb button	5 → 1 tap
Make halo your assistant	Settings › Daily life › Android assistant → read status → open settings	Set as assistant → pick halo → auto re-check	2 taps
Answer a notification	Reply → Review reply → confirm → send	Reply → Send reply… → Send	–1 step
First answer, no provider	Composer disabled, browse providers	'Set up answers' → recommended → done	1 guided path
Speaking test	'Voice test passed' after playback	'Did you hear halo?' → Yes	honest by design
Developer labs	Visible in Advanced tab to everyone	Advanced → switch → confirm → Labs	strictly gated

CHAPTER 15 · MOTION BINDING

Animation follows real events only.

Every row says what starts it, how it ends, what Stop does, and what reduced motion shows instead.

SURFACE	ONLY WHEN (REAL EVENT)	ENTRY	LOOP	EXIT	CANCEL	REDUCED MOTION	ASSET
Composer mic	mic actually open	ripple in 180ms	ripple breathe 1.6s	fade 140ms on capture end	Stop / barge-in → halo_fx_stop_cancel	static 2 rings	`halo_fx_ripple · halo_fx_voice_wave`
Streaming answer	first token received	caret appears	caret blink 1s	caret removed on turn end	Stop freezes text, adds 'Stopped'	static caret	`CSS/Compose only`
Thinking orb	turn accepted, no token yet	orb fade 120ms	THINKING rotate (the only rotation)	cross-fade to streaming	Stop → STOPPED orb	static THINKING frame	`orb/lottie/halo_orb_thinking`
Task step	runtime step started / completed	dot ring draws	ring breathes while running	fill + check on CONFIRMED receipt only	Stop leaves step hollow + 'Not done'	static done/running SVG	`halo_fx_task_step (new)`
Tool use	tool call dispatched	tool glyph pops	edge pulse while acting	settles when receipt arrives	Stop → stop_cancel	static glyph	`halo_fx_tool_* · halo_fx_edge_glow`
Approval sheet	durable interaction pending	sheet rises 220ms	Apricot open ring breathes 2.4s	sheet lowers 180ms	Decline/close → stays in Activity, no FX	static Apricot ring	`halo_fx_approval_breathe (new)`
Confirmed result	receipt == CONFIRMED	check draws 400ms	—	—	—	static check	`halo_fx_receipt#confirmed (new) · Bloom only for user milestones`
Unconfirmed result	receipt == UNVERIFIED (e.g. reply handed to app)	dashed ring	3 dots breathe	stops after 6s, stays dashed	—	static dashed ring	`halo_fx_receipt#unconfirmed (new)`
Failed step	receipt == FAILED	orb → ERROR, no bloom	—	—	—	same	`orb/halo_orb_error`
Global Stop	user taps Stop anywhere	all live FX collapse 333ms	—	—	pending success/bloom discarded	instant swap to STOPPED	`halo_fx_stop_cancel (new)`
Next step guide	screen shows a next step	one trace lap on first display per screen	pulse 2.4s	fades on action/dismiss	Not now → no FX	static gapped outline	`halo_fx_trace_pulse_card · haloTrace(lapOnAppear)`
Cloud hand-off	request actually sent to cloud	ring → cloud arc 600ms	—	returns on reply	Stop → stop_cancel	static cloud chip	`halo_fx_cloud_handoff`
Toast / Undo	persisted write confirmed	slide 180ms	4s hold	slide out 160ms	Undo reverts write	fade	`Compose`
Mode / Tools menu	tap	scale+fade 120ms from anchor	—	fade 100ms	Back closes	fade	`Compose`

4 new animations in this package: **task step**, **approval breathe** (Apricot, never rotates), **stop cancel**, **receipt** (confirmed check vs unconfirmed dashed ring — a hand-off is never drawn as a success). Each ships dark + light with still SVGs. All under 6 KB.

CHAPTER 17 · NB01

Notebook hub + Library

Dark and light, every state. 360dp reference width. Production English strings.



hub



library



select



empty

trash

Route	`notebook`
Code	`ui/screens/notebook/NotebookScreen.kt`
Entry	nav Notebook
Back	Home
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Note / Canvas / Import / Inbox	`notebook.create / import / inbox`	New note or canvas opens in its editor; Import opens the system picker; Inbox lists saved items	—
Waiting for you card	`study.review / memory.review`	Due review or memory suggestions — one glow only	—
Open Library	`library.open`	Filters All/Notes/Canvases/Files/Trash, search, sort	—
Long-press item / Select	`library.select`	Batch bar: collection · Study · use in chat · archive · Trash	—
Move to Trash	`item.trash`	Toast with Undo; restorable for 30 days	—

STATE	NEXT ACTION SHOWN
hub	Continue or review
library	Open an item
select	Act on the selection
empty	Write a note
trash	Restore

Note editor

Dark and light, every state. 360dp reference width. Production English strings.



edit · format · find · embed · ahead · restore · conflict

Route	`notebook/note/{noteId}`
Code	`ui/screens/notebook/NoteEditorScreen.kt`
Entry	hub, Library, search, Home 'New note'
Back	saves first, then returns
Status	Design: **designed v3** (was D0–D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Type	`editor.input`	Autosaves; 'Saved' shown after the write confirms	—
Select text	`editor.selection`	Floating bar: bold · italic · highlight · link · Ask halo	—
Find	`editor.find`	Find & replace bar with match count	—
Add block	`editor.insert`	Heading, list, checklist, image, file, link	—
Dictate	`voice.dictate`	Preview first; nothing is inserted until 'Add to note'	mic
Suggestions	`editor.ahead`	Up to 2 chips (e.g. 'Make packing a checklist'); never auto-applied	—
Reopen after crash	`draft.restore`	'Unsaved text found' banner → Restore it / Dismiss	—
Changed elsewhere	`save.conflict`	Keep mine / Use the other version; the other becomes a copy	—

STATE	NEXT ACTION SHOWN
edit	Write
format	Format
find	Replace
embed	Open attachment
ahead	Tap a suggestion
restore	Restore it
conflict	Keep mine

CHAPTER 17 · NB03

Note + halo assistance

Dark and light, every state. 360dp reference width. Production English strings.



ask



writing



draft



applied



stale



dictate

Route	`notebook/note/{noteId} (sheet)`
Code	`NoteEditorScreen.kt · Think with halo`
Entry	toolbar 'Ask halo', selection bar
Back	closes sheet; note unchanged
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Quick action	`ai.draft`	Draft appears under the note, dashed, 'not saved'	answers set up
Stop	`ai.cancel`	Cancels writing; note unchanged	—
Apply to note	`draft.apply`	Merges; toast with Undo; dashed → solid	—
Save as new note	`draft.saveNew`	New note, original untouched	—
Note changed meanwhile	`draft.stale`	Apply is replaced by 'Write it again' (glow) + Save as new	—

STATE	NEXT ACTION SHOWN
ask	Pick what halo should do
writing	Stop
draft	Apply / Save as new
applied	Undo
stale	Write it again
dictate	Add to note

CHAPTER 17 · NB04

Canvas board

Dark and light, every state. 360dp reference width. Production English strings.



Route	`notebook/canvas/{canvasId}?nodeId={nodeId}`
Code	`ui/screens/notebook/CanvasEditorScreen.kt`
Entry	hub 'Canvas', Library
Back	saves, returns
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Add	`canvas.add`	Text card · note · photo · file/PDF · sketch · voice memo · create an image	—
Select	`canvas.select`	Group · tag · tidy up · ask halo · remove	—
Connect	`canvas.connect`	Drag from card to card; optional label	—
Suggestion	`canvas.ahead`	'Group the 4 kitchen cards?' → Group / ✕	—
Tidy up	`canvas.arrange`	Cards glide into place, group frame breathes once	—

STATE	NEXT ACTION SHOWN
board	Add or connect
add	Pick what to add
select	Act on the selection
ahead	Group
tidy	Undo if wanted
empty	Add a card

CHAPTER 17 · NB05

Canvas AI draft review

Dark and light, every state. 360dp reference width. Production English strings.



draft · voice · transcript · pdf · failed

Route	`notebook/canvas/{canvasId} (sheets)`
Code	`CanvasEditorScreen.kt + dialogs`
Entry	Ask halo, Add › voice memo / PDF
Back	closes sheet
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
halo draft	`canvas.draft`	Dashed card 'Proposed by halo · not saved' → Keep / Try again / Discard	—
Voice memo	`audio.record`	Records on phone; Stop → Check the text	mic
Check the text	`audio.transcribe`	Editable transcript, unsure words highlighted → Add as card / Keep audio only	—
PDF pages	`pdf.pick`	Pick pages → Add N pages	—
Failure	`canvas.draftFailed`	Error card; board unchanged; Try again	—

STATE	NEXT ACTION SHOWN
draft	Keep
voice	Stop
transcript	Add as card
pdf	Add pages
failed	Try again

CHAPTER 17 · NB06

Library object detail / viewer

Dark and light, every state. 360dp reference width. Production English strings.



Route	`notebook/file/{objectId}`
Code	`ui/screens/notebook/WorkspaceObjectDetailScreen.kt`
Entry	Library, citation chip
Back	Library
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Ask about this	`chat.withSource`	Opens Home with this file attached	—
Study this	`study.fromSource`	New lesson wizard with material preselected	—
File moved	`file.relink`	Find the file / Keep halo's copy	—
Scanned pages	`vision.missing`	Let halo see photos / Not now	—

STATE	NEXT ACTION SHOWN
pdf	Ask about this
image	Ask about this
missing	Find the file
cant-read	Let halo see photos

CHAPTER 17 · NB07

Memory hub + memory detail

Dark and light, every state. 360dp reference width. Production English strings.



memories **suggestion** **detail** **forget**

Route	`notebook/memory?section={section}` · `notebook/memory/{objectId}`
Code	`ui/screens/notebook/MemoryHubScreen.kt`
Entry	hub card, Settings › Memory
Back	Notebook
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Suggestion	`memory.review`	Remember / Edit / Not true — nothing saved without a yes	—
Update	`memory.supersede`	Shows old vs new → Use new / Keep current	—
Open memory	`memory.detail`	Why halo remembers it, where it's used	—
Forget	`memory.forget?`	Confirm; stops using it immediately; notes/chats kept	—
Use memory switch	`memory.toggle`	Off = conversations don't use memory	—

STATE	NEXT ACTION SHOWN
memories	Open one
suggestion	Remember / Not true
detail	Correct / Forget
forget	Forget / Cancel

CHAPTER 17 · NB08

Conversations library + detail

Dark and light, every state. 360dp reference width. Production English strings.



list



detail



deleted



empty

Route	`notebook/conversations` · `notebook/conversation/{id}`
Code	`ui/screens/notebook/ConversationsScreen.kt`
Entry	hub 'Saved chats'
Back	Notebook
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Open chat	`chat.open`	Read-only transcript	—
Continue in Home	`chat.continue`	Home with this conversation active	—
Delete	`chat.delete`	Toast with Undo	—

STATE	NEXT ACTION SHOWN
list	Open one
detail	Continue in Home
deleted	Undo
empty	—

CHAPTER 17 · S01

Study home

Dark and light, every state. 360dp reference width. Production English strings.



home

empty

Route	`study?captureSource={captureSource}`
Code	`ui/screens/study/StudyHomeScreen.kt`
Entry	Notebook card, Home capture
Back	Notebook
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Review	`study.review`	Practice & review (S05)	—
Continue	`study.resume`	Active lesson at saved step	—
Start a new lesson	`study.new`	Wizard (S02)	—

STATE	NEXT ACTION SHOWN
home	Review / continue
empty	Start a new lesson

CHAPTER 17 · S02

New lesson wizard

Dark and light, every state. 360dp reference width. Production English strings.



goal · material · style · where · unavailable

Route	`study (wizard)`
Code	`StudyHomeScreen.kt`
Entry	Start a new lesson, 'Study this'
Back	previous step; first step → Study
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Goal	`wizard.goal`	Type or speak; examples as chips	—
Material	`wizard.material`	Photo · PDF · note · web page — optional	—
Style	`wizard.style`	Explain simply / Quiz me / Talk it through	—
Where	`wizard.where`	On this phone or cloud — nothing preselected; Start disabled until chosen	material attached
Photo but no vision	`vision.missing`	Explains + alternatives	—

STATE	NEXT ACTION SHOWN
goal	Next
material	Next
style	Next
where	Start lesson
unavailable	Pick other material

CHAPTER 17 · S03

Active learning journey

Dark and light, every state. 360dp reference width. Production English strings.



explain · practice · hint · paused

Route	`notebook/study/{sessionId}`
Code	`ui/screens/study/StudyScreen.kt` · `LearningJourney.kt`
Entry	Continue, wizard
Back	pauses, saves place
Status	Design: **designed v3** (was D0–D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Got it	`journey.advance`	Next step; path fills	—
Hint / Example / Show answer	`tutor.help`	Hint ladder; Show answer asks first	—
Answer by voice	`voice.answer`	Preview then check	mic
Read aloud	`tts.speak`	Reads the focus card	—

STATE	NEXT ACTION SHOWN
explain	Got it
practice	Answer
hint	Try again
paused	Continue

CHAPTER 17 · S04

Lesson source & details

Dark and light, every state. 360dp reference width. Production English strings.

material



check-text



failed



change

Route	`notebook/study/{sessionId}` (material sheet)
Code	`StudyScreen.kt` · `ExtractionReviewSheet.kt`
Entry	lesson menu › Material
Back	Lesson
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Check what halo read	`extraction.review`	Editable text, unsure parts highlighted → Looks right	—
Unreadable	`extraction.failed`	Take another photo / Type it instead	—
Use different material	`source.change?`	Confirm: progress kept, lesson restarts at step 1	—

STATE	NEXT ACTION SHOWN
material	Read / find
check-text	Looks right
failed	Take another photo
change	Keep current

CHAPTER 17 · S05

Practice & spaced review

Dark and light, every state. 360dp reference width. Production English strings.



front back done

Route	`notebook/study/{sessionId}?review=true`
Code	`StudyScreen.kt (review)`
Entry	Ready to remember
Back	Study (progress kept)
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Show answer	`card.flip`	Card flips (reduced motion: cross-fade)	—
Again / Almost / I knew it	`card.rate`	Schedules next review	—
Save a summary	`study.summary`	Note in Notebook	—

STATE	NEXT ACTION SHOWN
front	Show answer
back	Rate
done	Done

Write, think, learn, remember.

The same journeys play as motion films and in the clickable prototype.

WRITE WITH HALO



NB02 · edit → NB03 · ask → NB03 · writing → NB03 · draft → NB03 · applied → NB02 · ahead

THINK ON A CANVAS



NB04 · board → NB04 · add → NB05 · voice → NB05 · transcript → NB05 · draft → NB04 · tidy

CHAPTER 17 · JOURNEYS

Learning and memory, click by click.

The same journeys play as motion films and in the clickable prototype.

LEARN STEP BY STEP



S01 · home

S02 · goal



S02 · where



S03 · explain



S03 · hint

S05 · back



S05 · done

MEMORY, YOUR CALL



NB01 · hub



NB07 · suggestion



NB07 · memories



NB07 · detail



NB07 · forget

NB08 · detail

CHAPTER 17 · VARIANTS

Wider, bigger, every accent.

412dp, 200% text and the accent × tone matrix.

412DP



NB01 · 412dp

NB02 · 412dp

NB04 · 412dp



NB07 · 412dp



S03 · 412dp



S05 · 412dp

200% TEXT



NB01 · 200%

NB02 · 200%



NB07 · 200%



S03 · 200%

S05 · 200%

ACCENTS × TONES



blue · warm

blue · cool



lilac · warm



lilac · cool

coral · warm



coral · cool

CHAPTER 17 · MOTION + PLAIN WORDS

Drafts are dashed until you keep them.

Motion binding for this package, and the technical words in today's code that become plain language.

SURFACE	ONLY WHEN	ENTRY	LOOP	EXIT	CANCEL	REDUCED MOTION	ASSET
Draft appears	AI draft text complete	dashed border draws on, content fades in	—	—	Stop: card removed	dashed card static	`halo_fx_draft_drawon`
Apply draft	user taps Apply / Keep	dashed closes to solid, content settles 0.8 s	—	—	Undo reverses	instant swap	`halo_fx_apply_draft (new)`
Writing	AI writing in progress	shimmer lines	shimmer 1.4 s	replaced by draft	Stop cancels	static lines	`halo_fx_shimmer`
Canvas tidy	user taps Tidy up	cards glide in sequence, no bounce	—	group frame breathes once	Undo	instant layout	`halo_fx_canvas_arrange`
Voice memo	mic open	ripple	wave follows real input level	—	Stop	static rings	`halo_fx_voice_wave`
Memory saved	user taps Remember	dot + closing ring	—	—	—	static	`halo_fx_remember`
Memory forgotten	user confirms Forget	ring opens to the gap, dot drifts out 1 s	—	—	—	fade	`halo_fx_memory_forget (new)`
Lesson step	journey advances	path fills to the next dot	—	—	—	instant	`halo_fx_learn_advance`
Review card	Show answer	3D flip 360 ms	—	—	—	cross-fade	`Compose graphicsLayer`
Review complete	all due cards rated	success bloom once	—	—	—	static check	`halo_fx_bloom`

SCREEN (FILE)	TODAY	FINISHED APP
Study (StudyScreen.kt)	Memory decay · AI comparison · rate yourself · Configure vision	'How well you remember' · 'Compare with halo's answer' · 'Let halo see photos'
Study home (StudyHomeScreen.kt)	Image · vision required · PDF pages may need image AI	'halo can't read photos yet' with alternatives
File detail (WorkspaceObjectDetailScreen.kt)	Material AI access · File information	'What halo can read' · details in words
Note editor (NoteEditorScreen.kt)	Markdown source. Applying converts it back into blocks. · Some syntax is not representable	'Plain text view' in the ⋯ menu; warning in words
Canvas (CanvasEditorScreen.kt)	Processing image locally... · Recognize source text (page 1)	'Working on this phone...' · 'Read the text on this page'
Memory (MemoryHubScreen.kt)	All scopes · Prevents normal retention cleanup...	'Everywhere' · 'Keep this in history'

CHAPTER 18 · K01

Kids home + grown-up gate

Dark and light, every state. 360dp reference width. Production English strings.



home · listening · gate · no-lock

Route	`home (Kids mode on)`
Code	`ui/screens/kids/KidsModeScreen.kt · AppShell.navigateSafely · rememberKidsGrownUpGate`
Entry	Kids mode switched on by a grown-up
Back	stays in Kids; adult routes ask a grown-up
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Big choice (max 3)	`kids.open`	Ask / Learn / Make — Learn shows 'Keep going' when there's a lesson	—
72dp mic	`voice.open`	Listening; words appear big as spoken	mic
What can I say?	`help.speak`	halo says 3 example sentences aloud	—
Grown-up space / any adult route	`kids.gate`	'Ask a grown-up' → Android screen-lock credential	screen lock set
No screen lock	`kids.gate.unavailable`	Explains; stays put; never a guessable PIN	—

STATE	NEXT ACTION SHOWN
home	Talk or pick
listening	Stop
gate	Grown-up: unlock / Go back
no-lock	OK

CHAPTER 18 · K02

Kids learn journey

Dark and light, every state. 360dp reference width. Production English strings.



Route	`home › learn (inline)`
Code	`KidsModeScreen.kt · LearningJourney.kt (DevKit 1.4 K10–K14)`
Entry	Learn something
Back	Kids home (place saved)
Status	Design: **designed v3** (was D0–D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Topic	`kids.topic`	3 suggestions or say anything	—
What do you already know?	`journey.prior`	'Not yet' is always fine	—
Focus card	`tts.readAlong`	Read-along: each word lights as it is spoken (real timing only)	reading voice
Branch	`journey.branch`	3 next directions	—
Summary	`journey.reflect`	Bloom once; Save it / Learn more	—

STATE	NEXT ACTION SHOWN
topic	Pick or say
know	Pick
focus	Next
branch	Pick
summary	Save it

CHAPTER 18 · K03

Kids homework

Dark and light, every state. 360dp reference width. Production English strings.



consent



preview



check



exercise



done

Route	`home › homework (inline)`
Code	`Study extraction + Kids learning (DevKit 1.4 H20–H23)`
Entry	Ask › Homework or my notes
Back	Kids home
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Camera	`kids.camera`	First time: grown-up says yes (gate). Photos stay on the phone	camera permission + grown-up
Check	`extraction.review`	Unsure text is orange and must be checked	—
One exercise	`tutor.step`	Hint → Show me → Answer (answer asks first)	—
Done	`kids.saveResult`	Saved to My learning	—

STATE	NEXT ACTION SHOWN
consent	Ask a grown-up
preview	Use this
check	It's right / Fix it
exercise	Say your answer
done	Done

CHAPTER 18 · K04

Kids Create

Dark and light, every state. 360dp reference width. Production English strings.



choose · shape · making · review · project

Route	`home › create (inline)`
Code	`ui/screens/kids/KidsCreateFlow.kt (DevKit 1.4 C30–C34)`
Entry	Make something
Back	Kids home (draft kept)
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Story / Character / Project	`kids.create.kind`	3 choices	—
Shape	`kids.create.shape`	Big choices or own idea by voice	—
Making	`kids.create.generate`	Dashed card; Stop	answers set up; cloud only with grown-up OK
Keep / Change / Discard	`kids.create.review`	Nothing saved until Keep	—
Share	`kids.share`	Always asks a grown-up	gate

STATE	NEXT ACTION SHOWN
choose	Pick
shape	Pick or say
making	Stop
review	Keep
project	Read my story

CHAPTER 18 · KO5

Kids story reader

Dark and light, every state. 360dp reference width. Production English strings.



listen · read-myself · heard · big-text · no-voice

Route	`home › reader (inline)`
Code	`ui/screens/kids/KidsStoryReader.kt (DevKit 1.4 K15–K17)`
Entry	Read my story
Back	My project (page kept)
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Read to me	`tts.readAlong`	Word glow follows the real voice timing; bar: pause · progress · stop	reading voice
Read it myself	`stt.listen`	Words fill as halo hears them	listening pack
What halo heard	`reader.compare`	Shows what was heard — no score	—
Larger text / More spacing	`reader.ally`	Instant	—
No reading voice	`tts.unavailable`	Read together or read myself	—

STATE	NEXT ACTION SHOWN
listen	Read it myself
read-myself	Stop
heard	Next page
big-text	—
no-voice	Read it myself

CHAPTER 18 · VA01

Read-aloud bar

Dark and light, every state. 360dp reference width. Production English strings.



playing · follow · options · route

Route	`global layer (HaloReadAloudBar)`
Code	`ui/components/HaloReadAloudBar.kt`
Entry	any Read aloud
Back	—
Status	Design: **designed v3** (was new) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Previous / Pause / Next sentence	`tts.control`	Sentence-level control	—
Speed chip	`tts.options`	Sheet: speed · voice (preview) · highlight as it reads	—
Route	`audio.route`	This phone / headphones / glasses — only connected ones are selectable	—
Stop	`tts.stop`	Bar leaves; mic press also stops reading	—

STATE	NEXT ACTION SHOWN
playing	Pause
follow	—
options	Pick speed / voice
route	Pick where to play

CHAPTER 18 · VA02

When voice can’t be used

Dark and light, every state. 360dp reference width. Production English strings.



mic-busy · no-listening · no-reading · secret-field

Route	`global (voice fallbacks)`
Code	`HaloVoiceTextActions · speech settings`
Entry	voice action that can't run
Back	Not now
Status	Design: **designed v3** (was new) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Mic busy	`voice.unavailable`	Type instead	—
No listening pack	`stt.missing`	Download (size shown, stays on phone)	storage
No reading voice	`tts.missing`	Choose a voice; until then text only	—
Password field	`field.secret`	Dictation disabled, explained	—

STATE	NEXT ACTION SHOWN
mic-busy	Type instead
no-listening	Download
no-reading	Choose a voice
secret-field	Type

CHAPTER 18 · VA03

Screen reader order + captions

Dark and light, every state. 360dp reference width. Production English strings.



home-order

kids-order

captions

Route	`all screens (TalkBack / captions)`
Code	`Compose semantics (traversalIndex, contentDescription)`
Entry	TalkBack on · captions on
Back	—
Status	Design: **designed v3** (was new) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
TalkBack	`semantics`	Focus order as numbered: header → updates → newest content → input → send → tools → nav	—
Kids TalkBack	`semantics`	Title → choices → mic → type → help → grown-up	—
Captions	`tts.captions`	Spoken answers show as large captions with the current word lit	—

STATE	NEXT ACTION SHOWN
home-order	—
kids-order	—
captions	—

Talk first. Big choices. Honest.

The same journeys play as motion films and in the clickable prototype.

KIDS: LEARN BY TALKING

K01 · home



K02 · topic



K02 · know



K02 · focus



K02 · branch



K02 · summary

KIDS: MAKE A STORY, READ IT

K04 · choose

K04 · shape



K04 · review

K04 · project



K05 · listen



K05 · heard

Homework and voice, click by click.

The same journeys play as motion films and in the clickable prototype.

KIDS: HOMEWORK, HONESTLY

K03 · consent · K03 · preview · K03 · check · K03 · exercise · K03 · done · K01 · gate

VOICE & READING FOR EVERYONE



VA01 · follow · VA01 · options · VA01 · route · VA02 · no-listening · VA02 · secret-field · VA03 · captions

CHAPTER 18 · VARIANTS

Big already. Bigger still works.

Kids is warm by default. 412dp, 200% text and every accent.

412DP



K01 · 412dp



K02 · 412dp



K04 · 412dp



K05 · 412dp

VA01 · 412dp

200% TEXT



K01 · 200%



K02 · 200%



K04 · 200%



K05 · 200%

VA01 · 200%

ACCENTS × TONES



blue · dark



blue · light



lilac · dark



lilac · light



coral · dark



coral · light

CHAPTER 18 · MOTION + PLAIN WORDS

Words glow only when they’re really spoken.

Motion binding for this package, and the technical words in today’s code that become plain language.

SURFACE	ONLY WHEN	ENTRY	LOOP	EXIT	CANCEL	REDUCED MOTION	ASSET
Kids read-along	TTS word boundary event	word glows	follows real timing	glow clears at sentence end	Stop clears	underline current sentence only	`Compose · halo_fx_kids_word_pop`
Kids listening	mic open	ripple on 72dp mic	breathes	fade	Stop	static rings	`halo_fx_ripple`
Grown-up gate	adult route requested	ring closes into a lock 0.6 s	—	opens back to the gap on success	Go back: lock fades	static lock	`halo_fx_kids_gate (new)`
Kids milestone	lesson/homework/story kept	kids bloom once	—	—	—	static stars	`halo_fx_bloom_kids`
Page turn	next page	page slides 300 ms	—	—	—	cross-fade	`halo_fx_kids_page_turn`
Read-aloud bar	TTS starts	bar rises 200 ms	progress follows audio	lowers on stop	mic press stops	instant	`halo_fx_read_aloud`
Captions	TTS playing + captions on	fade in	current word lit	fade out 1 s after audio	Stop	no word lighting	`Compose`

SCREEN (FILE)	TODAY	FINISHED APP
Kids (KidsModeScreen.kt)	Full Halo · Talk to Halo	Full halo · Talk to halo (lowercase)
Kids create (KidsCreateFlow.kt)	Share saved project · grown-up	'Share · ask a grown-up' (gate first)
Read-aloud bar (HaloReadAloudBar.kt)	Voice (opens technical speech settings)	Opens the reading sheet: speed · voice · highlight

CHAPTER 19 · HALO SCREEN · NAVIGATION

Chat is where you talk to halo. Screen is where halo works for you.

A Chat | Screen switch at the top of the Home tab. Home (Chat) stays the default and unchanged; the 5 tabs stay. On tablets ≥ 840dp landscape, Home can show Chat and Screen side by side.



WHY THIS ENTRY

- No 6th tab: 6 labelled items don't fit 360dp at 48dp+ targets with readable labels
- Matches the mental model: Chat is where you talk to halo, Screen is where halo works for you — two faces of the same Home
- Zero change to existing Home routes, composer, attachments, approvals or onboarding
- Voice reaches it from anywhere: “Open Screen”

REJECTED

✕ 6th bottom tab	crowds 360dp, shrinks every target, breaks the finished nav contract
✕ Replace Activity or Notebook tab	removes core destinations the brief says to keep
✕ Screen inside Settings or Advanced	the brief requires a consumer surface
✕ Floating button over Home	competes with the composer and the live task pill

OTHER WAYS IN

- Voice: “Open Screen”, “Go full screen”
- Routine detail: “Show latest result on Screen”
- Home next-step card (first time only): “New: your Screen”
- Launcher shortcut (long-press app icon): “Screen”
- Mini halo: “Open Screen”

```
screen (proposed child of home; Back → Home/Chat). Full screen = same route, immersive mode. No external deep link in v1.
```

DESIGN DECISION — needs engineering + product sign-off before wiring: Chat | Screen switch inside the Home tab.

CHAPTER 19 · SC01

Entry + first run

Dark and light, every state. 360dp reference width. Production English strings (keys ready for LV/RU).



home-switch **intro** **starter-ready**

Route	`home → screen`
Code	`NEW ui/screens/screen/ScreenPage.kt`
Entry	Chat | Screen switch · voice · routine · launcher shortcut
Back	Chat
Status	Design: **designed v3** · Code: new — not built

INPUT	EVENT	RESULT	NEEDS
Tap Screen	`screen.open`	First time: intro with starter layouts; afterwards the last layout	—
Pick a starter	`screen.starter`	Dashboard appears at once with real local data; external cards show Set up	—
Start simple	`screen.starter.simple`	Clock only + Add a card	—
Dismiss tip	`screen.tip.dismiss`	Never shown again	—

STATE	NEXT ACTION
home-switch	Open
intro	Pick a starting point
starter-ready	Customize or ask halo

CHAPTER 19 · SC02

Dashboard (phone)

Dark and light, every state. 360dp reference width. Production English strings (keys ready for LV/RU).



top · scrolled · private · offline

Route	`screen`
Code	`ScreenPage.kt · ScreenRenderer`
Entry	Screen switch
Back	Chat
Status	Design: **designed v3** · Code: new — not built

INPUT	EVENT	RESULT	NEEDS
Card tap	`screen.card.open`	Detail sheet (SC05)	—
Long-press card	`screen.card.menu`	Pin · Size · Hide from Screen · Open source	—
Mic	`screen.voice`	Ask halo to change this screen (SC08)	mic
Customize	`screen.customize`	SC03	—
Full screen	`screen.fullscreen`	SC09	—
Layout chip	`screen.layout.switch`	Pick a layout	—

STATE	NEXT ACTION
top	Open a card
scrolled	—
private	Unlock to show
offline	—

CHAPTER 19 · SC03

Customize

Dark and light, every state. 360dp reference width. Production English strings (keys ready for LV/RU).



editing · resize · removed

Route	`screen?edit=true`
Code	`ScreenEditor`
Entry	Customize / long-press › Edit
Back	asks only if changes would be lost; Done saves
Status	Design: **designed v3** · Code: new — not built

INPUT	EVENT	RESULT	NEEDS
Move up / Move down	`layout.move`	Non-drag reorder (TalkBack-friendly); drag also works	—
Change size	`layout.resize`	Compact / Standard / Expanded where the widget supports it	—
Remove ✕	`layout.remove`	Toast: removed — the source keeps running · Undo	—
Add a card	`layout.picker`	SC04	—
Reset...	`layout.reset?`	Confirm (SC10)	—
Done	`layout.save`	Persisted locally; survives restart	—

STATE	NEXT ACTION
editing	Done
resize	Pick a size
removed	Undo

CHAPTER 19 · SC04

Widget picker

Dark and light, every state. 360dp reference width. Production English strings (keys ready for LV/RU).



picker



preview

Route	`screen?edit=true (sheet/page)`
Code	`WidgetRegistry`
Entry	Add a card
Back	Customize
Status	Design: **designed v3** · Code: new — not built

INPUT	EVENT	RESULT	NEEDS
Pick a widget	`widget.preview`	Preview with what it shows and what it needs	—
Add to Screen	`layout.add`	Asks for a permission only now (e.g. calendar)	permission in context

STATE	NEXT ACTION
picker	Pick one
preview	Add to Screen

CHAPTER 19 · SC05

Card detail

Dark and light, every state. 360dp reference width. Production English strings (keys ready for LV/RU).



detail

article

Route	`screen (sheet)`
Code	`ScreenCardDetail`
Entry	card tap
Back	closes sheet
Status	Design: **designed v3** · Code: new — not built

INPUT	EVENT	RESULT	NEEDS
Read aloud	`screen.read_aloud`	Read-aloud bar; no double speech	—
Full result / Open article	`screen.open_source`	Routine result in Activity, or the publisher's page	—
Save to Notebook	`screen.save_notebook`	Note with source + time	—
Pin / Hide from Screen	`screen.pin` / `screen.hide`	Hide never deletes or disables the source	—

STATE	NEXT ACTION
detail	Read aloud
article	Open article

CHAPTER 19 · SC06

Routine result card

Dark and light, every state. 360dp reference width. Production English strings (keys ready for LV/RU).



not-set-up · ready · updated · failed

Route	`screen`
Code	`AutomationRuntime → ScreenItemStore.publish`
Entry	routine option “Show latest result on Screen”
Back	—
Status	Design: **designed v3** · Code: new — not built

INPUT	EVENT	RESULT	NEEDS
Routine run completes	`screen.publish(automation: <id>)`	Same card updates in place, glow once, “Updated 07:02 · 3 new”	routine exists
Run fails	`screen.markFailed`	“Last update failed” + last good summary kept	—
Not connected	`screen.setup`	Honest setup card — never sample data	—

STATE	NEXT ACTION
not-set-up	Connect
ready	Open
updated	Open
failed	Open routine / Retry

CHAPTER 19 · SC07

Interests

Dark and light, every state. 360dp reference width. Production English strings (keys ready for LV/RU).



feed

no-source

topics

Route	`screen · screen/topics`
Code	`InterestsWidget · TopicSettings`
Entry	interests card, Screen settings
Back	Screen
Status	Design: **designed v3** · Code: new — not built

INPUT	EVENT	RESULT	NEEDS
Article	`screen.card.open`	Detail with source + date (SC05 article)	reading source + network
Fewer like this	`screen.fewer_like_this`	Tunes the topic	—
No source	`screen.setup`	Saved reading + notes fallback · Choose a source	—
Topics	`topics.edit`	Only topics you add; suggestions from notes off by default	—

STATE	NEXT ACTION
feed	Read
no-source	Choose a source
topics	Add a topic

CHAPTER 19 · SC08

Ask halo to change Screen

Dark and light, every state. 360dp reference width. Production English strings (keys ready for LV/RU).



listening **preview** **applied** **unsupported**

Route	`screen (voice sheet)`
Code	`shared intent surface → LayoutProposal (validated)`
Entry	mic on Screen, "halo, …"
Back	Cancel
Status	Design: **designed v3** · Code: new — not built

INPUT	EVENT	RESULT	NEEDS
Speak a request	`screen.intent`	Validated against the registry → change summary	answers set up; otherwise manual
Apply	`layout.apply`	Persist + Undo toast	—
Edit myself	`screen.customize`	Opens Customize with the change pre-selected	—
Unsupported	`screen.intent.unsupported`	Says exactly what can't be done + closest manual option	—

STATE	NEXT ACTION
listening	Stop
preview	Apply
applied	Undo
unsupported	Closest option

Full screen / ambient

Same layout, same device, chrome hidden. Exit and voice are always one tap away. Private cards are masked when “Hide private details” is on.





tablet portrait

phone



night · dimmed · private hidden



phone landscape · light

CHAPTER 19 · SC10

Screen settings & privacy

Dark and light, every state. 360dp reference width. Production English strings (keys ready for LV/RU).



settings

reset

Route	`screen/settings`
Code	`ScreenSettings`
Entry	Screen ⋯ › Settings, Settings › Everyday › Screen
Back	Screen
Status	Design: **designed v3** · Code: new — not built

INPUT	EVENT	RESULT	NEEDS
Layouts	`layout.manage`	Rename, duplicate, delete, new	—
Hide private details in full screen	`privacy.mask`	On by default	—
Personalise from my notes	`privacy.personal`	Off by default	—
Reset Screen…	`layout.reset?`	Confirm; routines, notes, topics untouched	—

STATE	NEXT ACTION
settings	—
reset	Reset / Cancel

CHAPTER 19 · SC11

Card states

Dark and light, every state. 360dp reference width. Production English strings (keys ready for LV/RU).

states

Route	—
Code	`ScreenCard (all widgets)`
Entry	—
Back	—
Status	Design: **designed v3** · Code: new — not built

INPUT	EVENT	RESULT	NEEDS
Every widget	`ScreenItemState`	READY · LOADING · REFRESHING · STALE · OFFLINE · ERROR · NEEDS_SETUP · PERMISSION_DENIED · EMPTY · private mask	—
Failure isolation	—	One card failing never blanks the Screen	—

STATE	NEXT ACTION
states	—

CHAPTER 19 · FLOWS A–G

First run and building it yourself.

Every step is a real event from the interaction tables.

A · FIRST RUN



SC01 · home-switch · SC01 · intro · SC01 · starter-ready · SC02 · top

B · BUILD IT YOURSELF



SC03 · editing · SC04 · picker · SC04 · preview · SC03 · resize · SC03 · removed

CHAPTER 19 · FLOWS A–G

Ask halo, and routine results that update in place.

Every step is a real event from the interaction tables.

C · ASK HALO



SC08 · listening · SC08 · preview · SC08 · applied · SC08 · unsupported

D · ROUTINE RESULT



SC06 · not-set-up · SC06 · ready · SC06 · updated · SC05 · detail · SC06 · failed

CHAPTER 19 · FLOWS A–G

Interests, full screen and recovery.

Every step is a real event from the interaction tables.

E · INTERESTS



SC07 · feed · SC05 · article · SC07 · no-source · SC07 · topics

F/G · FULL SCREEN + RECOVERY



SC09 · phone · SC09 · night · SC02 · offline · SC11 · states

CHAPTER 19 · RESPONSIVE + REAL DATA

One app. Your phone and your old tablet.

The grid adapts by width; content keeps the same priority. Every card is honest about where its data comes from.

WIDTH	GRID	PRIORITY
Compact phone < 400dp	2 columns · 10dp gap · cards span 1–2 · nav pill	Now → Needs attention → For you → Continue
Wide phone 400–599dp	2 columns · larger type · 412dp reference	same order
Tablet portrait 600–839dp	3 columns · nav rail · clock spans 3	Now row, then 3-up
Tablet landscape ≥ 840dp	4 columns · rail · optional Chat | Screen side by side	clock 2×2, cards fill by priority
Phone landscape	4 columns compact	clock 2 wide
Full screen	same layout, +40% type, chrome hidden, 24dp safe margins	private cards masked when 'Hide private' is on
200% text	cards grow taller, never truncate titles to < 2 lines; compact cards become standard	—

CARD	TODAY	SOURCE	NOTE
Clock & date	REAL	device clock	works offline
Calendar	REAL	CalendarContract via CalendarTools.kt	READ_CALENDAR asked when added
Continue (Notebook)	REAL	Notebook store	—
halo finished	REAL	Activity runs (plain words)	—
Next up (tasks)	PARTIAL	halo tasks + follow-ups (DailyAssistantProjector)	complete/edit only where APIs allow
Routine results	NEEDS HOOK	AutomationRuntime / RoutineExecutor → new ScreenItemStore.publish	the v1 end-to-end target
Email summary	NEEDS ACCOUNT	GoogleMailReader (Gmail API) inside a routine	Google account connection required
Weather	NEEDS PROVIDER	no weather provider in source	honest Set up card until one exists
Interests / articles	NEEDS PROVIDER	no feed/search provider (single-page fetch only)	saved reading fallback

CHAPTER 19 · ALPHA SLICE + MOTION

What to build now, and how it moves.

Ready-now items need no unavailable services. Motion is quiet, lifecycle-aware and always has a still version.

Ready to build now	SC01 entry + starters · SC02 dashboard · SC03 customize (incl. Move up/down) · SC04 picker · SC05 detail · SC10 settings · SC11 states · clock, calendar, notebook, halo finished, tasks cards · full screen phone/tablet (SC09) with keep-on-while-charging + private mask
Build with one new hook	SC06 routine result card: publish from AutomationRuntime to a local ScreenItemStore (idempotent by routine id)
Design ready, waits on providers	weather card, interests/articles, email summary (Google account) — ship as honest Set up cards
Deferred (roadmap)	SC08 full natural-language composition beyond simple move/add/remove/resize · time-based profiles · system overlay · lock-screen/AOD-adjacent · multi-device

SURFACE	ONLY WHEN	ENTRY	LOOP	EXIT	CANCEL	REDUCED	ASSET
Card update in place	ScreenItemStore emits new version for the same id	soft accent ring glows once 1.2 s	—	—	—	“Updated” chip changes only	`halo_fx_card_update (new)`
Starter layout appears	first layout chosen	cards rise in sequence 80 ms apart	—	—	—	instant	`CSS/Compose`
Customize enter/exit	Customize / Done	cards gain outline + handles 200 ms	—	outline fades	Back = Done	instant	`Compose`
Voice request	mic open	listening aura + ripple	words fill	change preview sheet	Stop	static	`halo_fx_voice_wave`
Full screen	enter immersive	chrome fades 300 ms, type scales	aura breathes very slowly (8 s)	chrome returns	—	no aura motion	`Compose`
Burn-in shift	every 5 min in full screen	whole layout moves ≤ 6dp	—	—	—	same (not decorative)	`Compose`
Lifecycle	backgrounded / screen off / battery saver	all animation paused, refresh paused	—	—	—	—	`lifecycle-aware`

CHAPTER 20 · 001

Guided onboarding

Dark and light, every state. 360dp reference width. Production English strings.



Route	`guided_setup`
Code	`ui/onboarding/HaloSetupScreen.kt` · `SetupProgressStore (WELCOME…FIRST)`
Entry	first launch · Settings › Help › Set up again
Back	previous step; 'Save and leave' anywhere
Status	Design: **designed v3** (was D2) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Save and leave	`setup.save`	Choices kept; 'Return to guided setup' stays at the top of the app	—
Allow microphone	`permission.request`	Only mic is asked here; others later in context	—
Where should halo think	`setup.ai`	Nothing preselected; 'Decide later' allowed (limited mode)	—
Speaking test	`tts.test`	Plays a sentence; only 'Yes, I heard it' marks it working	—
Try halo	`setup.first`	A real answer, not a demo	answers set up

STATE	NEXT ACTION SHOWN
welcome	Let's start
use	Next
permissions	Allow mic
answers	Pick one
speech	Yes / No
devices	Not now
privacy	Next
ready	Try halo
first	Ask

CHAPTER 20 · 002

Starter-model picker

Dark and light, every state. 360dp reference width. Production English strings.



picks · downloading · low-storage

Route	`guided_setup (downloads step)`
Code	`HaloSetupScreen.kt · on-device manager`
Entry	setup 'On this phone'
Back	setup
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Download N	`download.start`	Starts only on tap; size and Wi-Fi time shown	storage
Pause / Not now	`download.pause`	Resumable	—
Low storage	`storage.low`	Explains; item marked too big	—

STATE	NEXT ACTION SHOWN
picks	Download
downloading	Pause
low-storage	Pick fewer

CHAPTER 20 · I01

Intelligence hub

Dark and light, every state. 360dp reference width. Production English strings.



ok

none

cloud

Route	`ai_settings`
Code	`ui/screens/settings/IntelligenceScreen.kt`
Entry	Settings › halo › How halo answers
Back	Settings
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Status card	`ai.status`	Where answers come from, last tested, what leaves the phone	—
Set up answers	`ai.setup`	Guided path to one working source	—
Rows	`ai.open`	Sources · model · downloads · search · photos · log	—

STATE	NEXT ACTION SHOWN
ok	—
none	Set up answers
cloud	—

CHAPTER 20 · I02

Provider centre

Dark and light, every state. 360dp reference width. Production English strings.



list

add

Route	`settings/intelligence/providers`
Code	`ProviderControlScreens.kt`
Entry	How halo answers › Where answers come from
Back	How halo answers
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Source row	`provider.open`	Detail (I03)	—
Add a source	`provider.add`	Phone / home computer / cloud	—
Fix	`provider.fix`	Opens the failing source with the reason	—

STATE	NEXT ACTION SHOWN
list	Open / add
add	Pick a kind

Provider detail

Dark and light, every state. 360dp reference width. Production English strings.



cloud-key · tested · rejected · home-pc

Route	`settings/intelligence/providers/{providerId}`
Code	`ProviderControlScreens.kt`
Entry	source row
Back	Sources
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Paste key	`credential.save`	Encrypted; never shown again	—
Test with a real question	`provider.testGeneration`	A real answer + time — not just 'connected'	network
Key rejected	`provider.authFailed`	Plain reason + how to get a key	—
Find home computer	`lan.discover`	Lists computers on your Wi-Fi; address entry is secondary	Wi-Fi
Remove key	`credential.clear`	Confirm	—

STATE	NEXT ACTION SHOWN
cloud-key	Test
tested	Use for answers
rejected	Fix key
home-pc	Connect

CHAPTER 20 · I04

Model browser

Dark and light, every state. 360dp reference width. Production English strings.



list

detail

Route	`settings/intelligence/models`
Code	`ModelBrowserScreen.kt`
Entry	How halo answers › Choose a model
Back	How halo answers
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Filter	`models.filter`	Fast · Careful · Photos · On phone	—
Model card	`models.detail`	What it's good at, size, languages, honest fit for this phone	—
Too big	`models.fit`	Suggests a cloud alternative	—

STATE	NEXT ACTION SHOWN
list	Pick one
detail	Use / alternative

CHAPTER 20 · I05

On-device model manager

Dark and light, every state. 360dp reference width. Production English strings.



Route	`settings/intelligence/on-device`
Code	`on-device model manager`
Entry	How halo answers › Downloads
Back	How halo answers
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Download / cancel / resume	`download.*`	Progress, auto-pause off Wi-Fi	storage
Damaged	`download.verifyFailed`	Download again	—
Remove	`download.remove?`	Says what halo will use instead	—
Add from a file	`download.import`	System picker	—

STATE	NEXT ACTION SHOWN
list	—
downloading	Cancel
damaged	Download again
remove	Remove / Cancel

Local search / embedding

Dark and light, every state. 360dp reference width. Production English strings.



Route	`settings/intelligence/on-device (search)` · Notebook search CTA
Code	`HALO-SEARCH-145 local search`
Entry	How halo answers › Search your Notebook · Notebook search
Back	previous
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Turn on	`search.enable`	Downloads 200 MB, then prepares notes while idle/charging	storage
Sources	`search.scope`	Per-source switches (chats + memories off by default)	—
Unsupported	`search.unsupported`	Normal search still works	—

STATE	NEXT ACTION SHOWN
off	Turn on
indexing	—
ready	—
unsupported	—

Usage, image models, policy

Dark and light, every state. 360dp reference width. Production English strings.



log images ask-cloud

Route	`settings/intelligence/usage · policy · images/{id}`
Code	`IntelligenceScreen.kt · ImageModelsScreen.kt`
Entry	How halo answers › Photos / What left this phone
Back	How halo answers
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Log	`privacy.log`	Plain list of what went to which service, 30 days	—
When to ask me	`privacy.policy`	Ask before cloud (default on)	—
Seeing vs making images	`images.toggle`	Two separate switches	—
Clear history	`privacy.clearLog?`	Confirm	—

STATE	NEXT ACTION SHOWN
log	—
images	—
ask-cloud	—

CHAPTER 20 · VO01

Voice & reading hub

Dark and light, every state. 360dp reference width. Production English strings.

hub

Route	`voice_settings`
Code	`VoiceSettingsScreen.kt`
Entry	Settings › Voice & reading
Back	Settings
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Listening	`voice.input`	VO02	—
halo's voice	`voice.output`	VO03	—
Hands-free / interrupt	`voice.prefs`	Switches	—
ElevenLabs	`voice.cloud`	VO05 (optional)	—

STATE	NEXT ACTION SHOWN
hub	—

CHAPTER 20 · VO02

Speech recognition (STT)

Dark and light, every state. 360dp reference width. Production English strings.



settings · mic-test · download

Route	`settings/voice/input`
Code	`VoiceSettingsScreen.kt (input)`
Entry	Voice › How halo hears you
Back	Voice
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Language	`stt.language`	Ready / needs download	—
Quality	`stt.quality`	Accurate or Light (size shown)	storage
Try listening	`stt.test`	Live words on this phone	mic

STATE	NEXT ACTION SHOWN
settings	Try listening
mic-test	Stop
download	—

CHAPTER 20 · VO03

Speech output (TTS)

Dark and light, every state. 360dp reference width. Production English strings.



voices hear-test fallback

Route	`settings/voice/output`
Code	`SpeechOutputSettings.kt`
Entry	Voice › halo's voice · reading bar ⚙
Back	Voice
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Voice row	`tts.select`	Grouped by language; preview ▶	—
Preview	`tts.preview`	'Did you hear halo?' — only a yes marks it tested	—
Fallback	`tts.fallback`	Phone's voice, said once	—

STATE	NEXT ACTION SHOWN
voices	Preview
hear-test	Yes / No
fallback	—

CHAPTER 20 · VO04

Supertonic / Kokoro packs

Dark and light, every state. 360dp reference width. Production English strings.



packs

downloading

Route	`settings/voice/output (packs)`
Code	`SpeechOutputSettings.kt · KokoroPackControls.kt`
Entry	halo's voice › Voice packs
Back	halo's voice
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Download / cancel	`pack.*`	Size + languages shown	storage
You tested it	`pack.attest`	Your own test, not a general guarantee	—
Add from a file	`pack.import`	Picker	—

STATE	NEXT ACTION SHOWN
packs	Download
downloading	Cancel

CHAPTER 20 · VO05

ElevenLabs setup

Dark and light, every state. 360dp reference width. Production English strings.



connect

tested

limit

Route	`settings/voice/elevenlabs`
Code	`ElevenLabs setup`
Entry	Voice › ElevenLabs
Back	Voice
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Paste key	`credential.save`	Encrypted	—
Play a sample	`tts.cloudSample`	Real audio; you confirm hearing it	network
Limit reached	`tts.cloudLimit`	Falls back to your phone voice and says so	—

STATE	NEXT ACTION SHOWN
connect	Play a sample
tested	Use
limit	Open my plan

CHAPTER 20 · P01

Context & privacy

Dark and light, every state. 360dp reference width. Production English strings.



categories

detail

Route	`settings/intelligence/context`
Code	`Context & privacy`
Entry	Settings › Privacy › What halo can use
Back	Settings
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Category	`context.mode`	Allow / Ask / Never	—
Cloud	`context.cloud`	Sending to a cloud still asks first	—

STATE	NEXT ACTION SHOWN
categories	Change one
detail	Pick

CHAPTER 20 · P02

Permissions

Dark and light, every state. 360dp reference width. Production English strings.



list **explain** **blocked**

Route	`permissions`
Code	`PermissionsScreen.kt`
Entry	Settings › Privacy › Permissions · any 'permission off' state
Back	Settings
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Off permission	`permission.explain`	halo explains why first, then Android asks	—
Blocked	`permission.permanentlyDenied`	Open Android settings; re-checks on return	—
Never automatic	—	halo never changes permissions by itself	—

STATE	NEXT ACTION SHOWN
list	—
explain	Continue
blocked	Open Android settings

CHAPTER 20 · P03

Memory & learning settings

Dark and light, every state. 360dp reference width. Production English strings.



settings

forget-all

Route	`memory_learning`
Code	`Memory & learning`
Entry	Settings › Privacy › Memory
Back	Settings
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Use memory	`memory.toggle`	Off = conversations ignore memory	—
Suggest	`memory.suggest`	Always asks first	—
Forget everything	`memory.forgetAll?`	Red confirm; can't be undone; notes kept	—

STATE	NEXT ACTION SHOWN
settings	—
forget-all	Forget all / Cancel

CHAPTER 20 · JOURNEYS

Setup and sources, click by click.

The same journeys play as motion films and in the clickable prototype.

SET UP IN A MINUTE

O01 · welcome

O01 · use



O01 · permissions

O01 · answers

O02 · downloading

O01 · speech

O01 · ready

O01 · first

CONNECT A SOURCE HONESTLY



I01 · none

I02 · add



I03 · cloud-key



I03 · tested



I01 · cloud



I08 · log

CHAPTER 20 · JOURNEYS

Models and voice, click by click.

The same journeys play as motion films and in the clickable prototype.

MODELS ON THIS PHONE



I04 · list



I04 · detail



I05 · downloading

I05 · damaged

I07 · indexing



I07 · ready

VOICE IN PLAIN WORDS

VO01 · hub

VO02 · mic-test



VO03 · voices



VO03 · hear-test

VO05 · limit



P02 · blocked

CHAPTER 20 · VARIANTS

Wider, bigger, every accent.

412dp, 200% text and the accent × tone matrix.

412DP



O01 · 412dp



I01 · 412dp



I05 · 412dp



VO03 · 412dp

P02 · 412dp

200% TEXT



O01 · 200%



I01 · 200%



I05 · 200%



VO03 · 200%



P02 · 200%

ACCENTS × TONES

blue · warm

blue · cool

lilac · warm

lilac · cool

coral · warm

coral · cool

CHAPTER 20 · MOTION + PLAIN WORDS

Real tests, real progress, plain names.

Motion binding for this package, and the technical words in today's code that become plain language.

SURFACE	ONLY WHEN	ENTRY	LOOP	EXIT	CANCEL	REDUCED MOTION	ASSET
Setup progress	step completed	bar segment fills	—	—	—	instant	`Compose`
Download	bytes received	ring/bar fills from the gap	follows real progress	check only after verification	Cancel/Pause	static bar	`halo_fx_download_ring`
Speaking test	audio actually playing	speaking orb	breathes	waits for Yes/No	—	static orb	`orb/halo_orb_speaking`
Mic test	mic open	listening aura	words fill live	fade	Stop	static	`halo_fx_voice_wave`
Indexing notes	indexing running (idle/charging)	thinking aura	slow breathe	check when done	pauses on use	static	`aura`
Real test answer	first token of the test reply	card rises	—	—	—	instant	`Compose`

SCREEN (FILE)	TODAY	FINISHED APP
Guided setup	Download Whisper Small · Download and select Supertonic 3 · Save setup diagnostics on this phone	Listening · accurate · Natural voices · (diagnostics → Advanced)
Voice settings	Install Silero VAD · Speech detector · Interruption timing · Automatic prefers installed Base, then Tiny.	Hands-free (included) · Interrupt halo when I speak · Accurate / Light
Speech output	TTS model · Synthesis fallback keeps the selected audio output route. · Not verified during playback	halo's voice · 'uses the phone's voice and tells you once' · Did you hear halo?
Model library	Model identifier · Model files and license · Routing	About this model (names, licence) → in the detail sheet; routing → Advanced › Model roles
Intelligence	Where halo thinks · Conversation model	How halo answers · Choose a model

CHAPTER 21 · D01

Devices root

Dark and light, every state. 360dp reference width. Production English strings.



list

connecting

empty

Route	`devices`
Code	`ui/screens/devices/DevicesScreen.kt`
Entry	nav Devices
Back	Home
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Device card	`device.open`	Detail (D04/D05)	—
Connect (saved device)	`device.connect`	Connecting… → Ready only after a real check	Bluetooth / Wi-Fi
Add a device	`device.add`	Chooser (D02)	—

STATE	NEXT ACTION SHOWN
list	Open one
connecting	Wait / cancel
empty	Add a device

CHAPTER 21 · D02

Supported-device chooser

Dark and light, every state. 360dp reference width. Production English strings.



chooser

unsupported

Route	`discovery (chooser)`
Code	`DevicesScreen.kt · PairingScreen.kt`
Entry	Add a device
Back	Devices
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Smart glasses	`pair.glasses`	D03	nearby-devices permission (asked here)
BuddyBot	`pair.robot`	Find on Wi-Fi (D05 find)	Wi-Fi
Headphones	`system.bluetooth`	Android Bluetooth settings	—
Unsupported	`device.unsupported`	Explains; offers normal Bluetooth audio	—

STATE	NEXT ACTION SHOWN
chooser	Pick
unsupported	Open Android settings

CHAPTER 21 · D03

Glasses pairing

Dark and light, every state. 360dp reference width. Production English strings.



searching



choose



code



connecting



ready



failed

Route	`discovery`
Code	`ui/screens/discovery/PairingScreen.kt`
Entry	Smart glasses
Back	Add a device
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Search nearby	`ble.scan`	Only after you tap; Stop search any time	Bluetooth on
Pick one	`ble.select`	Signal strength + the code printed on the arm	—
Code (only if the glasses ask)	`ble.pairingCode`	They match / They don't match	—
Connecting	`device.verify`	Found → Linked → Checking sound and camera → Ready	—
Fail	`device.connectFailed`	Concrete fix + Search again	—

STATE	NEXT ACTION SHOWN
searching	Stop search
choose	Connect
code	They match
connecting	Cancel
ready	Done
failed	Search again

HeyCyan glasses detail

Dark and light, every state. 360dp reference width. Production English strings.



ready · getting-ready · media · low-storage · forget

Route	`device/{deviceId} (glasses)`
Code	`ui/screens/devices/HeyCyanControlScreen.kt`
Entry	device card
Back	Devices
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Photo / Video / Audio	`glasses.capture`	Disabled until Ready	Ready
Copy photos	`glasses.sync`	Progress; stays on glasses until copied	—
Buttons	`glasses.gestures`	Tap / Hold mapping	—
Forget	`device.forget?`	Confirm; copied photos stay	—

STATE	NEXT ACTION SHOWN
ready	Capture / copy
getting-ready	Wait
media	Cancel
low-storage	Copy photos
forget	Forget / Cancel

CHAPTER 21 · D05

BuddyBot detail

Dark and light, every state. 360dp reference width. Production English strings.



arm · driving · blocked · fault · find

Route	`device/{deviceId} (BuddyBot)`
Code	`ui/screens/devices/BuddyBotControlScreen.kt`
Entry	device card
Back	Devices
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Find on Wi-Fi	`robot.discover`	Address entry is secondary	Wi-Fi
Hold to start driving	`robot.arm`	Explicit arming; floor-clear reminder	—
Drive pad	`robot.drive`	Let go = stop	armed
STOP	`robot.stop`	Always visible, always works, overrides everything	—
Obstacle	`robot.blocked`	Stopped by itself; back up or turn	—
Fault	`robot.fault`	Driving off; plain cause; Restart	—

STATE	NEXT ACTION SHOWN
arm	Hold to start
driving	STOP
blocked	Back up
fault	Restart
find	Connect

CHAPTER 21 · D06

Phone controls & permissions

Dark and light, every state. 360dp reference width. Production English strings.



capabilities

Route	`permissions · devices › This phone`
Code	`PermissionsScreen.kt · AndroidAssistantScreen.kt`
Entry	Devices › This phone
Back	Devices
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Capability row	`phone.capability`	Shows what really works now, tested where possible	—
Allow / Turn on	`permission.explain`	P02 explain sheet	—
Test sound	`tts.test`	Did you hear halo?	—

STATE	NEXT ACTION SHOWN
capabilities	Fix one

CHAPTER 21 · D07

Audio route

Dark and light, every state. 360dp reference width. Production English strings.



pick

disconnected

Route	`audio route (sheet)`
Code	`SpeechOutputSettings.kt · HaloReadAloudBar`
Entry	reading bar · device card · Voice › Play on
Back	closes
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Pick output	`audio.route`	Connected outputs only; tested ones say so	—
Test	`tts.test`	Plays on that output, asks if you heard it	—
Output lost	`audio.routeLost`	Pauses — never jumps to the loudspeaker without asking	—

STATE	NEXT ACTION SHOWN
pick	Pick
disconnected	Phone speaker / stay paused

Nearby companion surfaces

Dark and light, every state. 360dp reference width. Production English strings.



Route	`mini_halo · floating orb · widget`
Code	`ui/mini/MiniHaloScreen.kt · HaloNearbyControls.kt · nativeactions/HaloNativeWidget.kt`
Entry	Settings › halo nearby
Back	Mini halo: ✕ or Back
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Mini halo	`mini.open`	Small window over the current app; expand → full app	—
Floating orb	`orb.tap`	Tap to talk; drag to move; hides on lock screen	overlay permission
Widget	`widget.tap`	Next event + talk button	—

STATE	NEXT ACTION SHOWN
mini	Talk
orb	Tap to talk
widget	Talk

CHAPTER 21 · C05

Halo nearby settings

Dark and light, every state. 360dp reference width. Production English strings.

settings

overlay-perm

widget-help

Route	`settings inline 'halo nearby'`
Code	`HaloNearbyControls.kt`
Entry	Settings › Everyday › halo nearby
Back	Settings
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Mini halo / floating orb	`nearby.toggle`	Switches	overlay permission for the orb
Add widget	`widget.pin`	Pins via launcher; if unsupported shows how	launcher support
Hide on lock screen	`nearby.privacy`	On by default	—

STATE	NEXT ACTION SHOWN
settings	—
overlay-perm	Open Android settings
widget-help	OK

CHAPTER 21 · C01

Skills

Dark and light, every state. 360dp reference width. Production English strings.



list



detail



needs-access

Route	`skills`
Code	`ui/screens/settings/SkillsScreen.kt`
Entry	Settings › Connections › What halo can do in apps
Back	Settings
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
App row	`skill.open`	Actions with their ask rule	—
Needs access	`skill.grant`	Explains Android accessibility, then Android settings	—
Turn off for an app	`skill.disable`	Immediate	—

STATE	NEXT ACTION SHOWN
list	Open one
detail	—
needs-access	Open Android settings

CHAPTER 21 · C02

Integrations / MCP

Dark and light, every state. 360dp reference width. Production English strings.



list · connect · access

Route	`integrations`
Code	`ui/screens/integrations/IntegrationsScreen.kt`
Entry	Settings › Connections › Apps & services
Back	Settings
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Connect	`integration.oauth`	Sign in on the service's page; halo never sees the password	network
Service detail	`integration.access`	Per-action switches; sends always ask	—
Fix	`integration.reauth`	Sign in again	—
Custom servers	—	Only in Settings › Advanced	—

STATE	NEXT ACTION SHOWN
list	Connect / fix
connect	Sign in
access	—

CHAPTER 21 · C03

Automation

Dark and light, every state. 360dp reference width. Production English strings.



list · builder · suggested · history · run-now

Route	`automation?routineId` · `automation_review/{routineId}/{suggestionId}`
Code	`ui/screens/settings/AutomationScreen.kt` · `EverydayRoutineEditor.kt` · `RoutinesScreen.kt`
Entry	Settings › Connections › Routines · suggestion
Back	Settings
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Routine switch	`routine.toggle`	On/off without deleting	—
Builder	`routine.edit`	When · Only if · Do · Tell me (Screen / notification / nothing)	—
Try it once	`routine.dryRun`	Runs now, shows the result before saving	—
Suggested	`routine.review`	Why it was suggested; Turn on / Edit / No thanks	—
History	`routine.history`	Every run with result; failures keep the previous result	—
Run now	`routine.runNow?`	Confirm	—

STATE	NEXT ACTION SHOWN
list	Open / new
builder	Save
suggested	Turn on
history	Edit / run
run-now	Run now / Cancel

CHAPTER 21 · N03

Notification policy settings

Dark and light, every state. 360dp reference width. Production English strings.



settings

access-off

Route	`notification_settings`
Code	`ui/screens/settings/NotificationSettingsScreen.kt`
Entry	Notifications ⚙ · Settings › Everyday › Notifications
Back	previous
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
App switch	`notif.appPolicy`	Which apps halo may read	notification access
Digest time	`notif.digest`	Local summary, no AI service	—
Access off	`system.listenerSettings`	Open notification access	—

STATE	NEXT ACTION SHOWN
settings	—
access-off	Open notification access

Glasses, click by click.

The same journeys play as motion films and in the clickable prototype.

GLASSES: CONNECTED ISN'T READY

D01 · empty

D02 · chooser



D03 · searching

D03 · choose



D03 · code

D03 · connecting

D03 · ready



D04 · ready

GLASSES AFTER SETUP

D04 · getting-ready



D04 · media



D04 · low-storage



D04 · forget

D03 · failed

D02 · unsupported

BuddyBot, routines and apps.

The same journeys play as motion films and in the clickable prototype.

BUDDYBOT + AUDIO

D05 · find | D05 · arm | D05 · driving | D05 · blocked | D05 · fault | D07 · disconnected

ROUTINES, APPS, NEARBY



C03 · suggested | C03 · builder | C03 · history | C02 · access | C01 · needs-access | D08 · mini

Wider, bigger, every accent.

412dp, 200% text and the accent × tone matrix.

412DP



D01 · 412dp

D04 · 412dp

D05 · 412dp



C03 · 412dp

200% TEXT



D01 · 200%

D04 · 200%



D05 · 200%



C03 · 200%

ACCENTS × TONES

blue · warm



blue · cool



lilac · warm



lilac · cool



coral · warm



coral · cool

CHAPTER 21 · MOTION + PLAIN WORDS

Hardware tells the truth.

Motion binding for this package, and the technical words in today's code that become plain language.

SURFACE	ONLY WHEN	ENTRY	LOOP	EXIT	CANCEL	REDUCED MOTION	ASSET
Searching nearby	scan running (user started)	thinking aura	slow breathe	stops on Stop or after 30 s	Stop search	static orb	`aura`
Pairing steps	real link / verify events	step dot fills	—	Ready only after sound + camera check	Cancel	instant	`halo_fx_task_step`
Device connected	verified session	ring closes around device icon	—	—	—	static check	`halo_fx_device_connect`
Photo copy	bytes copied	bar fills	real progress	check when all copied	Cancel	static bar	`halo_fx_download_ring`
BuddyBot driving	armed + moving	edge light pulses (acting)	pulse	stops when released	STOP: instant halt + stop_cancel	static edge	`halo_fx_edge_glow · halo_fx_stop_cancel`
Obstacle / fault	robot event	Apricot (blocked) / red (fault) aura	—	—	—	static	`aura`
Routine saved	routine stored	card settles	—	—	—	instant	`Compose`
Audio route lost	output disconnected	reading pauses, sheet rises	—	—	—	instant	`Compose`

SCREEN (FILE)	TODAY	FINISHED APP
Glasses (HeyCyanControlScreen.kt)	AI thumbnail detail · Capture retention · Ephemeral · Diagnostics · Reset audio association	Plain capture buttons · 'stays on glasses until copied' · diagnostics → Advanced · Repair sound
BuddyBot (BuddyBotControlScreen.kt)	Local WebSocket endpoint · WebSocket URL · Safety Supervisor remains authoritative…	Find on Wi-Fi (address secondary) · 'STOP always works'
Devices (DevicesScreen.kt)	Communication route · Identity available for this connection only	Plain status ladder: Saved → Connected → Ready
Skills (SkillsScreen.kt)	Risk · … · Source · Custom · schema N · MCP tools · N · Capability models · Import SKILL.md	Per-app actions with ask rules; MCP + imports → Advanced
Integrations (IntegrationsScreen.kt)	Endpoint · Bearer token · MCP · Trust	Sign in with the service; custom servers → Advanced

CHAPTER 22 · P05

Appearance (24 themes)

Dark and light, every state. 360dp reference width. Production English strings.



main

text-size

contrast

Route	`settings inline 'Appearance'`
Code	`SettingsScreen.kt · theme/HaloPalette.kt`
Entry	Settings › halo › Appearance
Back	Settings
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Mode	`theme.mode`	Light / Dark / Same as phone	—
Accent	`theme.accent`	Mint · Blue · Lilac · Coral — accent sweep from the ring gap	—
Tone	`theme.tone`	Natural · Warm · Cool	—
Text size	`theme.fontScale`	Follows Android, can go bigger; cards grow, never cut words	—
Higher contrast / Less motion / Guide light	`a11y.*`	Switches	—

STATE	NEXT ACTION SHOWN
main	Pick
text-size	Drag
contrast	Switch

CHAPTER 22 · P06

Language

Dark and light, every state. 360dp reference width. Production English strings.



picker search changed

Route	`settings inline 'Language' (LanguagePickerPage)`
Code	`LanguagePickerPage`
Entry	Settings › halo › Language
Back	Settings
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Language	`language.set`	UI updates instantly; toast with Undo	—
Search	`language.search`	Native and English names	—
Speaking and listening	`voice.languages`	Separate from the app language	—

STATE	NEXT ACTION SHOWN
picker	Pick
search	Pick
changed	Undo

CHAPTER 22 · XS01

Cross-app system states

Dark and light, every state. 360dp reference width. Production English strings.

loading

offline

storage-full



signed-out

device-lost



keyboard-sheet

landscape

Route	`cross-app`
Code	`shared components`
Entry	anywhere
Back	—
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Loading	`ui.skeleton`	Skeleton in place of content — never a blank screen	—
Offline	`net.offline`	Banner + what still works	—
Phone storage full	`storage.full`	Paused downloads resume after freeing space	—
Signed out / key expired	`credential.expired`	Request kept; fix or answer on phone	—
Device lost mid-task	`device.lost`	Step fails honestly; reconnect or use phone	—
Keyboard + sheet	`ime.sheet`	Sheet rides above the keyboard	—
Landscape	`ui.landscape`	Rail + side composer	—

STATE	NEXT ACTION SHOWN
loading	—
offline	—
storage-full	See what to remove
signed-out	Update key
device-lost	Reconnect
keyboard-sheet	Start
landscape	—

CHAPTER 22 · P04

Storage & backup

Dark and light, every state. 360dp reference width. Production English strings.

overview



backup

restore

conflict



relink

clear

Route	`storage_backup`
Code	`Storage & backup`
Entry	Settings › Privacy › Storage & backup
Back	Settings
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Back up	`backup.export`	Locked with your password; downloads excluded	folder access
Restore	`backup.restore`	Add to what's here / Replace; undo for 7 days	—
Conflict	`backup.conflict`	Keep both / phone's / backup's	—
Files that moved	`file.relink`	Find the file	—
Clear temporary files	`cache.clear?`	Confirm; your work stays	—

STATE	NEXT ACTION SHOWN
overview	—
backup	Back up now
restore	Restore
conflict	Keep both
relink	Find the file
clear	Clear / Cancel

CHAPTER 22 · I06

Model roles (Advanced only)

Dark and light, every state. 360dp reference width. Production English strings.



roles

pick

Route	`settings/intelligence/roles`
Code	`Model roles`
Entry	Settings › Advanced › Model roles
Back	Advanced
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Role	`roles.pick`	Automatic · Same as Conversation · Choose · Off	—
Evidence	—	Measured results shown in monospace, secondary	—

STATE	NEXT ACTION SHOWN
roles	Pick
pick	—

CHAPTER 22 · X01

Technical report (Advanced)

Dark and light, every state. 360dp reference width. Production English strings.



preview



shared

Route	`system_check (technical report)`
Code	`SystemCheckScreen.kt (report half)`
Entry	Settings › Advanced › Technical report
Back	Advanced
Status	Design: **designed v3** (was D1) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Share report	`report.share`	Safe: no keys, messages, notes or contacts	—
Save to files	`report.save`	System picker	—

STATE	NEXT ACTION SHOWN
preview	Share
shared	—

CHAPTER 22 · X02

Developer labs + diagnostics (Advanced › developer only)

Dark and light, every state. 360dp reference width. Production English strings.



runtime

vision-lab

sandbox

Route	`runtime_status` · `workload_diagnostics` · `assistant_diagnostics` · `vision_lab` · `*_sandbox`
Code	`devtools`
Entry	Advanced › Developer tools (switch on)
Back	Advanced
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Runtime status	`dev.runtime`	Live state, queue, providers, memory, thermal	developer tools
Vision Lab	`dev.vision`	Same photo across models; honest per-field results	developer tools
Sandboxes	`dev.sandbox`	Simulated actions — nothing sent	developer tools

STATE	NEXT ACTION SHOWN
runtime	—
vision-lab	Run
sandbox	Step

CHAPTER 22 · VO06

Speech Lab / local audio test

Dark and light, every state. 360dp reference width. Production English strings.



compare

audio-test

Route	`settings/voice/speech-lab · local_audio_lab`
Code	`Speech Lab`
Entry	Advanced › Developer tools
Back	Advanced
Status	Design: **designed v3** (was D0) · Code: not verified on device

INPUT	EVENT	RESULT	NEEDS
Compare	`dev.stt.compare`	One sample, several models, timings — not a general score	developer tools
Local audio test	`dev.stt.file`	Pick a file, forced language, real-time factor	developer tools

STATE	NEXT ACTION SHOWN
compare	—
audio-test	Pick a file

Appearance and hard moments.

The same journeys play as motion films and in the clickable prototype.

APPEARANCE & LANGUAGE



P05 · main · P05 · text-size · P05 · contrast · P06 · picker · P06 · changed

WHEN THINGS GO WRONG

XS01 · loading · XS01 · offline · XS01 · storage-full · XS01 · signed-out · XS01 · device-lost

Backup, and the Advanced corner.

The same journeys play as motion films and in the clickable prototype.

STORAGE & BACKUP



P04 · overview · P04 · backup · P04 · restore · P04 · conflict · P04 · relink

ADVANCED, AND ONLY THERE



ST02 · developer · I06 · roles · X01 · preview · X02 · runtime · VO06 · compare

CHAPTER 22 · 24 THEMES ON A REAL SCREEN

Every theme, on a busy screen.

Activity in all 24 combinations: 4 accents × 3 tones × dark/light. Apricot, red and the Mint logo ring mean the same thing in every one.

mint · natural | mint · warm | mint · cool | blue · natural | blue · warm | blue · cool | lilac · natural | lilac · warm | lilac · cool | coral · natural | coral · warm | coral · cool



mint · natural | mint · warm | mint · cool | blue · natural | blue · warm | blue · cool | lilac · natural | lilac · warm | lilac · cool | coral · natural | coral · warm | coral · cool

CHAPTER 22 · MOTION

Quiet where it matters. Static in the Lab.

Motion binding for this package, and the technical words in today's code that become plain language.

SURFACE	ONLY WHEN	ENTRY	LOOP	EXIT	CANCEL	REDUCED MOTION	ASSET
Accent change	user picks an accent	new colour sweeps from the ring gap < 1 s	—	—	—	instant swap	`halo_fx_accent_sweep_*`
Skeleton	content loading > 300 ms	shimmer	1.4 s	content fades in	—	static blocks	`halo_fx_shimmer`
Offline banner	connectivity lost	slides in 200 ms	—	slides out when back	—	instant	`Compose`
Language change	user picks a language	cross-fade 200 ms	—	—	Undo	instant	`Compose`
Lab pages	—	none	none	none	—	—	`deliberately static`