
halo

WEB ASSETS V1.5

Implementation guide

How to wire the halo web kit into the site: files, head tags, section-by-section placement, halo FX, brand rules and the checks before shipping.




halo-web-blue.vercel.app · brand book round 2 · kit v0.9

AT A GLANCE


One pack. Every piece the page needs.

FLOW SHORTS · 9:16 + 16:9














ROUND-2 SCREENS FROM THE BRAND BOOK · 20






















EDITORIAL PHOTOS · 7













SPOT ILLUSTRATIONS · 8 × DARK + LIGHT



175 icons

26 animations

16 illustrations

8 shorts

8 KB FX code, gzipped

How to wire the halo web kit into **halo-web-blue.vercel.app** (canonical: haloweb.vercel.app), section by section. Everything follows the halo brand book (round 2) and kit v0.9: the Open Ring with its gap at the upper right, Halo Mint `#0CF2BA` on Night Ink `#060330` / Cream `#FAFAF4`, Sora + Atkinson Hyperlegible Next, 1.75 stroke icons, honest status language.

The page copy stays exactly as it is. Nothing here rewrites or translates text. The kit only adds visuals, motion and the small halo-language components.

0. What's in the pack

```
halo-web-assets/
├─ IMPLEMENTATION.md                this guide (also as halo-implementation-guide.pdf)
├─ README.md · CHANGELOG.md · MANIFEST.txt
├─ site/                            DROP-IN: mirrors the site root, copy it over the repo
│  ├─ favicon.svg · favicon.ico · site.webmanifest
│  ├─ css/  fonts.css (WOFF2 + TTF fallback) · halo-fx.css
│  ├─ js/   halo-fx.js · halo-lottie.js
│  └─ assets/
│     ├─ brand/     icons.svg (175 icons, drop-in) · lottie/ (13 × dark + light) · halo-wordmark-
dark|light.svg
│     ├─ fonts/     4 × .woff2 (Sora, Atkinson Next + italic, Onest Cyrillic) + OFL licences
│     ├─ meta/      favicons 16–96, apple-touch-icon, icon-192/512, icon-maskable-192/512
│     ├─ og/        share cards 1200×630 (dark = default, light = alternative)
│     ├─ photos/    7 editorial photos · WebP + JPG · 960 + 1600 wide (05, 07 also 16:9)
│     ├─ illustrations/  8 spot illustrations × dark + light (SVG 480×360)
│     ├─ screens/v2/     20 current round-2 screens from the brand book (PNG + WebP)
│     └─ video/     4 flow shorts 16:9 (MP4, silent) + posters/ (JPG, WebP, WebP 960)
├─ snippets/      01-head … 09-illustrations: ready-to-paste markup
├─ copy/          halo-web-strings.json: every string the components and shorts use
├─ social/        4 flow shorts 9:16 for Reels / TikTok / Shorts + covers/
├─ preview/       demo.html (all FX working) · flow.html (the shorts' source) · halo-fx-web-demo.mp4
└─ source/        photos-original/ (full-size PNG) · icons-svg/ (35 new web icons as single files)
```

1. Preview it first

The preview pages load files with JavaScript, so open them through a local server, not by double-clicking:

```
cd halo-web-assets
python3 -m http.server 8080        # or: npx serve .
# open http://localhost:8080/preview/demo.html
# shorts: http://localhost:8080/preview/flow.html?f=1&fmt=v   (f=1..4, fmt=v for 9:16, h for 16:9)
```

`preview/halo-fx-web-demo.mp4` is a recording of the demo page if you just want to watch it.

2. Copy the files

Copy `site/` over the root of the repo. Every path matches the existing structure (`assets/brand/`, `assets/fonts/`, `css/`, `js/`).

FROM THE PACK	TO THE REPO	NEW OR REPLACES
`site/favicon.svg`	`favicon.svg`	**replaces** (old one has the gap at the top)
`site/favicon.ico`, `site/site.webmanifest`	root	new
`site/css/fonts.css`	`css/fonts.css`	**replaces** (same fonts, WOFF2 first, TTF kept as fallback)
`site/css/halo-fx.css`, `site/js/halo-fx.js`, `site/js/halo-lottie.js`	`css/`, `js/`	new
`site/assets/brand/icons.svg`	`assets/brand/icons.svg`	**replaces** (all 140 existing ids kept, 35 added)
`site/assets/brand/lottie/`	`assets/brand/lottie/`	new
`site/assets/brand/halo-wordmark-*.svg`	`assets/brand/`	new (does not touch `halo-wordmark.svg`)
`site/assets/fonts/*.woff2`	`assets/fonts/`	new, next to the existing TTFs
`site/assets/meta/`, `og/`, `photos/`, `illustrations/`, `screens/v2/`, `video/`	`assets/…`	new

Nothing in `assets/brand/orb/`, `js/main.js`, `js/translations.js`, `css/tokens.css` or `css/main.css` needs to change.

3. `<head>`: favicons, fonts, share card

Paste `snippets/01-head.html`, replacing:

- the current `<link rel="icon" href="favicon.svg?v=5">`
- the two TTF `<link rel="preload">` lines (now WOFF2, ≈57% smaller: 111 KB → 49 KB for Sora)
- the `og:image` / `twitter:image` tags pointing at the 600×315 `assets/halo-og.png`

Add `css/halo-fx.css` **after** `tokens.css` and `main.css`. It reads the site's own tokens (`--halo-mint`, `--night-ink`, `--font-display` …).

> The share-card URLs must be absolute. They use the canonical domain `https://haloweb.vercel.app/`. If you deploy somewhere else first, change the domain in those two tags.

4. Scripts

Paste `snippets/02-body-end.html`. The order matters:

1. `js/vendor/lottie_light.min.js` (already on the site)
2. `js/halo-lottie.js` (needs lottie_light)
3. `js/halo-fx.js`
4. the site's existing `translations.js` and `main.js`

All `defer`. No other libraries. Gzipped: halo-fx.css 3.9 KB, halo-fx.js 2.4 KB, halo-lottie.js 1.7 KB.

5. Section by section

Section ids are the ones already on the page. "Icon" names are `assets/brand/icons.svg#i-<name>`.

SECTION	ADD	SNIPPET
Hero (`.hero`)	parallax stage: photo 01 (0.06), Home screen (0.14), ring with Aura + `hero_ring_intro` (0.35), 3 state chips (0.45–0.6); `scroll_cue` at the bottom	03
Hero facts	`.h-where` chips with icons local_first · intelligence · phone_control · notebook	04
#product gallery	swap the old `assets/screens/*.jpg` in each `app-slide-N` for the round-2 screens (table below; keep the carousel markup, change only `src` , `width` , `height`); `.hfx-shimmer` while they load; icons chevron_left/right · expand	07
#actions	4 `.h-card` (phone_control · navigate · read_context · screen_tap); `phone_action` lottie; phone mockup with `.hfx-edge` using `acting-on-phone` ; honest status pills + `honest_status` lottie; photo 02; short 2	04, 05, 06, 08
#workspace	`.h-stack` Notebook → Canvas → Study; `workspace_flow` lottie; illustration workspace; photo 03; short 4	05, 06, 07, 08
#ai	3 `.h-card` (on_device · lan · cloud, cloud never preselected); `near_to_far` lottie; `.h-where` chips; illustration choose_ai; photo 04; short 3	04, 05, 06, 08
#devices	`.h-card` per device (phone · glasses · headset · robot = BuddyBot device, never halo); `pairing_signal` lottie; illustration devices; photo 05 (16:9 crop for wide bands)	05, 06, 09
#status	icons hardware_tested · test_run · unverified; `.h-status` pills	04
#runtime	`runtime_pipeline` lottie (input → context → intelligence → act → verify)	05
#alpha	**the one Guide trace on the page** on "Try the Android alpha"; steps as `.h-card` (get_app · test_kit · checklist · share_finding); `download` lottie on `#alpha-files` links; `checklist_tick` on tick; illustration alpha_kit; photo 07	04, 05, 06, 09
#feedback	`feedback_sent` lottie or `.hfx-bloom` after "Open email draft" / "Copy" (`HaloLottie.play(el)` / `HaloFx.bloom(el)`)	04, 05
#mission	illustration privacy; photo 06	06, 09
#ring	`open_ring_gap` lottie; illustration open_source	05, 09

SECTION	ADD	SNIPPET
#presence	existing orb set unchanged; `.hfx-aura` behind the hero orb; state chips	04
All sections	`.h-label` (ring bullet) on section eyebrows, `.h-divider` between big blocks, `data-reveal` (+ `style="--i:n"` to stagger) on titles and card grids	04

Gallery: old capture → round-2 screen

SLIDE	TODAY	ROUND-2 SCREEN (`ASSETS/SCREENS/V2/…`)
0 Home	home.jpg	`home-dark` (or `home-light-conversation`)
1 Notebook	notebook.jpg	`notebook` (+ `note-editor`)
2 Study	study.jpg	`study-new-lesson`
3 Settings	settings.jpg	`settings-light` (+ `intelligence` , `language`)
4 Devices	devices.jpg	`devices` (+ `add-glasses`)
5 Activity	activity.jpg	`activity-light`
6 Notifications	notifications.jpg	`updates`
7 Workspace tools	workspace-tools.jpg	`canvas-more`
8 Skills	skills.jpg	no round-2 screen in the book yet: keep the current one, or show `model-roles`
9 Access and setup	access.jpg	`system-check` (+ `approval`)
10 Memory	memory.jpg	`context-privacy`

Extra round-2 screens for other sections: `acting-on-phone` , `approval` (#actions), `model-library` , `providers` (#ai).

Wiring the dynamic bits

```
// Edge glow: only while halo is acting on the phone (e.g. while short 1 or a demo plays)
HaloFx.acting(document.querySelector('#actions .hfx-edge'), true);   // … false when done

// success moments
HaloFx.bloom(document.getElementById('sentBloom'));                  // feedback sent
HaloLottie.play(document.querySelector('[data-halo-lottie="checklist_tick"]'));

// after injecting new cards / lotties (e.g. language switch re-render)
HaloFx.refresh(); HaloLottie.refresh();
```

Theme switching works by itself: `halo-lottie.js` watches `:root[data-theme]` and the system setting and swaps dark/light animations.

6. halo FX reference

CLASS / ATTRIBUTE	EFFECT	RULE
`.hfx-aura`	breathing Mint/Apricot presence glow, 4 s	behind the hero ring / presence orb only
`.hfx-trace`	Guide: one 2.4 s lap of light, then rests	**max one per page**; JS keeps only the first. Never on cloud opt-in, purchases, new permissions, destructive actions. Always with why + "Not now"
`.hfx-edge.is-acting`	Edge glow, in 250 ms / out 150 ms	only while halo acts on the phone
`.hfx-shimmer`	loading sweep, 1.6 s	loading states
`.hfx-bloom`	3 rings, 600 ms, once	success only
`.hfx-ripple.is-listening`	listening ripple	only where a mic is really listening
`[data-reveal]`	settle-in on scroll, stagger with `--i`	hidden only once JS runs, so content never disappears if JS fails
`.h-card` (+ `.h-mark`)	pointer spotlight, 4° tilt, open-ring corner mark on hover	`data-no-tilt` keeps only the light; no tilt on touch
`.h-stack`	3 screens fan out on hover and keyboard focus	needs `tabindex="0"` + `aria-label`
`[data-depth="0.05–0.6"]`	pointer + scroll parallax	parent must be `position:relative`; off on touch and reduced motion
`video[data-hfx-autoplay]`	plays the short only while on screen	never under reduced motion; poster stays
`.h-state` `.h-orb[data-state]` `.h-where` `.h-status[data-s]` `.h-guide` `.h-label` `.h-divider` `.h-orb-wrap[data-needs]`	halo language components	copy from `copy/halo-web-strings.json`

7. Brand rules to keep while integrating

- **Rings:** every ring and circle keeps the gap at the upper right (45°). Don't rotate or close the ring. The header's separate `halo-ring.svg` has its gap at the top: use the wordmark alone (`assets/brand/halo-wordmark-light.svg` / `-dark.svg`, min 16 px tall, clear space = ring width).
- **Colour meaning:** Mint is the light (~20% of a layout), never body text on Cream (use Deep Mint `#047A5E`). Apricot only means "halo needs you" or "unconfirmed". Ember only means failure, always with a glyph.
- **Icons:** Night Ink on light, Cream on dark, 1.75 stroke. Never Mint or Apricot icons on light surfaces. AI = small open ring, never sparkles.
- **One light at a time:** don't stack Aura, Trace and Edge glow in the same view.

- **Honesty:** the animations and shorts show ideas and design previews, not live sessions. Keep the "design preview, not a live session" line wherever a short appears.
- **People:** photos show real people in everyday moments: no robots, no stock-tech look. The robot appears only as the BuddyBot device, never as halo.
- **No CTAs baked into images.** The page adds real buttons.

8. Accessibility and performance

- **Reduced motion:** every effect holds a still frame under `prefers-reduced-motion`, including when it's switched on while the page is open. Videos don't autoplay; their posters show.
- **Decorative vs meaningful:** lotties, rings, dividers and icon SVGs carry `aria-hidden="true"`. Screens and photos carry real alt text (in snippets 06 and 07). The hero photo sits behind the phone and is decorative (`alt=""`).
- **Keyboard:** `.h-stack` fans out on focus; the Guide's "Not now" is a real `<button>`.
- **Loading:** hero photo `fetchpriority="high"`, everything else `loading="lazy"`. Videos `preload="none"` with posters. Lotties load only the active theme and play only on screen.
- **Weight added on first view (approx.):** fonts ≈125 KB lighter than today (WOFF2 preloads), FX code 8 KB gzipped, hero photo 34–82 KB WebP, hero lottie <1 KB gzipped. Shorts load only when scrolled to.
- **Print:** everything shows, no glows.

9. Flow shorts on social

FILE	USE	LENGTH
`social/halo-short-1-ask-then-see-9x16.mp4`	Reels, TikTok, YouTube Shorts	14 s
`social/halo-short-2-needs-your-ok-9x16.mp4`	〃	14.5 s
`social/halo-short-3-where-halo-thinks-9x16.mp4`	〃	13 s
`social/halo-short-4-notebook-canvas-study-9x16.mp4`	〃	14 s
`site/assets/video/*-16x9.mp4`	website, YouTube, LinkedIn, X	same

1080×1920 / 1920×1080, H.264, 30 fps, silent with burned-in captions, web-optimised (fast start). Covers are in `social/covers/`. Keep the bottom 20% of the 9:16 frame free of extra stickers: that's where the captions and platform UI sit. Every short carries "Screens from the halo brand book (round 2 design) · design preview, not a live session". Keep it.

10. QA checklist before shipping

- ◯ Favicon shows the ring with the gap at the upper right (hard-refresh: `?v=6`).
- ◯ Share preview shows the 1200×630 card (check with any link-preview debugger after deploy).
- ◯ Install on Android: the maskable icon isn't cropped.
- ◯ Dark ↔ light ↔ system: animations and illustrations swap; nothing flashes the wrong theme.

- [ ] OS "reduce motion" on: page is completely still, all content visible, videos show posters.
- [ ] Only one Guide trace on the page.
- [ ] Edge glow appears only on the acting phone.
- [ ] No console errors; all `#i-…` icons render (sprite replaced, ids unchanged).
- [ ] Gallery shows the round-2 screens, not the old test-build captures.
- [ ] Mobile: no tilt or parallax on touch; cards and stack still readable.
- [ ] Lighthouse: no layout shift from images (all have width/height).

---

11. Editing later

- **Shorts:** change copy or timing in `preview/flow.html` (`?f=1..4&fmt=v|h`), then re-record frame by frame at 30 fps. Strings mirror `copy/halo-web-strings.json` .
- **Effects:** all timings live at the top of `css/halo-fx.css` as `--hfx-*` variables using the brand easings (standard / breath / orbit / settle).
- **Lottie colours:** layers are named `ring` , `gapdot` , `glow` , `bloom1-3` for recolouring.
- **Icons:** single SVGs in `source/icons-svg/` (24 dp, 2 dp padding, `currentColor`).
- **Photos:** full-size PNGs in `source/photos-original/` for re-cropping.

---

12. Known limits and open items

- **Photo 04 (#ai, home server)** shows the hardware without a person. The brand rule asks for real people in everyday moments; it can be reshot with someone at the desk. Until then it works as a supporting image, not a lead image.
- **Round-2 screens** come from the brand book pages at their native size (~496×1050). They stay sharp up to ~250 CSS px wide on 2× screens. For a larger gallery, replace them with real captures once the round-2 build is on a device: same file names, nothing else changes.
- The site's fonts folder has OFL texts for Sora and Onest only; Atkinson Hyperlegible Next is OFL too, so add its licence text next to them.
- Translations: the kit adds no new visible copy except the component labels, which reuse the existing page wording. `translations.js` can pick them up later if needed.