
Project Design Phase

Solution Architecture

Date	1 October 2026
Team ID	SWTID-2026-9874
Project Name	Implement Client Script & UI Policy (Incident)
Maximum Marks	4 Marks

Solution Architecture

The solution architecture bridges the identified Incident-management problem with the ServiceNow technology solution. The architecture uses the ServiceNow Incident interface, UI Policies, UI Policy Actions, Client Scripts, and the ServiceNow Incident data store to enforce consistent Incident data-entry rules.



The reference image above is retained from the supplied template.

Project-Specific Solution Architecture

Editable Architecture Diagram

Service Desk Agent	→	**Web Browser**	→	**ServiceNow Incident UI**
Creates / updates	→	Incident Form / List	→	User input received
		↓		
		UI Policy Evaluation		
		↓		
		Client Script Processing		
		↓		
		Incident Record / Data Store		
		Saved / Rejected / Updated		

Architecture Components

1. User Layer

Service Desk Agent / IT Support Agent accesses the Incident form or Incident list using a web browser.

2. Presentation Layer

ServiceNow Incident form and list provide the interface for entering and updating Incident information.

3. UI Policy Layer

The High Impact UI Policy evaluates Impact. When Impact is High, Assignment Group becomes mandatory and Urgency becomes read-only. Reverse behavior restores the applicable field state when the condition is false.

4. Client Script Layer

onChange sets Urgency to High when Impact changes to High; onSubmit prevents saving when Assigned To is empty for a High Impact Incident; onCellEdit prevents direct State changes through list editing.

5. Data Layer

Validated Incident information is stored in the ServiceNow Incident table/platform-managed data store.

6. Feedback Layer

The user receives information or validation messages when a configured rule is triggered or a submission is rejected.

End-to-End Flow

1. The Service Desk Agent opens or creates an Incident.
2. The user enters Incident values such as Impact, Urgency, Assignment Group, Assigned To and State.
3. The High Impact UI Policy evaluates the Impact value and changes the applicable field behavior.
4. The onChange Client Script automatically sets Urgency to High when Impact becomes High.
5. During submission, the onSubmit Client Script checks Assigned To for High Impact Incidents.
6. During list editing, the onCellEdit Client Script blocks direct State changes.
7. If the configured conditions are satisfied, the Incident record is saved; otherwise the action is rejected and feedback is shown.

Architecture Characteristics

Aspect	Project Implementation
Platform	ServiceNow

Interface	ServiceNow Incident Form and Incident List
Application Logic	UI Policy, UI Policy Action, onChange, onSubmit and onCellEdit Client Scripts
Data Storage	ServiceNow Incident table / platform-managed storage
External APIs	None required for the current scope
Machine Learning	Not applicable
Deployment	ServiceNow cloud platform
Primary User	Service Desk Agent / IT Support Agent

Conclusion: The architecture directly connects the Service Desk Agent's Incident workflow to the configured UI Policies and Client Scripts and finally to the ServiceNow Incident record. It is designed to enforce the problem-specific rules identified in the earlier phases without introducing a separate application or external API.