

- [Package](#)
- [Class](#)
- [Tree](#)
- [Deprecated](#)
- [Index](#)
- [Help](#)
  
- [All Classes](#)

SEARCH:

reset

- Summary:
- Nested |
- Field |
- [Constr](#) |
- [Method](#)
  
- Detail:
- Field |
- [Constr](#) |
- [Method](#)

## Class `JavaVector<T>`

- `java.lang.Object`
  - `JavaVector<T>`
- Type Parameters:
  - `T` - The type of elements in the vector.

All Implemented Interfaces:  
[javaContainer<T>](#)

```
public class JavaVector<T>
extends java.lang.Object
implements javaContainer<T>
```

A generic vector implementation that supports adding, removing, and iterating over elements.

- ◦ **Constructor Summary**

Constructors

**Constructor Description**

[JavaVector\(\)](#) Constructs an empty vector with an initial capacity of 10.

- **Method Summary**

All Methods [Static Methods](#) [Instance Methods](#) [Concrete Methods](#)

Modifier and Type	Method	Description
void	<a href="#">add(T element)</a>	Adds the specified element to the vector.
boolean	<a href="#">equals(java.lang.Object obj)</a>	Compares two vectors for equality.
<a href="#">MyIterator&lt;T&gt;</a>	<a href="#">getIterator()</a>	Returns an iterator over the elements in the vector.
int	<a href="#">hashCode()</a>	
static void	<a href="#">main</a> ( <a href="#">java.lang.String[] args</a> )	The main method to interact with the vector using user input.
void	<a href="#">remove(T element)</a>	Removes the specified element from the vector.
int	<a href="#">size()</a>	
java.lang.String	<a href="#">toString()</a>	

- **Methods inherited from class `java.lang.Object`**

`clone`, `finalize`, `getClass`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

- ◦ **Constructor Detail**

- **JavaVector**

```
public JavaVector()
```

Constructs an empty vector with an initial capacity of 10.

- **Method Detail**

- **add**

```
public void add(T element)
```

Adds the specified element to the vector.

Specified by:

[add](#) in interface [javaContainer<T>](#)

Parameters:

element - The element to be added to the vector.

- **remove**

```
public void remove(T element)
```

Removes the specified element from the vector.

Specified by:

[remove](#) in interface [javaContainer<T>](#)

Parameters:

element - The element to be removed from the vector.

Throws:

[java.util.NoSuchElementException](#) - If the element is not found in the vector.

- **size**

```
public int size()
```

Specified by:

[size](#) in interface [javaContainer<T>](#)

- **getIterator**

```
public MyIterator<T> getIterator()
```

Returns an iterator over the elements in the vector.

Specified by:

[getIterator](#) in interface [javaContainer<T>](#)

Returns:

An iterator.

- **equals**

```
public boolean equals(java.lang.Object obj)
```

Compares two vectors for equality.

Overrides:

[equals](#) in class [java.lang.Object](#)

Parameters:

obj - The object to compare with.

Returns:

true if the vectors are equal, false otherwise.

- **toString**

```
public java.lang.String toString()
```

Overrides:

[toString](#) in class [java.lang.Object](#)

- **hashCode**

```
public int hashCode()
```

Overrides:

[hashCode](#) in class [java.lang.Object](#)

- **main**

```
public static void main(java.lang.String[] args)
```

The main method to interact with the vector using user input.

Parameters:

args - Command-line arguments (unused).

[Skip navigation links](#)

- [Package](#)
- [Class](#)
- [Tree](#)
- [Deprecated](#)
- [Index](#)
- [Help](#)
- [All Classes](#)
- Summary:
- [Nested](#) |
- [Field](#) |
- [Constr](#) |
- [Method](#)
- Detail:
- [Field](#) |
- [Constr](#) |
- [Method](#)