



# BetterHome Recommendations

Generated on May 15, 2025

## Client Information

Name:	Lakshmi Narasimhan
Email:	slakshnarasimhan@gmail.com
Phone:	Not provided
Address:	112, Prestige Silver Oak, ECC Rd, Whitefield
Number of Bedrooms:	Not provided
Number of People:	Not provided

## Budget Information

Total Budget:	₹700,000.00
---------------	-------------

## Room by Room Recommendations

### Hall Room

A welcoming space of approximately 150.0 sq ft with 2 fan(s) and an AC (1.5 Ton recommended), complemented by a White color theme.

### Fans Recommendations

BESTSELLER

## Atomberg Atomberg Aris Starlight IOT Enabled 1200 mm BLDC Motor with Remote 3 Blade Ceiling Fan

Price: ₹10,250.00 (Retail: ₹15,530.00, Save: ₹5,280.00)

### Key Features:

- ['Model Name : Aris Starlight', 'Color : Dark Teakwood / Marble White', 'Room Type : Living Room Bedroom Dining Room', 'Special Feature: Led Remote IOT Enabled Underlight', 'Wattage: 39 Watts', 'Finish Type: ABS', 'No.of Blades: 3', 'Air Delivery (CMM): 245 CMM', 'Blade Length: 120 cm', 'Speed: 280 RPM', 'Item Weight: 5.2 Kilograms', 'Voltage: 165 - 285 V', 'Specification Met : 5 Star Rated', 'Control Method : IoT', 'Light Type : Underlight', 'Blade Material: ABS']
- {'Model Name': 'Aris Starlight', 'Color': 'Dark Teakwood / Marble White', 'Room Type': 'Living, Room, Bedroom, Dining, Room', 'Special Feature': 'Led Remote IOT Enabled Underlight', 'Wattage': '39 Watts', 'Finish Type': 'ABS', 'No.of Blades': '3', 'Air Delivery (CMM)': '245 CMM', 'Speed': '280 RPM', 'Item Weight': '5.2 Kilograms', 'Voltage': '165 - 285 V', 'Specification Met': '5 Star Rated', 'Control Method': 'IoT', 'Light Type': 'Underlight', 'Blade Material': 'ABS', 'blade\_length': '120.0 cm', 'Smart Control': 'Yes'}
- {'Wattage': {'value': 39.0, 'unit': 'Watts', 'raw': '39 Watts'}, 'No.of Blades': {'value': 3.0, 'unit': 'None', 'raw': '3'}, 'Air Delivery (CMM)': {'value': 245.0, 'unit': 'CMM', 'raw': '245 CMM'}, 'Speed': {'value': 280.0, 'unit': 'RPM', 'raw': '280 RPM'}, 'Item Weight': {'value': 5.2, 'unit': 'Kilograms', 'raw': '5.2 Kilograms'}, 'Voltage': {'value': 165.0, 'unit': 'None', 'raw': '165 - 285 V'}, 'Specification Met': {'value': 5.0, 'unit': 'Star', 'raw': '5 Star Rated'}, 'blade\_length': {'value': 120.0, 'unit': 'cm', 'raw': '120.0 cm'}}
- {}
- {'Model Name': 'Aris Starlight', 'Color': 'Dark Teakwood / Marble White', 'Room Type': 'Living, Room, Bedroom, Dining, Room', 'Special Feature': 'Led Remote IOT Enabled Underlight', 'Finish Type': 'ABS', 'Control Method': 'IoT', 'Light Type': 'Underlight', 'Blade Material': 'ABS'}

### Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

BESTSELLER

## Superfan Superfan Super Q High Flow BLDC Ceiling Fan with 5 Years Warranty - 120 cm 48 inches

Price: ₹6,000.00 (Retail: ₹9,800.00, Save: ₹3,800.00)

## Key Features:

- ['High flow, low pressure', '20% more airflow', '6 sizes: 24 in. to 60 in.', 'Up to 69% savings', '2x quieter operation', 'Designed for healthy sleep', 'Fan Size : 1200 MM', 'Input Power : 35W', 'Typical Speed : 270 RPM', 'Air Flow : 260 m3/min', 'Service Value : 7.4 m3/min/watt', 'Power Factor : >0.9', 'Voltage Range : 90-300 Vac', '10-key remote with 5 different speeds', '2Hrs & 6Hrs Timer functions', 'Speed Control : T4 Remote']
- {'Input Power': '35W', 'Typical Speed': '270 RPM', 'Air Flow': '260 m3/min', 'Service Value': '7.4 m3/min/watt', 'Power Factor': '>0.9', 'Voltage Range': '90-300 Vac', 'Speed Control': 'T4 Remote', 'blade\_length': '120.0 cm', 'Smart Control': 'No'}
- {'Input Power': {'value': 35.0, 'unit': 'W', 'raw': '35W'}, 'Typical Speed': {'value': 270.0, 'unit': 'RPM', 'raw': '270 RPM'}, 'Air Flow': {'value': 260.0, 'unit': 'm', 'raw': '260 m3/min'}, 'Service Value': {'value': 7.4, 'unit': 'm', 'raw': '7.4 m3/min/watt'}, 'Voltage Range': {'value': 90.0, 'unit': None, 'raw': '90-300 Vac'}, 'blade\_length': {'value': 120.0, 'unit': 'cm', 'raw': '120.0 cm'}}
- {}
- {'high flow, low pressure': True, '20% more airflow': True, 'up to 69% savings': True, '2x quieter operation': True, 'designed for healthy sleep': True, 'Power Factor': '>0.9', '10-key remote with 5 different speeds': True, '2hrs & 6hrs timer functions': True, 'Speed Control': 'T4 Remote'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

---

**BESTSELLER**

## Atomberg Atomberg Renesa Energy Efficient Dust Resistant 1200mm Ceiling Fan with BLDC Motor and Remote

Price: ₹5,042.00 (Retail: ₹7,860.00, Save: ₹2,818.00)

## Key Features:

- ['Air Delivery: 220 CMM', 'RPM: 340', 'Power Consumption: 28 Watts', 'Input Voltage(V): 140-285', 'Frequency(HZ): 48-52', 'Power Factor: 0.99', 'No. Of Blades: 3', 'Bearing: ZZ Shielded Double Ball Bearing', 'Remote Control: Speed Control', 'Boost Mode', 'Timer & Sleep Mode', 'Available Colours: Pearl White, Earth Brown, Golden Oakwood, and Natural Oakwood']

- {'Air Delivery': '220 CMM', 'RPM': '340', 'Power Consumption': '28 Watts', 'Input Voltage(V)': '140-285', 'Frequency(HZ)': '48-52', 'Power Factor': '0.99', 'No. Of Blades': '3', 'Bearing': 'ZZ Shielded Double Ball Bearing', 'Remote Control': 'Speed Control', 'Available Colours': 'Pearl White, Earth Brown, Golden Oakwood, and Natural Oakwood', 'blade\_length': '120.0 cm', 'Smart Control': 'No'}
- {'Air Delivery': {'value': 220.0, 'unit': 'CMM', 'raw': '220 CMM'}, 'RPM': {'value': 340.0, 'unit': None, 'raw': '340'}, 'Power Consumption': {'value': 28.0, 'unit': 'Watts', 'raw': '28 Watts'}, 'Input Voltage(V)': {'value': 140.0, 'unit': None, 'raw': '140-285'}, 'Frequency(HZ)': {'value': 48.0, 'unit': None, 'raw': '48-52'}, 'Power Factor': {'value': 0.99, 'unit': None, 'raw': '0.99'}, 'No. Of Blades': {'value': 3.0, 'unit': None, 'raw': '3'}, 'blade\_length': {'value': 120.0, 'unit': 'cm', 'raw': '120.0 cm'}}
- {}
- {'Bearing': 'ZZ Shielded Double Ball Bearing', 'Remote Control': 'Speed Control', 'boost mode': True, 'timer & sleep mode': True, 'Available Colours': 'Pearl White, Earth Brown, Golden Oakwood, and Natural Oakwood'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

## Ac Recommendations

**BESTSELLER**

## LG LG AC 2 Ton 3 Star Split AC with AI Convertible 6-in-1 Cooling, Gold Fin, Viraat Mode, Diet Mode, 2025 Model US-Q24ENXE

Price: ₹57,990.00 (Retail: ₹95,990.00, Save: ₹38,000.00)

## Key Features:

- ['Model Name: US-Q24ENXE', 'Outdoor Unit Model Name: USUQ24ENXE.ANLG', 'Type: Inverter Split', 'Product Type: Wall Mounted', 'HVAC Type: C/O', 'Cooling Capacity Max(W): 6800', 'Cooling Power Consumption Rated/Min(W): 2220', 'Energy Grade: 3 Star', 'Colour(Body): White', 'Display: 88 Hidden', 'Cooling Capacity Rated/Min(W): 6300 / -', 'Cooling Power Consumption Rated/Min(W): 2220', 'Indoor Unit Dimension WxHxD(mm): 998 x 345 x 210', 'Cooling Capacity Max(W): 6800', 'Indoor Unit Weight(kg): 11.0', 'Outdoor Unit Dimension WxHxD(mm): 770 x 545 x 288', 'Outdoor Unit Weight(kg): 30.0', 'Rated Input Voltage(V, Hz): 187 ~ 276, 50', 'Refrigerant Type: R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A)): 47 / 47 / 41 / 37 / 32', 'HVAC Type: C/O', 'Himalaya

Cool: Yes', 'Airflow direction control (Up & Down): Yes', 'Fan Speed: 6 Steps', '6-in-1 Cooling: Yes', 'Diet Mode: Yes', 'Dehumidification: Yes', 'Energy Grade: 3 Star', 'Auto Restart: Yes', 'Fan Mode: Yes', 'Forced Switch Operation: Yes', 'Low Noise: Yes', 'On/Off Reservation(24Hr): Yes', 'Remote Controller: Basic', 'Reservation: Yes', 'Smart Diagnosis: Yes', 'Smart Guide: Yes', 'Stabilizer Free operation: Yes', 'Auto Cleaning: Yes']

- {'Model Name': 'US-Q24ENXE', 'Outdoor Unit Model Name': 'USUQ24ENXE.ANLG', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Cooling Capacity Max(W)': '6800', 'Cooling Power Consumption Rated/Min(W)': '2220', 'Energy Grade': '3 Star', 'Colour(Body)': 'White', 'Display': '88 Hidden', 'Cooling Capacity Rated/Min(W)': '6300 / -', 'Indoor Unit Dimension WxHxD(mm)': '998 x 345 x 210', 'Indoor Unit Weight(kg)': '11.0', 'Outdoor Unit Dimension WxHxD(mm)': '770 x 545 x 288', 'Outdoor Unit Weight(kg)': '30.0', 'Rated Input Voltage(V, Hz)': '187 ~ 276, 50', 'Refrigerant Type': 'R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': '47 / 47 / 41 / 37 / 32', 'Himalaya Cool': 'Yes', 'Airflow direction control (Up & Down)': 'Yes', 'Fan Speed': '6 Steps', '6-in-1 Cooling': 'Yes', 'Diet Mode': 'Yes', 'Dehumidification': 'Yes', 'Auto Restart': 'Yes', 'Fan Mode': 'Yes', 'Forced Switch Operation': 'Yes', 'Low Noise': 'Yes', 'On/Off Reservation(24Hr)': 'Yes', 'Remote Controller': 'Basic', 'Reservation': 'Yes', 'Smart Diagnosis': 'Yes', 'Smart Guide': 'Yes', 'Stabilizer Free operation': 'Yes', 'Auto Cleaning': 'Yes', 'Smart Control': 'No'}

- {'Cooling Capacity Max(W)': {'value': 6800.0, 'unit': None, 'raw': '6800'}, 'Cooling Power Consumption Rated/Min(W)': {'value': 2220.0, 'unit': None, 'raw': '2220'}, 'Energy Grade': {'value': 3.0, 'unit': 'Star', 'raw': '3 Star'}, 'Display': {'value': 88.0, 'unit': 'Hidden', 'raw': '88 Hidden'}, 'Cooling Capacity Rated/Min(W)': {'value': 6300.0, 'unit': None, 'raw': '6300 / -'}, 'Indoor Unit Dimension WxHxD(mm)': {'value': 998.0, 'unit': 'x', 'raw': '998 x 345 x 210'}, 'Indoor Unit Weight(kg)': {'value': 11.0, 'unit': None, 'raw': '11.0'}, 'Outdoor Unit Dimension WxHxD(mm)': {'value': 770.0, 'unit': 'x', 'raw': '770 x 545 x 288'}, 'Outdoor Unit Weight(kg)': {'value': 30.0, 'unit': None, 'raw': '30.0'}, 'Rated Input Voltage(V, Hz)': {'value': 187.0, 'unit': None, 'raw': '187 ~ 276, 50'}, 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': {'value': 47.0, 'unit': None, 'raw': '47 / 47 / 41 / 37 / 32'}, 'Fan Speed': {'value': 6.0, 'unit': 'Steps', 'raw': '6 Steps'}}

- {'Himalaya Cool': True, 'Airflow direction control (Up & Down)': True, '6-in-1 Cooling': True, 'Diet Mode': True, 'Dehumidification': True, 'Auto Restart': True, 'Fan Mode': True, 'Forced Switch Operation': True, 'Low Noise': True, 'On/Off Reservation(24Hr)': True, 'Reservation': True, 'Smart Diagnosis': True, 'Smart Guide': True, 'Stabilizer Free operation': True, 'Auto Cleaning': True}

- {'Model Name': 'US-Q24ENXE', 'Outdoor Unit Model Name': 'USUQ24ENXE.ANLG', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Colour(Body)': 'White', 'Refrigerant Type': 'R32', 'Remote Controller': 'Basic'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews
-

## Daikin Daikin AC 2.02 Ton - Inverter - 4 Star - Split AC - FTKL71UV16M and RKL71UV16M - Copper Condenser

Price: ₹64,990.00 (Retail: ₹86,800.00, Save: ₹21,810.00)

### Key Features:

- ['Model: FTKL71U', 'Indoor Unit Model Name: FTKL71UV16M', 'Outdoor Unit Model Name: RKL71UV16M', 'Type: Inverter Split', 'Capacity: 2.0 Ton or 7.03 KW', 'Star Rating: 4 Star', 'Power Supply: 1', 'Annual Power Consumption: 1184.53 KWH', 'Indoor Unit Dimensions: 352x1060x278 mm', 'Outdoor Unit Dimensions: 595x845x300 mm', 'IDU Net Weight (Gross Weight): 14 (19) Kg', 'ODU Net Weight (Gross Weight): 34.5(38.5)Kg', 'Operating Ambient Temperature Range: 20~52 C DB', 'Piping Length: 30 m', 'Piping Height: 20 m', 'Piping Connection: 15.9 / 6.4 (5/8/1/4)', 'Compressor Type: Swing Compressor', 'Breaker Size: 20 A', 'Refrigerant: R - 32', 'Condenser Coil: Copper', 'Remote Control: Yes', 'Sound Level: 49/46/44/41/39/32 dBA', 'Airflow Rate: 794.5 Feet/Min (CFM) or 22.5 Metre/Min (CMM)', 'Voltage Range: 130~265 V', 'Operating Current: 9.9 A', 'Operating Ambient Temperatur Range: 20-54 Celcius DB']
- {'Model': 'FTKL71U', 'Indoor Unit Model Name': 'FTKL71UV16M', 'Outdoor Unit Model Name': 'RKL71UV16M', 'Type': 'Inverter Split', 'Capacity': '2.0 Ton or 7.03 KW', 'Star Rating': '4 Star', 'Power Supply': '1', 'Annual Power Consumption': '1184.53 KWH', 'Indoor Unit Dimensions': '352x1060x278 mm', 'Outdoor Unit Dimensions': '595x845x300 mm', 'IDU Net Weight (Gross Weight)': '14 (19) Kg', 'ODU Net Weight (Gross Weight)': '34.5(38.5)Kg', 'Operating Ambient Temperature Range': '20~52 C DB', 'Piping Length': '30 m', 'Piping Height': '20 m', 'Piping Connection': '15.9 / 6.4 (5/8/1/4)', 'Compressor Type': 'Swing Compressor', 'Breaker Size': '20 A', 'Refrigerant': 'R - 32', 'Condenser Coil': 'Copper', 'Remote Control': 'Yes', 'Sound Level': '49/46/44/41/39/32 dBA', 'Airflow Rate': '794.5 Feet/Min (CFM) or 22.5 Metre/Min (CMM)', 'Voltage Range': '130~265 V', 'Operating Current': '9.9 A', 'Operating Ambient Temperatur Range': '20-54 Celcius DB', 'Smart Control': 'No'}
- {'Capacity': {'value': 2.0, 'unit': 'Ton', 'raw': '2.0 Ton or 7.03 KW'}, 'Star Rating': {'value': 4.0, 'unit': 'Star', 'raw': '4 Star'}, 'Power Supply': {'value': 1.0, 'unit': 'None', 'raw': '1'}, 'Annual Power Consumption': {'value': 1184.53, 'unit': 'KWH', 'raw': '1184.53 KWH'}, 'Indoor Unit Dimensions': {'value': 352.0, 'unit': 'x', 'raw': '352x1060x278 mm'}, 'Outdoor Unit Dimensions': {'value': 595.0, 'unit': 'x', 'raw': '595x845x300 mm'}, 'IDU Net Weight (Gross Weight)': {'value': 14.0, 'unit': 'None', 'raw': '14 (19) Kg'}, 'ODU Net Weight (Gross Weight)': {'value': 34.5, 'unit': 'None', 'raw': '34.5(38.5)Kg'}, 'Operating Ambient Temperature Range': {'value': 20.0, 'unit': 'None', 'raw': '20~52 C DB'}, 'Piping Length': {'value': 30.0, 'unit': 'm', 'raw': '30 m'}, 'Piping Height': {'value': 20.0, 'unit': 'm', 'raw': '20 m'}, 'Piping Connection': {'value': 15.9, 'unit': 'None', 'raw': '15.9 / 6.4 (5/8/1/4)'}, 'Breaker Size': {'value': 20.0, 'unit': 'A', 'raw': '20 A'}, 'Sound Level': {'value': 49.0, 'unit': 'None', 'raw': '49/46/44/41/39/32 dBA'}, 'Airflow Rate': {'value': 794.5, 'unit': 'Feet', 'raw': '794.5 Feet/Min (CFM) or 22.5 Metre/Min (CMM)'}, 'Voltage Range': {'value': 130.0, 'unit': 'None', 'raw': '130~265 V'}, 'Operating Current': {'value': 9.9, 'unit': 'A', 'raw': '9.9 A'}, 'Operating

Ambient Temperatur Range': {'value': 20.0, 'unit': None, 'raw': '20-54 Celcius DB'}}}

- {'Remote Control': True}
- {'Model': 'FTKL71U', 'Indoor Unit Model Name': 'FTKL71UV16M', 'Outdoor Unit Model Name': 'RKL71UV16M', 'Type': 'Inverter Split', 'Compressor Type': 'Swing Compressor', 'Refrigerant': 'R - 32', 'Condenser Coil': 'Copper'}

## Why We Recommend This:

---

### Daikin Daikin AC 2.02 Ton - Inverter - 3 Star - Split AC - FTKL71UV16T and RKL71UV16T - Copper Condenser

Price: ₹64,990.00 (Retail: ₹86,800.00, Save: ₹21,810.00)

#### Key Features:

- ['Model: FTKL71U', 'Indoor Unit Model Name: FTKL71UV16T', 'Outdoor Unit Model Name: RKL71UV16T', 'Type: Inverter Split', 'Capacity: 2.0 Ton', 'Star Rating: 3 Star', 'Power Supply: 1', 'Annual Power Consumption: 1372.85 kWh', 'Indoor Unit Dimensions: 310x1100x239mm', 'Outdoor Unit Dimensions: 595x845x300 mm', 'IDU Net Weight (Gross Weight): 12.5(16.5)Kg', 'ODU Net Weight (Gross Weight): 36.5(44)Kg', 'Operating Ambient Temperature Range: 20~52 C DB', 'Piping Length: 30 m', 'Piping Height: 20 m', 'Piping Connection: 12.7 / 6.4(1/2/1/4)', 'Compressor Type: Swing Compressor', 'Breaker Size: 20 A', 'Refrigerant: R - 32', 'Condenser Coil: Copper', 'Remote Control: Yes', 'Sound Level: 49/46/44/41/39/32 dBA', 'Airflow Rate: 635 Feet/min (cfm)', 'Voltage Range: 130~265 V', 'Operating Current: 10.6 A']
- {'Model': 'FTKL71U', 'Indoor Unit Model Name': 'FTKL71UV16T', 'Outdoor Unit Model Name': 'RKL71UV16T', 'Type': 'Inverter Split', 'Capacity': '2.0 Ton', 'Star Rating': '3 Star', 'Power Supply': '1', 'Annual Power Consumption': '1372.85 kWh', 'Indoor Unit Dimensions': '310x1100x239mm', 'Outdoor Unit Dimensions': '595x845x300 mm', 'IDU Net Weight (Gross Weight)': '12.5(16.5)Kg', 'ODU Net Weight (Gross Weight)': '36.5(44)Kg', 'Operating Ambient Temperature Range': '20~52 C DB', 'Piping Length': '30 m', 'Piping Height': '20 m', 'Piping Connection': '12.7 / 6.4(1/2/1/4)', 'Compressor Type': 'Swing Compressor', 'Breaker Size': '20 A', 'Refrigerant': 'R - 32', 'Condenser Coil': 'Copper', 'Remote Control': 'Yes', 'Sound Level': '49/46/44/41/39/32 dBA', 'Airflow Rate': '635 Feet/min (cfm)', 'Voltage Range': '130~265 V', 'Operating Current': '10.6 A', 'Smart Control': 'No'}
- {'Capacity': {'value': 2.0, 'unit': 'Ton', 'raw': '2.0 Ton'}, 'Star Rating': {'value': 3.0, 'unit': 'Star', 'raw': '3 Star'}, 'Power Supply': {'value': 1.0, 'unit': None, 'raw': '1'}, 'Annual Power Consumption': {'value': 1372.85, 'unit': 'kWh', 'raw': '1372.85 kWh'}, 'Indoor Unit Dimensions': {'value': 310.0, 'unit': 'x', 'raw': '310x1100x239mm'}, 'Outdoor Unit Dimensions': {'value': 595.0, 'unit': 'x', 'raw': '595x845x300 mm'}, 'IDU Net Weight (Gross Weight)': {'value': 12.5, 'unit': None, 'raw': '12.5(16.5)Kg'}, 'ODU Net Weight (Gross

Weight': {'value': 36.5, 'unit': None, 'raw': '36.5(44)Kg'}, 'Operating Ambient Temperature Range': {'value': 20.0, 'unit': None, 'raw': '20~52 C DB'}, 'Piping Length': {'value': 30.0, 'unit': 'm', 'raw': '30 m'}, 'Piping Height': {'value': 20.0, 'unit': 'm', 'raw': '20 m'}, 'Piping Connection': {'value': 12.7, 'unit': None, 'raw': '12.7 / 6.4(1/2/1/4)'}, 'Breaker Size': {'value': 20.0, 'unit': 'A', 'raw': '20 A'}, 'Sound Level': {'value': 49.0, 'unit': None, 'raw': '49/46/44/41/39/32 dBA'}, 'Airflow Rate': {'value': 635.0, 'unit': 'Feet', 'raw': '635 Feet/min (cfm)'}, 'Voltage Range': {'value': 130.0, 'unit': None, 'raw': '130~265 V'}, 'Operating Current': {'value': 10.6, 'unit': 'A', 'raw': '10.6 A'}}

- {'Remote Control': True}
- {'Model': 'FTKL71U', 'Indoor Unit Model Name': 'FTKL71UV16T', 'Outdoor Unit Model Name': 'RKL71UV16T', 'Type': 'Inverter Split', 'Compressor Type': 'Swing Compressor', 'Refrigerant': 'R - 32', 'Condenser Coil': 'Copper'}

## Why We Recommend This:

---

### Kitchen Room

A functional kitchen of 100.0 sq ft with a 90 cm chimney, standard with 4 burners, and a small fan.

### Chimney Recommendations

#### BESTSELLER

### Bosch Bosch Chimney 90 CM - DWKA98H60I - Series 4 - Wall-Mounted Cooker Hood Flat Black

Price: ₹41,200.00 (Retail: ₹59,990.00, Save: ₹18,790.00)

### Key Features:

- ['Mounting Type : Wall Mounted', 'Height of product, without chimney : 505 mm', 'Width: 90 cm', 'Depth of the product: 415 mm', 'Net weight : 26.0 kg', 'Type of control : Electronic', 'Max. air extraction : 750 m/h', 'Number of lights : 1', 'Noise level : 64 dB(A) re 1pW', 'Diameter of air outlet : 180 mm', 'Odour filter : No', 'Operating Mode : Air extraction only', 'Optional accessories : DWZ3OK6N1', 'Type of lamps used : LED', 'Total power of the lamps : 3 W', 'Grease filter type : Multilayer', 'Clean filter reminders : No', 'Total power of the motors : 148 W', 'Voltage : 230 V', 'Frequency : 50 Hz', 'Plug type : India plug (6 Ampere)', 'Net weight : 57.000 lbs', 'Gross weight : 71.000 lbs', 'Motor location : Integrated



motor in hood chimney', 'No-return airflow flap : Yes', 'Net weight : 26.0 kg', 'Gross weight : 32.0 kg', 'Dimensions of the product, with chimney (if exists): 505 x 900.0 x415.0 mm', 'Number of speed settings : 3-stages + intensive setting', 'Type of control setting and signalling devices : LED, touch control']

- {'Mounting Type': 'Wall Mounted', 'Height of product, without chimney': '505 mm', 'Width': '90 cm', 'Depth of the product': '415 mm', 'Net weight': '26.0 kg', 'Type of control': 'Electronic', 'Max. air extraction': '750 m/h', 'Number of lights': '1', 'Noise level': '64 dB(A) re 1pW', 'Diameter of air outlet': '180 mm', 'Odour filter': 'No', 'Operating Mode': 'Air extraction only', 'Optional accessories': 'DWZ3OK6N1', 'Type of lamps used': 'LED', 'Total power of the lamps': '3 W', 'Grease filter type': 'Multilayer', 'Clean filter reminders': 'No', 'Total power of the motors': '148 W', 'Voltage': '230 V', 'Frequency': '50 Hz', 'Plug type': 'India plug (6 Ampere)', 'Gross weight': '32.0 kg', 'Motor location': 'Integrated motor in hood chimney', 'No-return airflow flap': 'Yes', 'Dimensions of the product, with chimney (if exists)': '505 x 900.0 x415.0 mm', 'Number of speed settings': '3-stages + intensive setting', 'Type of control setting and signalling devices': 'LED, touch control', 'Smart Control': 'No'}

- {'Height of product, without chimney': {'value': 505.0, 'unit': 'mm', 'raw': '505 mm'}, 'Width': {'value': 90.0, 'unit': 'cm', 'raw': '90 cm'}, 'Depth of the product': {'value': 415.0, 'unit': 'mm', 'raw': '415 mm'}, 'Net weight': {'value': 26.0, 'unit': 'kg', 'raw': '26.0 kg'}, 'Max. air extraction': {'value': 750.0, 'unit': 'm', 'raw': '750 m/h'}, 'Number of lights': {'value': 1.0, 'unit': None, 'raw': '1'}, 'Noise level': {'value': 64.0, 'unit': 'dB', 'raw': '64 dB(A) re 1pW'}, 'Diameter of air outlet': {'value': 180.0, 'unit': 'mm', 'raw': '180 mm'}, 'Total power of the lamps': {'value': 3.0, 'unit': 'W', 'raw': '3 W'}, 'Total power of the motors': {'value': 148.0, 'unit': 'W', 'raw': '148 W'}, 'Voltage': {'value': 230.0, 'unit': 'V', 'raw': '230 V'}, 'Frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50 Hz'}, 'Gross weight': {'value': 32.0, 'unit': 'kg', 'raw': '32.0 kg'}, 'Dimensions of the product, with chimney (if exists)': {'value': 505.0, 'unit': 'x', 'raw': '505 x 900.0 x415.0 mm'}, 'Number of speed settings': {'value': 3.0, 'unit': None, 'raw': '3-stages + intensive setting'}}

- {'Odour filter': False, 'Clean filter reminders': False, 'No-return airflow flap': True}

- {'Mounting Type': 'Wall Mounted', 'Type of control': 'Electronic', 'Operating Mode': 'Air extraction only', 'Optional accessories': 'DWZ3OK6N1', 'Type of lamps used': 'LED', 'Grease filter type': 'Multilayer', 'Plug type': 'India plug (6 Ampere)', 'Motor location': 'Integrated motor in hood chimney', 'Type of control setting and signalling devices': 'LED, touch control'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

---

**BESTSELLER**

## Bosch Bosch Chimney 60 CM - DWKA68H60I - Series 4 - Wall-Mounted Cooker Hood Flat Black

Price: ₹49,492.00 (Retail: ₹54,990.00, Save: ₹5,498.00)

### Key Features:

- ['Mounting Type : Wall Mounted', 'Height of product, without chimney : 505 mm', 'Net weight : 21.3 kg', 'Type of control : Electronic', 'Number of speed settings: 3-stages + intensive setting', 'Max. air extraction : 750 m/h', 'Number of lights : 1', 'Noise level : 64 dB(A) re 1pW', 'Diameter of air outlet : 180 mm', 'Odour filter : No', 'Operating Mode : Air extraction only', 'Optional accessories : DWZ3OK6N1', 'Type of lamps used : LED', 'Total power of the lamps : 3 W', 'Grease filter type : Multilayer', 'Clean filter reminders : No', 'Total power of the motors : 148 W', 'Voltage : 230 V', 'Frequency : 50 Hz', 'Plug type : India plug (6 Ampere)', 'Net weight : 47.000 lbs', 'Gross weight : 57.000 lbs', 'Motor location : Integrated motor in hood chimney', 'No-return airflow flap : Yes', 'Net weight : 21.3 kg', 'Gross weight : 26.0 kg', 'Dimensions of the product, with chimney (if exists): .505 x 600.0 x415.0 mm', 'Type of control setting and signalling devices : LED, touch control']

- {'Mounting Type': 'Wall Mounted', 'Height of product, without chimney': '505 mm', 'Net weight': '21.3 kg', 'Type of control': 'Electronic', 'Number of speed settings': '3-stages + intensive setting', 'Max. air extraction': '750 m/h', 'Number of lights': '1', 'Noise level': '64 dB(A) re 1pW', 'Diameter of air outlet': '180 mm', 'Odour filter': 'No', 'Operating Mode': 'Air extraction only', 'Optional accessories': 'DWZ3OK6N1', 'Type of lamps used': 'LED', 'Total power of the lamps': '3 W', 'Grease filter type': 'Multilayer', 'Clean filter reminders': 'No', 'Total power of the motors': '148 W', 'Voltage': '230 V', 'Frequency': '50 Hz', 'Plug type': 'India plug (6 Ampere)', 'Gross weight': '26.0 kg', 'Motor location': 'Integrated motor in hood chimney', 'No-return airflow flap': 'Yes', 'Dimensions of the product, with chimney (if exists)': '.505 x 600.0 x415.0 mm', 'Type of control setting and signalling devices': 'LED, touch control', 'Smart Control': 'No'}

- {'Height of product, without chimney': {'value': 505.0, 'unit': 'mm', 'raw': '505 mm'}, 'Net weight': {'value': 21.3, 'unit': 'kg', 'raw': '21.3 kg'}, 'Number of speed settings': {'value': 3.0, 'unit': None, 'raw': '3-stages + intensive setting'}, 'Max. air extraction': {'value': 750.0, 'unit': 'm', 'raw': '750 m/h'}, 'Number of lights': {'value': 1.0, 'unit': None, 'raw': '1'}, 'Noise level': {'value': 64.0, 'unit': 'dB', 'raw': '64 dB(A) re 1pW'}, 'Diameter of air outlet': {'value': 180.0, 'unit': 'mm', 'raw': '180 mm'}, 'Total power of the lamps': {'value': 3.0, 'unit': 'W', 'raw': '3 W'}, 'Total power of the motors': {'value': 148.0, 'unit': 'W', 'raw': '148 W'}, 'Voltage': {'value': 230.0, 'unit': 'V', 'raw': '230 V'}, 'Frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50 Hz'}, 'Gross weight': {'value': 26.0, 'unit': 'kg', 'raw': '26.0 kg'}, 'Dimensions of the product, with chimney (if exists)': {'value': 0.505, 'unit': 'x', 'raw': '.505 x 600.0 x415.0 mm'}}

- {'Odour filter': False, 'Clean filter reminders': False, 'No-return airflow flap': True}

- {'Mounting Type': 'Wall Mounted', 'Type of control': 'Electronic', 'Operating Mode': 'Air extraction only', 'Optional accessories': 'DWZ3OK6N1', 'Type of lamps used': 'LED', 'Grease filter type': 'Multilayer', 'Plug type': 'India plug (6 Ampere)', 'Motor location': 'Integrated motor in hood chimney', 'Type of control setting and signalling devices': 'LED, touch control'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

## Bosch Bosch Chimney 90 CM - DIB98JQ50I - Series 6 - Island Cooker Hood Stainless Steel

Price: ₹119,700.00 (Retail: ₹133,000.00, Save: ₹13,300.00)

## Key Features:

- ['Typology: Island/Ceilling', 'Length electrical supply cord: 130.0 cm', 'Power consumption standby/display off: 0.5 W', 'Total annual energy consumption: 31.9 kWh/annum', 'Height of the chimney: 698-878/698-998 mm', 'Height of product, without chimney: 46 mm', 'Net weight: 30.1 kg', 'Type of control: Electronic', 'Number of speed settings: 3-stage + 2 intensive', 'Max. air extraction: 445 m/h', 'Boost position output recirculating: 457 m/h', 'Max. air recirculation: 353 m/h', 'Boost position air extraction: 867 m/h', 'Number of lights: 4', 'Noise level: 54 dB(A) re 1pW', 'Diameter of air outlet: 120 / 150 mm', 'Grease filter material: Washable stainless steel', 'Odour filter: No', 'Operating Mode: Convertible', 'Optional accessories: DHZ1231, DHZ1241, DHZ1246, DHZ1251, DHZ1253, DHZ1256, DIZ2CB1I4, DIZ2CX5C6, DIZ2FX5D1, DZZ0XX0P0, DZZ1XX1B6, DZZ2CB1B4', 'Type of lamps used: LED', 'Grease filter type: Multilayer cassette', 'Connection rating: 166 W', 'Fuse protection: 10 A', 'Voltage: 220-240 V', 'Frequency: 50; 60 Hz', 'Plug type: India plug (6 Ampere)', 'Material body: Stainless steel', 'Dimensions of the packed product: 32.67 x 24.01 x 40.94', 'Net weight: 66.000 lbs', 'Gross weight: 89.000 lbs', 'Motor location: Integrated motor in hood chimney', 'No-return airflow flap: No', 'Length electrical supply cord: 130.0 cm', 'Dimensions of the product, with chimney (if exists): 744-1044 x 898.0 x 600.0 mm', 'Dimensions of the packed product (HxWxD): 830 x 610 x 1040 mm', 'Net weight: 30.1 kg', 'Gross weight: 40.5 kg']

- {'Typology': 'Island/Ceilling', 'Length electrical supply cord': '130.0 cm', 'Power consumption standby/display off': '0.5 W', 'Total annual energy consumption': '31.9 kWh/annum', 'Height of the chimney': '698-878/698-998 mm', 'Height of product, without chimney': '46 mm', 'Net weight': '30.1 kg', 'Type of control': 'Electronic', 'Number of speed settings': '3-stage + 2 intensive', 'Max. air extraction': '445 m/h', 'Boost position output recirculating': '457 m/h', 'Max. air recirculation': '353 m/h', 'Boost position air extraction': '867 m/h', 'Number of lights': '4', 'Noise level': '54 dB(A) re 1pW', 'Diameter of air outlet': '120 / 150 mm', 'Grease filter material': 'Washable stainless steel', 'Odour filter': 'No',

'Operating Mode': 'Convertible', 'Optional accessories': 'DHZ1231, DHZ1241, DHZ1246, DHZ1251, DHZ1253, DHZ1256, DIZ2CB1I4, DIZ2CX5C6, DIZ2FX5D1, DZZ0XX0P0, DZZ1XX1B6, DZZ2CB1B4', 'Type of lamps used': 'LED', 'Grease filter type': 'Multilayer cassette', 'Connection rating': '166 W', 'Fuse protection': '10 A', 'Voltage': '220-240 V', 'Frequency': '50; 60 Hz', 'Plug type': 'India plug (6 Ampere)', 'Material body': 'Stainless steel', 'Dimensions of the packed product': '32.67 x 24.01 x 40.94', 'Gross weight': '40.5 kg', 'Motor location': 'Integrated motor in hood chimney', 'No-return airflow flap': 'No', 'Dimensions of the product, with chimney (if exists)': '744-1044 x 898.0 x 600.0 mm', 'Dimensions of the packed product (HxWxD)': '830 x 610 x 1040 mm', 'Smart Control': 'No'}

- {'Length electrical supply cord': {'value': 130.0, 'unit': 'cm', 'raw': '130.0 cm'}, 'Power consumption standby/display off': {'value': 0.5, 'unit': 'W', 'raw': '0.5 W'}, 'Total annual energy consumption': {'value': 31.9, 'unit': 'kWh', 'raw': '31.9 kWh/annum'}, 'Height of the chimney': {'value': 698.0, 'unit': 'mm', 'raw': '698-878/698-998 mm'}, 'Height of product, without chimney': {'value': 46.0, 'unit': 'mm', 'raw': '46 mm'}, 'Net weight': {'value': 30.1, 'unit': 'kg', 'raw': '30.1 kg'}, 'Number of speed settings': {'value': 3.0, 'unit': 'None', 'raw': '3-stage + 2 intensive'}, 'Max. air extraction': {'value': 445.0, 'unit': 'm³/h', 'raw': '445 m³/h'}, 'Boost position output recirculating': {'value': 457.0, 'unit': 'm³/h', 'raw': '457 m³/h'}, 'Max. air recirculation': {'value': 353.0, 'unit': 'm³/h', 'raw': '353 m³/h'}, 'Boost position air extraction': {'value': 867.0, 'unit': 'm³/h', 'raw': '867 m³/h'}, 'Number of lights': {'value': 4.0, 'unit': 'None', 'raw': '4'}, 'Noise level': {'value': 54.0, 'unit': 'dB(A)', 'raw': '54 dB(A) re 1pW'}, 'Diameter of air outlet': {'value': 120.0, 'unit': 'mm', 'raw': '120 / 150 mm'}, 'Connection rating': {'value': 166.0, 'unit': 'W', 'raw': '166 W'}, 'Fuse protection': {'value': 10.0, 'unit': 'A', 'raw': '10 A'}, 'Voltage': {'value': 220.0, 'unit': 'V', 'raw': '220-240 V'}, 'Frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50; 60 Hz'}, 'Dimensions of the packed product': {'value': 32.67, 'unit': 'x', 'raw': '32.67 x 24.01 x 40.94'}, 'Gross weight': {'value': 40.5, 'unit': 'kg', 'raw': '40.5 kg'}, 'Dimensions of the product, with chimney (if exists)': {'value': 744.0, 'unit': 'mm', 'raw': '744-1044 x 898.0 x 600.0 mm'}, 'Dimensions of the packed product (HxWxD)': {'value': 830.0, 'unit': 'x', 'raw': '830 x 610 x 1040 mm'}}

- {'Odour filter': False, 'No-return airflow flap': False}

- {'Typology': 'Island/Ceiling', 'Type of control': 'Electronic', 'Grease filter material': 'Washable stainless steel', 'Operating Mode': 'Convertible', 'Optional accessories': 'DHZ1231, DHZ1241, DHZ1246, DHZ1251, DHZ1253, DHZ1256, DIZ2CB1I4, DIZ2CX5C6, DIZ2FX5D1, DZZ0XX0P0, DZZ1XX1B6, DZZ2CB1B4', 'Type of lamps used': 'LED', 'Grease filter type': 'Multilayer cassette', 'Plug type': 'India plug (6 Ampere)', 'Material body': 'Stainless steel', 'Motor location': 'Integrated motor in hood chimney'}

## Why We Recommend This:

---

## Refrigerator Recommendations

## Bosch Unknown Model

Price: ₹42,360.00 (Retail: ₹58,290.00, Save: ₹15,930.00)

### Key Features:

- ['Total storage volume: 302 L', 'Total fridge capacity: 180 l', 'Total freezer capacity: 65 l', 'Net capacity (flex compartment): 57 l', 'Appliance height: 175 cm', 'Appliance width: 67 cm', 'Appliance depth: 68 cm', 'Noise level: 42 dB', 'Nominal voltage: 220 - 240 V', 'Power frequency: 50 Hz', 'Length of mains cable: 175 cm', 'Gross weight: 78.5 Kg', 'Net weight: 77.3 Kg', 'Door hinge: Right', 'Number of adjustable shelves in fridge compartment: 2', 'Frost free system: Fridge', 'Multi-flow air tower: Yes', 'Fast cooling switch: Yes', 'Number of door bins - refrigerator: 2', 'Door bin adjustability - refrigerator: Yes', 'Gallon Storage: Yes', 'Number of gallon storage: 1', 'Material of the shelves: Glass, Safety glass', 'Door opened indicator freezer: Yes', 'Fuse protection: 6 A']

- {'Total storage volume': '302 L', 'Total fridge capacity': '180 l', 'Total freezer capacity': '65 l', 'Net capacity (flex compartment)': '57 l', 'Appliance height': '175 cm', 'Appliance width': '67 cm', 'Appliance depth': '68 cm', 'Noise level': '42 dB', 'Nominal voltage': '220 - 240 V', 'Power frequency': '50 Hz', 'Length of mains cable': '175 cm', 'Gross weight': '78.5 Kg', 'Net weight': '77.3 Kg', 'Door hinge': 'Right', 'Number of adjustable shelves in fridge compartment': '2', 'Frost free system': 'Fridge', 'Multi-flow air tower': 'Yes', 'Fast cooling switch': 'Yes', 'Number of door bins - refrigerator': '2', 'Door bin adjustability - refrigerator': 'Yes', 'Gallon Storage': 'Yes', 'Number of gallon storage': '1', 'Material of the shelves': 'Glass, Safety glass', 'Door opened indicator freezer': 'Yes', 'Fuse protection': '6 A', 'Smart Control': 'No'}

- {'Total storage volume': {'value': 302.0, 'unit': 'L', 'raw': '302 L'}, 'Total fridge capacity': {'value': 180.0, 'unit': 'l', 'raw': '180 l'}, 'Total freezer capacity': {'value': 65.0, 'unit': 'l', 'raw': '65 l'}, 'Net capacity (flex compartment)': {'value': 57.0, 'unit': 'l', 'raw': '57 l'}, 'Appliance height': {'value': 175.0, 'unit': 'cm', 'raw': '175 cm'}, 'Appliance width': {'value': 67.0, 'unit': 'cm', 'raw': '67 cm'}, 'Appliance depth': {'value': 68.0, 'unit': 'cm', 'raw': '68 cm'}, 'Noise level': {'value': 42.0, 'unit': 'dB', 'raw': '42 dB'}, 'Nominal voltage': {'value': 220.0, 'unit': None, 'raw': '220 - 240 V'}, 'Power frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50 Hz'}, 'Length of mains cable': {'value': 175.0, 'unit': 'cm', 'raw': '175 cm'}, 'Gross weight': {'value': 78.5, 'unit': 'Kg', 'raw': '78.5 Kg'}, 'Net weight': {'value': 77.3, 'unit': 'Kg', 'raw': '77.3 Kg'}, 'Number of adjustable shelves in fridge compartment': {'value': 2.0, 'unit': None, 'raw': '2'}, 'Number of door bins - refrigerator': {'value': 2.0, 'unit': None, 'raw': '2'}, 'Number of gallon storage': {'value': 1.0, 'unit': None, 'raw': '1'}, 'Fuse protection': {'value': 6.0, 'unit': 'A', 'raw': '6 A'}}

- {'Multi-flow air tower': True, 'Fast cooling switch': True, 'Door bin adjustability - refrigerator': True, 'Gallon Storage': True, 'Door opened indicator freezer': True}

- {'Door hinge': 'Right', 'Frost free system': 'Fridge', 'Material of the shelves': 'Glass, Safety glass'}

## Why We Recommend This:

- Save ₹58,290.00 compared to retail price - exceptional value for money
  - Spacious and reliable refrigerator for your family
- 

## Bosch Unknown Model

Price: ₹40,207.00 (Retail: ₹45,690.00, Save: ₹5,483.00)

## Key Features:

- ['Total storage volume: 290 L', 'Appliance depth: 66 cm', 'Noise level: 42 dB', 'Power frequency: 50 Hz', 'Nominal voltage: 220 - 240 V', 'Length of mains cable: 175 cm', 'Main colour of product: Black pearl', 'Gross weight: 65.5 Kg', 'Net weight: 63.69 Kg', 'Built-in / Free-standing: Freestanding', 'Number of compressors: 1', 'Number of independent cooling systems: 2', 'Width of the appliance: 605 mm', 'Height: 1680 mm', 'Depth of the product: 660 mm', 'Door hinge: Right', 'Number of adjustable shelves in fridge compartment: 3', 'Multi-flow air tower: Yes', 'Fast cooling switch: Yes', 'Humidity control drawer: Yes', 'Number of door bins - refrigerator: 3', 'Door bin adjustability - refrigerator: Yes', 'Gallon storage: Yes', 'Material of the shelves: Glass, Safety glass', 'Door opened indicator freezer: Yes', 'Fuse protection: 6 A', 'Voltage: 220-240 V', 'Frequency: 50 Hz', 'Plug type: India plug (6 Ampere)']

- {'Total storage volume': '290 L', 'Appliance depth': '66 cm', 'Noise level': '42 dB', 'Power frequency': '50 Hz', 'Nominal voltage': '220 - 240 V', 'Length of mains cable': '175 cm', 'Main colour of product': 'Black pearl', 'Gross weight': '65.5 Kg', 'Net weight': '63.69 Kg', 'Built-in / Free-standing': 'Freestanding', 'Number of compressors': '1', 'Number of independent cooling systems': '2', 'Width of the appliance': '605 mm', 'Height': '1680 mm', 'Depth of the product': '660 mm', 'Door hinge': 'Right', 'Number of adjustable shelves in fridge compartment': '3', 'Multi-flow air tower': 'Yes', 'Fast cooling switch': 'Yes', 'Humidity control drawer': 'Yes', 'Number of door bins - refrigerator': '3', 'Door bin adjustability - refrigerator': 'Yes', 'Gallon storage': 'Yes', 'Material of the shelves': 'Glass, Safety glass', 'Door opened indicator freezer': 'Yes', 'Fuse protection': '6 A', 'Voltage': '220-240 V', 'Frequency': '50 Hz', 'Plug type': 'India plug (6 Ampere)', 'Smart Control': 'No'}

- {'Total storage volume': {'value': 290.0, 'unit': 'L', 'raw': '290 L'}, 'Appliance depth': {'value': 66.0, 'unit': 'cm', 'raw': '66 cm'}, 'Noise level': {'value': 42.0, 'unit': 'dB', 'raw': '42 dB'}, 'Power frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50 Hz'}, 'Nominal voltage': {'value': 220.0, 'unit': None, 'raw': '220 - 240 V'}, 'Length of mains cable': {'value': 175.0, 'unit': 'cm', 'raw': '175 cm'}, 'Gross weight': {'value': 65.5, 'unit': 'Kg', 'raw': '65.5 Kg'}, 'Net weight': {'value': 63.69, 'unit': 'Kg', 'raw': '63.69 Kg'}, 'Number of compressors': {'value': 1.0, 'unit': None, 'raw': '1'}, 'Number of independent cooling systems': {'value': 2.0, 'unit': None, 'raw': '2'}, 'Width of the appliance': {'value': 605.0, 'unit': 'mm', 'raw': '605 mm'}, 'Height': {'value': 1680.0, 'unit': 'mm', 'raw': '1680 mm'}, 'Depth of the

product': {'value': 660.0, 'unit': 'mm', 'raw': '660 mm'}, 'Number of adjustable shelves in fridge compartment': {'value': 3.0, 'unit': None, 'raw': '3'}, 'Number of door bins - refrigerator': {'value': 3.0, 'unit': None, 'raw': '3'}, 'Fuse protection': {'value': 6.0, 'unit': 'A', 'raw': '6 A'}, 'Voltage': {'value': 220.0, 'unit': None, 'raw': '220-240 V'}, 'Frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50 Hz'}}

- {'Multi-flow air tower': True, 'Fast cooling switch': True, 'Humidity control drawer': True, 'Door bin adjustability - refrigerator': True, 'Gallon storage': True, 'Door opened indicator freezer': True}

- {'Main colour of product': 'Black pearl', 'Built-in / Free-standing': 'Freestanding', 'Door hinge': 'Right', 'Material of the shelves': 'Glass, Safety glass', 'Plug type': 'India plug (6 Ampere)'}

## Why We Recommend This:

- Save ₹45,690.00 compared to retail price - exceptional value for money
  - Spacious and reliable refrigerator for your family
- 

## Bosch Unknown Model

Price: ₹21,656.00 (Retail: ₹25,490.00, Save: ₹3,834.00)

## Key Features:

- ['Total unit net capacity: 187 l', 'Freezer capacity: 20L', 'Included accessories: 1 x egg tray, 1 x Pedestal with drawer', 'Depth of the product: 682 mm', 'Height of the appliance: 1,287 mm', 'Net weight: 61.2 kg', 'Width of the appliance: 538 mm', 'Main colour of product: Feather blue', 'Number of compressors: 1', 'Noise level: 42 dB(A) re 1pW', 'Built-in / Free-standing: Freestanding', 'Type of control: mechanical', 'Length electrical supply cord: 165.0 cm', 'Fuse protection: KSA A', 'Frequency: 50 Hz', 'Plug type: India plug (6 Ampere)', 'Voltage: 220-240 V', 'Number of independent cooling systems: 1', 'Cover door installation system: Fixed-mounted', 'Door hinge: Right', 'Material of the shelves: Glass, Safety glass', 'Defrost process fridge section: Automatic', 'Number of shelves in fridge compartment: 3', 'Lockable door: Yes', 'Temperature adjustable freezer: Yes', 'Thaw water drainage system: No', 'Thermometer freeze section: Analog']

- {'Total unit net capacity': '187 l', 'Freezer capacity': '20L', 'Included accessories': '1 x egg tray, 1 x Pedestal with drawer', 'Depth of the product': '682 mm', 'Height of the appliance': '1,287 mm', 'Net weight': '61.2 kg', 'Width of the appliance': '538 mm', 'Main colour of product': 'Feather blue', 'Number of compressors': '1', 'Noise level': '42 dB(A) re 1pW', 'Built-in / Free-standing': 'Freestanding', 'Type of control': 'mechanical', 'Length electrical supply cord': '165.0 cm', 'Fuse protection': 'KSA A', 'Frequency': '50 Hz', 'Plug type': 'India plug (6 Ampere)', 'Voltage': '220-240 V', 'Number of independent cooling



systems': '1', 'Cover door installation system': 'Fixed-mounted', 'Door hinge': 'Right', 'Material of the shelves': 'Glass, Safety glass', 'Defrost process fridge section': 'Automatic', 'Number of shelves in fridge compartment': '3', 'Lockable door': 'Yes', 'Temperature adjustable freezer': 'Yes', 'Thaw water drainage system': 'No', 'Thermometer freeze section': 'Analog', 'Smart Control': 'No'}

- {'Total unit net capacity': {'value': 187.0, 'unit': 'l', 'raw': '187 l'}, 'Freezer capacity': {'value': 20.0, 'unit': 'L', 'raw': '20L'}, 'Included accessories': {'value': 1.0, 'unit': 'x', 'raw': '1 x egg tray, 1 x Pedestal with drawer'}, 'Depth of the product': {'value': 682.0, 'unit': 'mm', 'raw': '682 mm'}, 'Height of the appliance': {'value': 1.0, 'unit': 'None', 'raw': '1,287 mm'}, 'Net weight': {'value': 61.2, 'unit': 'kg', 'raw': '61.2 kg'}, 'Width of the appliance': {'value': 538.0, 'unit': 'mm', 'raw': '538 mm'}, 'Number of compressors': {'value': 1.0, 'unit': 'None', 'raw': '1'}, 'Noise level': {'value': 42.0, 'unit': 'dB', 'raw': '42 dB(A) re 1pW'}, 'Length electrical supply cord': {'value': 165.0, 'unit': 'cm', 'raw': '165.0 cm'}, 'Frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50 Hz'}, 'Voltage': {'value': 220.0, 'unit': 'None', 'raw': '220-240 V'}, 'Number of independent cooling systems': {'value': 1.0, 'unit': 'None', 'raw': '1'}, 'Number of shelves in fridge compartment': {'value': 3.0, 'unit': 'None', 'raw': '3'}}

- {'Lockable door': True, 'Temperature adjustable freezer': True, 'Thaw water drainage system': False}

- {'Main colour of product': 'Feather blue', 'Built-in / Free-standing': 'Freestanding', 'Type of control': 'mechanical', 'Fuse protection': 'KSA A', 'Plug type': 'India plug (6 Ampere)', 'Cover door installation system': 'Fixed-mounted', 'Door hinge': 'Right', 'Material of the shelves': 'Glass, Safety glass', 'Defrost process fridge section': 'Automatic', 'Thermometer freeze section': 'Analog'}

## Why We Recommend This:

- Save ₹25,490.00 compared to retail price - exceptional value for money
- Spacious and reliable refrigerator for your family

---

## Gas Stove Recommendations

### Hob Top Recommendations

#### Bosch Bosch Built-in Gas Hob 60CM - Series 4 - 4 Burner - PNH6B6F20I - Tempered Glass Black

Price: ₹40,041.00 (Retail: ₹44,490.00, Save: ₹4,449.00)

### Key Features:



- ['Product name/family: Gas hob w integrated controls', 'Built-in / Free-standing: Built-in', 'Energy input: Gas', 'Flame failure safety device', 'Power on indicator: No', 'Total number of positions that can be used at the same time: 4', 'Width of the appliance: 590 mm', 'Dimensions: 56x590x520 mm', 'Dimensions of the packed product (HxWxD): 141 x 651 x 578 mm', 'Type of control setting devices: sword knobs', 'Min. required niche size for installation (HxWxD): 45 x 560-562 x 480-mm', 'Net weight: .15.0 kg', 'Gross weight: . 15.8 kg', 'Residual heat indicator: without', 'Location of control panel: Front', 'Basic surface material: Tempered glass', 'Color of surface: Black', 'Color of frame: Black', 'Length electrical supply cord: 100.0 cm', 'Knob Material: Plastic', 'Type of frame: For a flush or slightly raised built-in solution.', 'Sealed Burners: No', 'Power of heating element (kW): 4 kW', 'Power of 3rd heating element (kW): 2.3 kW', 'Power of 5th heating element (kW): 2.3 kW', 'Connection rating: 1 W', 'Gas connection rating: 10300 W', 'Fuse protection: 3 A', 'Voltage: 220-240 V', 'Frequency: 50 Hz', 'Energy input: Gas', 'Gas type: Liquid gas G30,31 28-30/37 mbar', 'Alternative gas type: Nat gas H/E/(L) 20 (25) mbar', 'Plug type: India plug (16 Ampere)', 'Dimensions of the packed product: 5.55 x 22.75 x 25.62', 'Net weight: .33.000 lbs', 'Gross weight: 35.000 lbs', 'Length electrical supply cord: 100.0 cm', 'Gas connection: rear, right']

- {'Product name/family': 'Gas hob w integrated controls', 'Built-in / Free-standing': 'Built-in', 'Energy input': 'Gas', 'Power on indicator': 'No', 'Total number of positions that can be used at the same time': '4', 'Width of the appliance': '590 mm', 'Dimensions': '56x590x520 mm', 'Dimensions of the packed product (HxWxD)': '141 x 651 x 578 mm', 'Type of control setting devices': 'sword knobs', 'Min. required niche size for installation (HxWxD)': '45 x 560-562 x 480-mm', 'Net weight': '.33.000 lbs', 'Gross weight': '35.000 lbs', 'Residual heat indicator': 'without', 'Location of control panel': 'Front', 'Basic surface material': 'Tempered glass', 'Color of surface': 'Black', 'Color of frame': 'Black', 'Length electrical supply cord': '100.0 cm', 'Knob Material': 'Plastic', 'Type of frame': 'For a flush or slightly raised built-in solution.', 'Sealed Burners': 'No', 'Power of heating element (kW)': '4 kW', 'Power of 3rd heating element (kW)': '2.3 kW', 'Power of 5th heating element (kW)': '2.3 kW', 'Connection rating': '1 W', 'Gas connection rating': '10300 W', 'Fuse protection': '3 A', 'Voltage': '220-240 V', 'Frequency': '50 Hz', 'Gas type': 'Liquid gas G30,31 28-30/37 mbar', 'Alternative gas type': 'Nat gas H/E/(L) 20 (25) mbar', 'Plug type': 'India plug (16 Ampere)', 'Dimensions of the packed product': '5.55 x 22.75 x 25.62', 'Gas connection': 'rear, right', 'Smart Control': 'No'}

- {'Total number of positions that can be used at the same time': {'value': 4.0, 'unit': None, 'raw': '4'}, 'Width of the appliance': {'value': 590.0, 'unit': 'mm', 'raw': '590 mm'}, 'Dimensions': {'value': 56.0, 'unit': 'x', 'raw': '56x590x520 mm'}, 'Dimensions of the packed product (HxWxD)': {'value': 141.0, 'unit': 'x', 'raw': '141 x 651 x 578 mm'}, 'Min. required niche size for installation (HxWxD)': {'value': 45.0, 'unit': 'x', 'raw': '45 x 560-562 x 480-mm'}, 'Length electrical supply cord': {'value': 100.0, 'unit': 'cm', 'raw': '100.0 cm'}, 'Power of heating element (kW)': {'value': 4.0, 'unit': 'kW', 'raw': '4 kW'}, 'Power of 3rd heating element (kW)': {'value': 2.3, 'unit': 'kW', 'raw': '2.3 kW'}, 'Power of 5th heating element (kW)': {'value': 2.3, 'unit': 'kW', 'raw': '2.3 kW'}, 'Connection rating': {'value': 1.0, 'unit': 'W', 'raw': '1 W'}, 'Gas connection rating': {'value': 10300.0, 'unit': 'W', 'raw': '10300 W'}, 'Fuse protection': {'value': 3.0, 'unit': 'A', 'raw': '3 A'}, 'Voltage': {'value': 220.0, 'unit':

None, 'raw': '220-240 V'}, 'Frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50 Hz'},  
'Dimensions of the packed product': {'value': 5.55, 'unit': 'x', 'raw': '5.55 x 22.75 x 25.62'},  
'Gross weight': {'value': 35.0, 'unit': 'lbs', 'raw': '35.000 lbs'}}

- {'Power on indicator': False, 'Sealed Burners': False}
- {'Product name/family': 'Gas hob w integrated controls', 'Built-in / Free-standing': 'Built-in', 'Energy input': 'Gas', 'flame failure safety device': True, 'Type of control setting devices': 'sword knobs', 'Net weight': '.33.000 lbs', 'Gross weight': '. 15.8 kg', 'Residual heat indicator': 'without', 'Location of control panel': 'Front', 'Basic surface material': 'Tempered glass', 'Color of surface': 'Black', 'Color of frame': 'Black', 'Knob Material': 'Plastic', 'Type of frame': 'For a flush or slightly raised built-in solution.', 'Gas type': 'Liquid gas G30,31 28-30/37 mbar', 'Alternative gas type': 'Nat gas H/E/(L) 20 (25) mbar', 'Plug type': 'India plug (16 Ampere)', 'Gas connection': 'rear, right'}

## Why We Recommend This:

- Sleek modern design - enhances your kitchen's aesthetics

---

## Faber Faber 90cm 4 Burner Hob Experia HT 904 ALU AI FFD

Price: ₹29,285.00 (Retail: ₹33,590.00, Save: ₹4,305.00)

## Key Features:

- ['Width: 90 CM', 'Burner: 4 Brass Burners', 'Burner Type: 1 x 3.0 KW Triple Ring Big Burner, 1 x 2.8 KW Mini Triple Ring Burner, 2 x 1.7 KW Small Burners', 'Pan Support: Cast Iron', 'Drip Tray: Round design Stainless Steel Black', 'Knobs: Premium Metal knobs with Golden inserts', 'Glass: 8 MM', 'Control: In-built Auto Electric, DC 1.5 V Operated', 'Product Dimension (WxDxH) (mm): 900x525x130 MM', 'Cut Out Dimensions (WxD) (mm): 828x478 MM']
- {'Width': '90 CM', 'Burner': '4 Brass Burners', 'Burner Type': '1 x 3.0 KW Triple Ring Big Burner, 1 x 2.8 KW Mini Triple Ring Burner, 2 x 1.7 KW Small Burners', 'Pan Support': 'Cast Iron', 'Drip Tray': 'Round design Stainless Steel Black', 'Knobs': 'Premium Metal knobs with Golden inserts', 'Glass': '8 MM', 'Control': 'In-built Auto Electric, DC 1.5 V Operated', 'Product Dimension (WxDxH) (mm)': '900x525x130 MM', 'Cut Out Dimensions (WxD) (mm)': '828x478 MM', 'Smart Control': 'No'}
- {'Width': {'value': 90.0, 'unit': 'CM', 'raw': '90 CM'}, 'Burner': {'value': 4.0, 'unit': 'Brass', 'raw': '4 Brass Burners'}, 'Burner Type': {'value': 1.0, 'unit': 'x', 'raw': '1 x 3.0 KW Triple Ring Big Burner, 1 x 2.8 KW Mini Triple Ring Burner, 2 x 1.7 KW Small Burners'}, 'Glass': {'value': 8.0, 'unit': 'MM', 'raw': '8 MM'}, 'Product Dimension (WxDxH) (mm)': {'value': 900.0, 'unit': 'x', 'raw': '900x525x130 MM'}, 'Cut Out Dimensions (WxD) (mm)': {'value': 828.0, 'unit': 'x', 'raw': '828x478 MM'}}

- {}
- {'Pan Support': 'Cast Iron', 'Drip Tray': 'Round design Stainless Steel Black', 'Knobs': 'Premium Metal knobs with Golden inserts', 'Control': 'In-built Auto Electric, DC 1.5 V Operated'}

## Why We Recommend This:

- Sleek modern design - enhances your kitchen's aesthetics

## Faber Faber Hob Superia HT904 BR AI 4 Burner Auto-Ignition Spillage Proof Gas Hob Top

Price: ₹19,500.00 (Retail: ₹27,990.00, Save: ₹8,490.00)

## Key Features:

- ['Unlock the power of 3Es Efficient, Elegant and Effective which improve your cooking experience.', 'Width : 90Cm', 'Burner : 4 Brass Burners', 'Burner Type : 1 X 3.3 Kw Triple Ring Dual Flame Burner 2 X 2 Kw Double Ring Burner 2 X 1.6 Kw Double Ring Burner', 'Pan Support : Black Enameled Pan Support', 'Finish : Toughened Black Glass, 7 MM', 'Control : In-Built Auto Electric, Battery Operated', 'Product Dimension (WxDxH) (mm) : 860x450x56 mm', 'Cut Out Dimensions (WxD) (mm) : 840x430 mm']
- {'Width': '90Cm', 'Burner': '4 Brass Burners', 'Burner Type': '1 X 3.3 Kw Triple Ring Dual Flame Burner 2 X 2 Kw Double Ring Burner 2 X 1.6 Kw Double Ring Burner', 'Pan Support': 'Black Enameled Pan Support', 'Finish': 'Toughened Black Glass, 7 MM', 'Control': 'In-Built Auto Electric, Battery Operated', 'Product Dimension (WxDxH) (mm)': '860x450x56 mm', 'Cut Out Dimensions (WxD) (mm)': '840x430 mm', 'Smart Control': 'No'}
- {'Width': {'value': 90.0, 'unit': 'Cm', 'raw': '90Cm'}, 'Burner': {'value': 4.0, 'unit': 'Brass', 'raw': '4 Brass Burners'}, 'Burner Type': {'value': 1.0, 'unit': 'X', 'raw': '1 X 3.3 Kw Triple Ring Dual Flame Burner 2 X 2 Kw Double Ring Burner 2 X 1.6 Kw Double Ring Burner'}, 'Product Dimension (WxDxH) (mm)': {'value': 860.0, 'unit': 'x', 'raw': '860x450x56 mm'}, 'Cut Out Dimensions (WxD) (mm)': {'value': 840.0, 'unit': 'x', 'raw': '840x430 mm'}}
- {}
- {'unlock the power of 3es efficient, elegant and effective which improve your cooking experience.': True, 'Pan Support': 'Black Enameled Pan Support', 'Finish': 'Toughened Black Glass, 7 MM', 'Control': 'In-Built Auto Electric, Battery Operated'}

## Why We Recommend This:

- Sleek modern design - enhances your kitchen's aesthetics

---

## Small Fan Recommendations

### Atomberg Unknown Model

Price: ₹3,100.00 (Retail: ₹4,820.00, Save: ₹1,720.00)

#### Key Features:

- ['Model Name : Ikano 900', 'Air Delivery: 165 cmm', 'Speed : 470RPM', 'Power Consumption: 28 Watts', 'Voltage : 165 - 285 V', 'Wattage : 35 Watts', 'Finish Type : Glossy', 'Blade Length : 90 cm', 'Item Weight : 4.6 Kilograms', 'Power Factor: 0.95', 'No. Of Blades: 3', 'Specification Met : 5 Star Rated', 'Light Type : 6 Blue LED', 'Blade Material : Aluminium', 'Indoor/Outdoor Usage : Indoor', 'Remote Control: Speed Control', 'Boost Mode', 'Timer & Sleep Mode']
- {'Model Name': 'Ikano 900', 'Air Delivery': '165 cmm', 'Speed': '470RPM', 'Power Consumption': '28 Watts', 'Voltage': '165 - 285 V', 'Wattage': '35 Watts', 'Finish Type': 'Glossy', 'Item Weight': '4.6 Kilograms', 'Power Factor': '0.95', 'No. Of Blades': '3', 'Specification Met': '5 Star Rated', 'Light Type': '6 Blue LED', 'Blade Material': 'Aluminium', 'Indoor/Outdoor Usage': 'Indoor', 'Remote Control': 'Speed Control', 'blade\_length': '90.0 cm', 'Smart Control': 'No'}
- {'Air Delivery': {'value': 165.0, 'unit': 'cmm', 'raw': '165 cmm'}, 'Speed': {'value': 470.0, 'unit': 'RPM', 'raw': '470RPM'}, 'Power Consumption': {'value': 28.0, 'unit': 'Watts', 'raw': '28 Watts'}, 'Voltage': {'value': 165.0, 'unit': None, 'raw': '165 - 285 V'}, 'Wattage': {'value': 35.0, 'unit': 'Watts', 'raw': '35 Watts'}, 'Item Weight': {'value': 4.6, 'unit': 'Kilograms', 'raw': '4.6 Kilograms'}, 'Power Factor': {'value': 0.95, 'unit': None, 'raw': '0.95'}, 'No. Of Blades': {'value': 3.0, 'unit': None, 'raw': '3'}, 'Specification Met': {'value': 5.0, 'unit': 'Star', 'raw': '5 Star Rated'}, 'Light Type': {'value': 6.0, 'unit': 'Blue', 'raw': '6 Blue LED'}, 'blade\_length': {'value': 90.0, 'unit': 'cm', 'raw': '90.0 cm'}}
- {}
- {'Model Name': 'Ikano 900', 'Finish Type': 'Glossy', 'Blade Material': 'Aluminium', 'Indoor/Outdoor Usage': 'Indoor', 'Remote Control': 'Speed Control', 'boost mode': True, 'timer & sleep mode': True}

#### Why We Recommend This:

- Save ₹4,820.00 compared to retail price - exceptional value for money

---

### Atomberg Unknown Model

Price: ₹3,100.00 (Retail: ₹4,820.00, Save: ₹1,720.00)

## Key Features:

- ['Model Name : Ikano 900', 'Air Delivery: 165 cmm', 'Speed : 470RPM', 'Power Consumption: 28 Watts', 'Voltage : 165 - 285 V', 'Wattage : 35 Watts', 'Finish Type : Glossy', 'Blade Length : 90 cm', 'Item Weight : 4.6 Kilograms', 'Power Factor: 0.95', 'No. Of Blades: 3', 'Specification Met : 5 Star Rated', 'Light Type : 6 Blue LED', 'Blade Material : Aluminium', 'Indoor/Outdoor Usage : Indoor', 'Remote Control: Speed Control', 'Boost Mode', 'Timer & Sleep Mode']

- {'Model Name': 'Ikano 900', 'Air Delivery': '165 cmm', 'Speed': '470RPM', 'Power Consumption': '28 Watts', 'Voltage': '165 - 285 V', 'Wattage': '35 Watts', 'Finish Type': 'Glossy', 'Item Weight': '4.6 Kilograms', 'Power Factor': '0.95', 'No. Of Blades': '3', 'Specification Met': '5 Star Rated', 'Light Type': '6 Blue LED', 'Blade Material': 'Aluminium', 'Indoor/Outdoor Usage': 'Indoor', 'Remote Control': 'Speed Control', 'blade\_length': '90.0 cm', 'Smart Control': 'No'}

- {'Air Delivery': {'value': 165.0, 'unit': 'cmm', 'raw': '165 cmm'}, 'Speed': {'value': 470.0, 'unit': 'RPM', 'raw': '470RPM'}, 'Power Consumption': {'value': 28.0, 'unit': 'Watts', 'raw': '28 Watts'}, 'Voltage': {'value': 165.0, 'unit': None, 'raw': '165 - 285 V'}, 'Wattage': {'value': 35.0, 'unit': 'Watts', 'raw': '35 Watts'}, 'Item Weight': {'value': 4.6, 'unit': 'Kilograms', 'raw': '4.6 Kilograms'}, 'Power Factor': {'value': 0.95, 'unit': None, 'raw': '0.95'}, 'No. Of Blades': {'value': 3.0, 'unit': None, 'raw': '3'}, 'Specification Met': {'value': 5.0, 'unit': 'Star', 'raw': '5 Star Rated'}, 'Light Type': {'value': 6.0, 'unit': 'Blue', 'raw': '6 Blue LED'}, 'blade\_length': {'value': 90.0, 'unit': 'cm', 'raw': '90.0 cm'}}

- {}

- {'Model Name': 'Ikano 900', 'Finish Type': 'Glossy', 'Blade Material': 'Aluminium', 'Indoor/Outdoor Usage': 'Indoor', 'Remote Control': 'Speed Control', 'boost mode': True, 'timer & sleep mode': True}

## Why We Recommend This:

- Save ₹4,820.00 compared to retail price - exceptional value for money

---

## Atomberg Unknown Model

Price: ₹3,100.00 (Retail: ₹4,820.00, Save: ₹1,720.00)

## Key Features:

- ['Model Name : Ikano 900', 'Air Delivery: 165 cmm', 'Speed : 470RPM', 'Power Consumption: 28 Watts', 'Voltage : 165 - 285 V', 'Wattage : 35 Watts', 'Finish Type : Glossy', 'Blade Length : 90 cm', 'Item Weight : 4.6 Kilograms', 'Power Factor: 0.95', 'No. Of

Blades: 3', 'Specification Met : 5 Star Rated', 'Light Type : 6 Blue LED', 'Blade Material : Aluminium', 'Indoor/Outdoor Usage : Indoor', 'Remote Control: Speed Control', 'Boost Mode', 'Timer & Sleep Mode']

- {'Model Name': 'Ikano 900', 'Air Delivery': '165 cmm', 'Speed': '470RPM', 'Power Consumption': '28 Watts', 'Voltage': '165 - 285 V', 'Wattage': '35 Watts', 'Finish Type': 'Glossy', 'Item Weight': '4.6 Kilograms', 'Power Factor': '0.95', 'No. Of Blades': '3', 'Specification Met': '5 Star Rated', 'Light Type': '6 Blue LED', 'Blade Material': 'Aluminium', 'Indoor/Outdoor Usage': 'Indoor', 'Remote Control': 'Speed Control', 'blade\_length': '90.0 cm', 'Smart Control': 'No'}

- {'Air Delivery': {'value': 165.0, 'unit': 'cmm', 'raw': '165 cmm'}, 'Speed': {'value': 470.0, 'unit': 'RPM', 'raw': '470RPM'}, 'Power Consumption': {'value': 28.0, 'unit': 'Watts', 'raw': '28 Watts'}, 'Voltage': {'value': 165.0, 'unit': None, 'raw': '165 - 285 V'}, 'Wattage': {'value': 35.0, 'unit': 'Watts', 'raw': '35 Watts'}, 'Item Weight': {'value': 4.6, 'unit': 'Kilograms', 'raw': '4.6 Kilograms'}, 'Power Factor': {'value': 0.95, 'unit': None, 'raw': '0.95'}, 'No. Of Blades': {'value': 3.0, 'unit': None, 'raw': '3'}, 'Specification Met': {'value': 5.0, 'unit': 'Star', 'raw': '5 Star Rated'}, 'Light Type': {'value': 6.0, 'unit': 'Blue', 'raw': '6 Blue LED'}, 'blade\_length': {'value': 90.0, 'unit': 'cm', 'raw': '90.0 cm'}}

- {}

- {'Model Name': 'Ikano 900', 'Finish Type': 'Glossy', 'Blade Material': 'Aluminium', 'Indoor/Outdoor Usage': 'Indoor', 'Remote Control': 'Speed Control', 'boost mode': True, 'timer & sleep mode': True}

## Why We Recommend This:

- Save ₹4,820.00 compared to retail price - exceptional value for money

---

## Dishwasher Recommendations

### Bosch Bosch Built In Dishwasher 15 Place Settings - 60 Cm - SMD6ZCX50E - Series 6

Price: ₹159,291.00 (Retail: ₹176,990.00, Save: ₹17,699.00)

#### Key Features:

- ['Dishwasher Type: Built in', 'Capacity (Place Settings): 15 Places', 'Series: Series 6', 'Model Number: SMD6ZCX50E', '. Dimensions In CM (H x W x D): 81.5 x 59.8 x 57.3 cm', '. Product Weight: 47.6 kg', '. Energy Consumption: 0.83 kWh', '. Water Consumption: 9.5 litres', '. Total Annual Water Consumption 220 days: 2090 Litres', '. Total Annual Energy Consumption 220 Days: 183 KWH', '. Noise Level: 42 dB', '. Zeolith Drying Technology, Home Connect: IOT', 'enabled dishwasher, Integration with: Google / Alexa', 'voice

assistance, IFTTT, Fitbit/Apples/Android smart', 'watches, Etc', '. SpeedPerfect+', '. Touch Panel', '. Extra Clean Zone', '. Glass Care System', '. AquaSensor, Load Sensor', '. EcoSilence Drive', '. DosageAssist', '. Additional Top shower', '. Machine Care', '. Made in Germany', '. Special Options: Extra Dry, Intensive Zone, SpeedPerfect+, Remote Start', 'Other Features: Programme remaining time indicator,', 'LED salt refill indicator, LED rinse aid refill indicator, Time Delay: 1 - 24 hr', 'Safety: AquaStop Water Protection System', 'Baskets and Racks: Rackmatic 3-stage basket: Adjustable upper rack, 2 cup shelves in bottom basket,', '2 cup shelves in top basket, 8x flip tines in lower basket, 6x flip tines in upper basket, Cutlery Drawer: 2.1, Touch points.']

- {'Dishwasher Type': 'Built in', 'Capacity (Place Settings)': '15 Places', 'Series': 'Series 6', 'Model Number': 'SMD6ZCX50E', '. Dimensions In CM (H x W x D)': '81.5 x 59.8 x 57.3 cm', '. Product Weight': '47.6 kg', '. Energy Consumption': '0.83 kWh', '. Water Consumption': '9.5 litres', '. Total Annual Water Consumption 220 days': '2090 Litres', '. Total Annual Energy Consumption 220 Days': '183 KWH', '. Noise Level': '42 dB', '. Zeolith Drying Technology, Home Connect': 'IOT', 'enabled dishwasher, Integration with': 'Google / Alexa', '. Special Options': 'Extra Dry, Intensive Zone, SpeedPerfect+, Remote Start', 'Other Features': 'Programme remaining time indicator,', 'LED salt refill indicator, LED rinse aid refill indicator, Time Delay': '1 - 24 hr', 'Safety': 'AquaStop Water Protection System', 'Baskets and Racks': 'Rackmatic 3-stage basket: Adjustable upper rack, 2 cup shelves in bottom basket,', '2 cup shelves in top basket, 8x flip tines in lower basket, 6x flip tines in upper basket, Cutlery Drawer': '2.1, Touch points.', 'Smart Control': 'No'}

- {'Capacity (Place Settings)': {'value': 15.0, 'unit': 'Places', 'raw': '15 Places'}, '. Dimensions In CM (H x W x D)': {'value': 81.5, 'unit': 'x', 'raw': '81.5 x 59.8 x 57.3 cm'}, '. Product Weight': {'value': 47.6, 'unit': 'kg', 'raw': '47.6 kg'}, '. Energy Consumption': {'value': 0.83, 'unit': 'kWh', 'raw': '0.83 kWh'}, '. Water Consumption': {'value': 9.5, 'unit': 'litres', 'raw': '9.5 litres'}, '. Total Annual Water Consumption 220 days': {'value': 2090.0, 'unit': 'Litres', 'raw': '2090 Litres'}, '. Total Annual Energy Consumption 220 Days': {'value': 183.0, 'unit': 'KWH', 'raw': '183 KWH'}, '. Noise Level': {'value': 42.0, 'unit': 'dB', 'raw': '42 dB'}, 'LED salt refill indicator, LED rinse aid refill indicator, Time Delay': {'value': 1.0, 'unit': 'None', 'raw': '1 - 24 hr'}, '2 cup shelves in top basket, 8x flip tines in lower basket, 6x flip tines in upper basket, Cutlery Drawer': {'value': 2.1, 'unit': 'None', 'raw': '2.1, Touch points.'}}

- {}

- {'Dishwasher Type': 'Built in', 'Series': 'Series 6', 'Model Number': 'SMD6ZCX50E', '. Zeolith Drying Technology, Home Connect': 'IOT', 'enabled dishwasher, Integration with': 'Google / Alexa', 'voice assistance, ifttt, fitbit/apples/android smart': True, 'watches, etc': True, '. speedperfect+': True, '. touch panel': True, '. extra clean zone': True, '. glass care system': True, '. aquasensor, load sensor': True, '. ecosilence drive': True, '. dosageassist': True, '. additional top shower': True, '. machine care': True, '. made in germany': True, '. Special Options': 'Extra Dry, Intensive Zone, SpeedPerfect+, Remote Start', 'Other Features': 'Programme remaining time indicator,', 'Safety': 'AquaStop Water Protection System', 'Baskets and Racks': 'Rackmatic 3-stage basket: Adjustable upper rack, 2 cup shelves in bottom basket,'}

## Why We Recommend This:

---

### Bosch Bosch Built In Dishwasher 14 Place Settings - 60 Cm - SMI4HCS48E - Series 6

Price: ₹100,791.00 (Retail: ₹111,990.00, Save: ₹11,199.00)

#### Key Features:

- ['Dishwasher type: Built in', '. Capacity (Place Settings): 14 Places', 'Series: Series 6', 'Model number: SMI4HCS48E', 'Dimensions In cm (H x W x D): 81.5 x 59.8 x 57.3', '. Product weight: 35.4 kg', '. Energy consumption: 0.93 kWh', '. Water consumption: 9.5 litres', '. Noise level: 44 dB', '. Total annual energy consumption 220 days: 205 KWH', 'Total annual water consumption 220 days: 2090', 'Litres', '. Home connect: IOT enabled dishwasher', 'Integration with: Google / Alexa voice assistance,', 'IFTTT, Fitbit/Apple/Android smart watches, Etc', '. Additional cutlery drawer', '. Glass care system', '. Machine care', '. Aqua sensor, Load sensor', '. Eco silence drive', '. Dosage assist', '. Additional top shower', '. Made in Germany', '. Special options: Extra Dry, Half Load,', 'Speed Perfect+, Machine Care, Remote Start', 'Other features: Programme remaining time indicator, LED salt refill indicator, LED rinse aid refill indicator, Time delay: 1 - 24 hr', 'Safety: Child lock - for control panel, AquaStop water protection system.', 'Baskets and Racks: Rackmatic 3-stage basket: Adjustable upper rack, 2 cup shelves in top basket, 2x flip tines in lower basket, 2x flip tines in upper basket, Cutlery Drawer: 1.1']
- {'Dishwasher type': 'Built in', '. Capacity (Place Settings)': '14 Places', 'Series': 'Series 6', 'Model number': 'SMI4HCS48E', 'Dimensions In cm (H x W x D)': '81.5 x 59.8 x 57.3', '. Product weight': '35.4 kg', '. Energy consumption': '0.93 kWh', '. Water consumption': '9.5 litres', '. Noise level': '44 dB', '. Total annual energy consumption 220 days': '205 KWH', 'Total annual water consumption 220 days': '2090', '. Home connect': 'IOT enabled dishwasher', 'Integration with': 'Google / Alexa voice assistance,', '. Special options': 'Extra Dry, Half Load,', 'Other features': 'Programme remaining time indicator, LED salt refill indicator, LED rinse aid refill indicator, Time delay: 1 - 24 hr', 'Safety': 'Child lock - for control panel, AquaStop water protection system.', 'Baskets and Racks': 'Rackmatic 3-stage basket: Adjustable upper rack, 2 cup shelves in top basket, 2x flip tines in lower basket, 2x flip tines in upper basket, Cutlery Drawer: 1.1', 'Smart Control': 'No'}
- {'Capacity (Place Settings)': {'value': 14.0, 'unit': 'Places', 'raw': '14 Places'}, 'Dimensions In cm (H x W x D)': {'value': 81.5, 'unit': 'x', 'raw': '81.5 x 59.8 x 57.3'}, '. Product weight': {'value': 35.4, 'unit': 'kg', 'raw': '35.4 kg'}, '. Energy consumption': {'value': 0.93, 'unit': 'kWh', 'raw': '0.93 kWh'}, '. Water consumption': {'value': 9.5, 'unit': 'litres', 'raw': '9.5 litres'}, '. Noise level': {'value': 44.0, 'unit': 'dB', 'raw': '44 dB'}, '. Total annual energy consumption 220 days': {'value': 205.0, 'unit': 'KWH', 'raw': '205 KWH'}, 'Total annual water consumption 220 days': {'value': 2090.0, 'unit': 'None', 'raw': '2090'}}



- {}

- {'Dishwasher type': 'Built in', 'Series': 'Series 6', 'Model number': 'SMI4HCS48E', 'litres': True, '. Home connect': 'IOT enabled dishwasher', 'Integration with': 'Google / Alexa voice assistance,', 'ifttt, fitbit/apple/android smart watches, etc': True, '. additional cutlery drawer': True, '. glass care system': True, '. machine care': True, '. aqua sensor, load sensor': True, '. eco silence drive': True, '. dosage assist': True, '. additional top shower': True, '. made in germany': True, '. Special options': 'Extra Dry, Half Load,', 'speed perfect+', machine care, remote start': True, 'Other features': 'Programme remaining time indicator, LED salt refill indicator, LED rinse aid refill indicator, Time delay: 1 - 24 hr', 'Safety': 'Child lock - for control panel, AquaStop water protection system.', 'Baskets and Racks': 'Rackmatic 3-stage basket: Adjustable upper rack, 2 cup shelves in top basket, 2x flip tines in lower basket, 2x flip tines in upper basket, Cutlery Drawer: 1.1'}

## Why We Recommend This:

---

### Bosch Bosch Built In Dishwasher 14 Place Settings - 60 Cm - SMV6HVX00I - Series 6

Price: ₹82,341.00 (Retail: ₹91,490.00, Save: ₹9,149.00)

#### Key Features:

- ['Dishwasher Type: Built in', 'Capacity (Place Settings): 14 Places', 'Series: Series 6', 'Model Number: SMV6HVX00I', 'Dimensions In CM (H x W x D): 81.5 x 59.8 x 55 cm', '. Energy Consumption: 0.92 kWh', '. Water Consumption: 9.5 litres', '. Total Annual Water Consumption 220 days: 2090', 'Litres', '. Product Weight: 36.5 kg', '. Home Connect: IOT enabled dishwasher', 'Integration with: Google / Alexa voice assistance,', 'IFTTT, Fitbit/Apples/Android smart watches, Etc', '. Additional Cutlery Drawer', '. Extra Dry', '. Speed Perfect+', '. Glass Protection Technology', '. Aqua Sensor, Load sensor', '. Eco Silence Drive', '. Dosage Assist', '. Additional Top shower', 'Special Options : Intensive Zone, Half Load,', 'Speed Perfect+, Remote Start,', 'Other features : Programme Remaining Time Indicator, Time delay: 1 - 24 hr, LED salt refill indicator, LED Rinse aid Refill Indicator', 'Safety: Door Latch', 'Baskets and Racks: Rackmatic 3-stage basket: Adjustable upper rack, 2 cup shelves in top basket,', '4x flip tines in lower basket, 2x flip tines in upper basket, Cutlery Drawer: 1.1']

- {'Dishwasher Type': 'Built in', 'Capacity (Place Settings)': '14 Places', 'Series': 'Series 6', 'Model Number': 'SMV6HVX00I', 'Dimensions In CM (H x W x D)': '81.5 x 59.8 x 55 cm', '. Energy Consumption': '0.92 kWh', '. Water Consumption': '9.5 litres', '. Total Annual Water Consumption 220 days': '2090', '. Product Weight': '36.5 kg', '. Home Connect': 'IOT enabled dishwasher', 'Integration with': 'Google / Alexa voice assistance,', 'Special Options': 'Intensive Zone, Half Load,', 'Other features': 'Programme Remaining Time Indicator, Time delay: 1 - 24 hr, LED salt refill indicator, LED Rinse aid Refill Indicator',

'Safety': 'Door Latch', 'Baskets and Racks': 'Rackmatic 3-stage basket: Adjustable upper rack, 2 cup shelves in top basket,', '4x flip tines in lower basket, 2x flip tines in upper basket, Cutlery Drawer': '1.1', 'Smart Control': 'No'}

- {'Capacity (Place Settings)': {'value': 14.0, 'unit': 'Places', 'raw': '14 Places'}, 'Dimensions In CM (H x W x D)': {'value': 81.5, 'unit': 'x', 'raw': '81.5 x 59.8 x 55 cm'}, '. Energy Consumption': {'value': 0.92, 'unit': 'kWh', 'raw': '0.92 kWh'}, '. Water Consumption': {'value': 9.5, 'unit': 'litres', 'raw': '9.5 litres'}, '. Total Annual Water Consumption 220 days': {'value': 2090.0, 'unit': None, 'raw': '2090'}, '. Product Weight': {'value': 36.5, 'unit': 'kg', 'raw': '36.5 kg'}, '4x flip tines in lower basket, 2x flip tines in upper basket, Cutlery Drawer': {'value': 1.1, 'unit': None, 'raw': '1.1'}}
- {}
- {'Dishwasher Type': 'Built in', 'Series': 'Series 6', 'Model Number': 'SMV6HVX00I', 'litres': True, '. Home Connect': 'IOT enabled dishwasher', 'Integration with': 'Google / Alexa voice assistance,', 'ifttt, fitbit/apple/android smart watches, etc': True, '. additional cutlery drawer': True, '. extra dry': True, '. speed perfect+': True, '. glass protection technology': True, '. aqua sensor, load sensor': True, '. eco silence drive': True, '. dosage assist': True, '. additional top shower': True, 'Special Options': 'Intensive Zone, Half Load,', 'speed perfect+, remote start,': True, 'Other features': 'Programme Remaining Time Indicator, Time delay: 1 - 24 hr, LED salt refill indicator, LED Rinse aid Refill Indicator', 'Safety': 'Door Latch', 'Baskets and Racks': 'Rackmatic 3-stage basket: Adjustable upper rack, 2 cup shelves in top basket,'}

## Why We Recommend This:

---

## Master Bedroom Room

Master bedroom of 100.0 sq ft with Brown theme, an AC (1.0 Ton recommended), and a bathroom equipped with Shower water heating.

## Ac Recommendations

**BESTSELLER**

**LG LG AC 2 Ton 3 Star Split AC with AI Convertible 6-in-1 Cooling, Gold Fin, Viraat Mode, Diet Mode, 2025 Model US-Q24ENXE**

Price: ₹57,990.00 (Retail: ₹95,990.00, Save: ₹38,000.00)

## Key Features:

- ['Model Name: US-Q24ENXE', 'Outdoor Unit Model Name: USUQ24ENXE.ANLG', 'Type: Inverter Split', 'Product Type: Wall Mounted', 'HVAC Type: C/O', 'Cooling Capacity Max(W): 6800', 'Cooling Power Consumption Rated/Min(W): 2220', 'Energy Grade: 3 Star', 'Colour(Body): White', 'Display: 88 Hidden', 'Cooling Capacity Rated/Min(W): 6300 / -', 'Cooling Power Consumption Rated/Min(W): 2220', 'Indoor Unit Dimension WxHxD(mm): 998 x 345 x 210', 'Cooling Capacity Max(W): 6800', 'Indoor Unit Weight(kg): 11.0', 'Outdoor Unit Dimension WxHxD(mm): 770 x 545 x 288', 'Outdoor Unit Weight(kg): 30.0', 'Rated Input Voltage(V, Hz): 187 ~ 276, 50', 'Refrigerant Type: R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A)): 47 / 47 / 41 / 37 / 32', 'HVAC Type: C/O', 'Himalaya Cool: Yes', 'Airflow direction control (Up & Down): Yes', 'Fan Speed: 6 Steps', '6-in-1 Cooling: Yes', 'Diet Mode: Yes', 'Dehumidification: Yes', 'Energy Grade: 3 Star', 'Auto Restart: Yes', 'Fan Mode: Yes', 'Forced Switch Operation: Yes', 'Low Noise: Yes', 'On/Off Reservation(24Hr): Yes', 'Remote Controller: Basic', 'Reservation: Yes', 'Smart Diagnosis: Yes', 'Smart Guide: Yes', 'Stabilizer Free operation: Yes', 'Auto Cleaning: Yes']
- {'Model Name': 'US-Q24ENXE', 'Outdoor Unit Model Name': 'USUQ24ENXE.ANLG', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Cooling Capacity Max(W)': '6800', 'Cooling Power Consumption Rated/Min(W)': '2220', 'Energy Grade': '3 Star', 'Colour(Body)': 'White', 'Display': '88 Hidden', 'Cooling Capacity Rated/Min(W)': '6300 / -', 'Indoor Unit Dimension WxHxD(mm)': '998 x 345 x 210', 'Indoor Unit Weight(kg)': '11.0', 'Outdoor Unit Dimension WxHxD(mm)': '770 x 545 x 288', 'Outdoor Unit Weight(kg)': '30.0', 'Rated Input Voltage(V, Hz)': '187 ~ 276, 50', 'Refrigerant Type': 'R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': '47 / 47 / 41 / 37 / 32', 'Himalaya Cool': 'Yes', 'Airflow direction control (Up & Down)': 'Yes', 'Fan Speed': '6 Steps', '6-in-1 Cooling': 'Yes', 'Diet Mode': 'Yes', 'Dehumidification': 'Yes', 'Auto Restart': 'Yes', 'Fan Mode': 'Yes', 'Forced Switch Operation': 'Yes', 'Low Noise': 'Yes', 'On/Off Reservation(24Hr)': 'Yes', 'Remote Controller': 'Basic', 'Reservation': 'Yes', 'Smart Diagnosis': 'Yes', 'Smart Guide': 'Yes', 'Stabilizer Free operation': 'Yes', 'Auto Cleaning': 'Yes', 'Smart Control': 'No'}
- {'Cooling Capacity Max(W)': {'value': 6800.0, 'unit': None, 'raw': '6800'}, 'Cooling Power Consumption Rated/Min(W)': {'value': 2220.0, 'unit': None, 'raw': '2220'}, 'Energy Grade': {'value': 3.0, 'unit': 'Star', 'raw': '3 Star'}, 'Display': {'value': 88.0, 'unit': 'Hidden', 'raw': '88 Hidden'}, 'Cooling Capacity Rated/Min(W)': {'value': 6300.0, 'unit': None, 'raw': '6300 / -'}, 'Indoor Unit Dimension WxHxD(mm)': {'value': 998.0, 'unit': 'x', 'raw': '998 x 345 x 210'}, 'Indoor Unit Weight(kg)': {'value': 11.0, 'unit': None, 'raw': '11.0'}, 'Outdoor Unit Dimension WxHxD(mm)': {'value': 770.0, 'unit': 'x', 'raw': '770 x 545 x 288'}, 'Outdoor Unit Weight(kg)': {'value': 30.0, 'unit': None, 'raw': '30.0'}, 'Rated Input Voltage(V, Hz)': {'value': 187.0, 'unit': None, 'raw': '187 ~ 276, 50'}, 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': {'value': 47.0, 'unit': None, 'raw': '47 / 47 / 41 / 37 / 32'}, 'Fan Speed': {'value': 6.0, 'unit': 'Steps', 'raw': '6 Steps'}}
- {'Himalaya Cool': True, 'Airflow direction control (Up & Down)': True, '6-in-1 Cooling': True, 'Diet Mode': True, 'Dehumidification': True, 'Auto Restart': True, 'Fan Mode': True, 'Forced Switch Operation': True, 'Low Noise': True, 'On/Off Reservation(24Hr)': True,

'Reservation': True, 'Smart Diagnosis': True, 'Smart Guide': True, 'Stabilizer Free operation': True, 'Auto Cleaning': True}

- {'Model Name': 'US-Q24ENXE', 'Outdoor Unit Model Name': 'USUQ24ENXE.ANLG', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Colour(Body)': 'White', 'Refrigerant Type': 'R32', 'Remote Controller': 'Basic'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

### BESTSELLER

## LG LG AC 1.5 Ton 5 Star Split AC with AI Convertible 6-in-1 Cooling, Anti Virus Protection, Smart Dehumidification, 2025 Model US-Q19KNZE1

Price: ₹48,800.00 (Retail: ₹79,900.00, Save: ₹31,100.00)

## Key Features:

• ['Model Name: US-Q19KNZE1', 'Outdoor Unit Model Name: USUQ19KNZE1', 'Type: Inverter Split', 'Product Type: Wall Mounted', 'HVAC Type: C/O', 'Cooling Capacity Max(W): 5800', 'Cooling Power Consumption Rated/Min(W): 1310', 'Energy Grade: 5 Star', 'Colour(Body): White', 'Display: 88 Hidden', 'Cooling Capacity Rated/Min(W): 5000', 'Cooling Power Consumption Rated/Min(W): 1310', 'Indoor Unit Dimension WxHxD(mm): 998 x 345 x 210', 'Cooling Capacity Max(W): 5800', 'Indoor Unit Weight(kg): 11.0', 'Outdoor Unit Dimension WxHxD(mm): 770 x 545 x 288', 'Outdoor Unit Weight(kg): 28.5', 'Product Type: Wall Mounted', 'Rated Input Voltage(V, Hz): 187 ~ 276, 50', 'Refrigerant Type: R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A)):45 / 39 / 31', 'HVAC Type: C/O', 'Product Type II: Inverter', 'Himalaya Cool: Yes', '4way: Up-Down/Left-Right', 'Airflow direction control (Up & Down): Yes(6 Steps)', 'Fan Speed: 6 Steps', '6-in-1 Cooling: Yes', 'Diet Mode: Yes', 'Dehumidification: Yes', 'Energy Grade: 5 Star', 'Auto Restart: Yes', 'Fan Mode: Yes', 'Forced Switch Operation: Yes', 'Low Noise: Yes', 'On/Off Reservation(24Hr): Yes', 'Remote Controller: Basic', 'Reservation: Yes', 'Smart Diagnosis: Yes', 'Smart Guide: Yes', 'Stabilizer Free operation: Yes', 'Auto Cleaning: Yes']

• {'Model Name': 'US-Q19KNZE1', 'Outdoor Unit Model Name': 'USUQ19KNZE1', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Cooling Capacity Max(W)': '5800', 'Cooling Power Consumption Rated/Min(W)': '1310', 'Energy Grade': '5 Star', 'Colour(Body)': 'White', 'Display': '88 Hidden', 'Cooling Capacity Rated/Min(W)': '5000', 'Indoor Unit Dimension WxHxD(mm)': '998 x 345 x 210', 'Indoor Unit Weight(kg)': '11.0', 'Outdoor Unit Dimension WxHxD(mm)': '770 x 545 x 288', 'Outdoor Unit Weight(kg)': '28.5', 'Rated Input Voltage(V, Hz)': '187 ~ 276, 50', 'Refrigerant Type': 'R32',

'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': '45 / 39 / 31', 'Product Type II': 'Inverter', 'Himalaya Cool': 'Yes', '4way': 'Up-Down/Left-Right', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Fan Speed': '6 Steps', '6-in-1 Cooling': 'Yes', 'Diet Mode': 'Yes', 'Dehumidification': 'Yes', 'Auto Restart': 'Yes', 'Fan Mode': 'Yes', 'Forced Switch Operation': 'Yes', 'Low Noise': 'Yes', 'On/Off Reservation(24Hr)': 'Yes', 'Remote Controller': 'Basic', 'Reservation': 'Yes', 'Smart Diagnosis': 'Yes', 'Smart Guide': 'Yes', 'Stabilizer Free operation': 'Yes', 'Auto Cleaning': 'Yes', 'Smart Control': 'No'}

- {'Cooling Capacity Max(W)': {'value': 5800.0, 'unit': None, 'raw': '5800'}, 'Cooling Power Consumption Rated/Min(W)': {'value': 1310.0, 'unit': None, 'raw': '1310'}, 'Energy Grade': {'value': 5.0, 'unit': 'Star', 'raw': '5 Star'}, 'Display': {'value': 88.0, 'unit': 'Hidden', 'raw': '88 Hidden'}, 'Cooling Capacity Rated/Min(W)': {'value': 5000.0, 'unit': None, 'raw': '5000'}, 'Indoor Unit Dimension WxHxD(mm)': {'value': 998.0, 'unit': 'x', 'raw': '998 x 345 x 210'}, 'Indoor Unit Weight(kg)': {'value': 11.0, 'unit': None, 'raw': '11.0'}, 'Outdoor Unit Dimension WxHxD(mm)': {'value': 770.0, 'unit': 'x', 'raw': '770 x 545 x 288'}, 'Outdoor Unit Weight(kg)': {'value': 28.5, 'unit': None, 'raw': '28.5'}, 'Rated Input Voltage(V, Hz)': {'value': 187.0, 'unit': None, 'raw': '187 ~ 276, 50'}, 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': {'value': 45.0, 'unit': None, 'raw': '45 / 39 / 31'}, 'Fan Speed': {'value': 6.0, 'unit': 'Steps', 'raw': '6 Steps'}}

- {'Himalaya Cool': True, '6-in-1 Cooling': True, 'Diet Mode': True, 'Dehumidification': True, 'Auto Restart': True, 'Fan Mode': True, 'Forced Switch Operation': True, 'Low Noise': True, 'On/Off Reservation(24Hr)': True, 'Reservation': True, 'Smart Diagnosis': True, 'Smart Guide': True, 'Stabilizer Free operation': True, 'Auto Cleaning': True}

- {'Model Name': 'US-Q19KNZE1', 'Outdoor Unit Model Name': 'USUQ19KNZE1', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Colour(Body)': 'White', 'Refrigerant Type': 'R32', 'Product Type II': 'Inverter', '4way': 'Up-Down/Left-Right', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Remote Controller': 'Basic'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

---

**BESTSELLER**

**LG LG AC 1.5 Ton 3 Star Split AC with AI Convertible, 100 Copper Tubes, Diet Mode, Gold Fin, Viraat Mode, 2025 Model US-Q19WNXE**

Price: ₹41,340.00 (Retail: ₹78,990.00, Save: ₹37,650.00)

## Key Features:

- ['Model Name: US-Q19WNXE', 'Outdoor Unit Model Name: USUQ19WNXE', 'Type: Inverter Split', 'Product Type: Wall Mounted', 'HVAC Type: C/O', 'Cooling Capacity Max(W): 5500', 'Cooling Power Consumption Rated/Min(W): 1750 / 291', 'Energy Grade: 3 Star', 'Colour(Body): White', 'Display: 88 Hidden', 'Cooling Capacity Rated/Min(W): 5000 / 1300', 'Cooling Power Consumption Rated/Min(W): 1750 / 291', 'Indoor Unit Dimension WxHxD(mm): 998x345x210', 'Cooling Capacity Max(W): 5500', 'Indoor Unit Weight(kg): 10.9', 'Outdoor Unit Dimension WxHxD(mm): 717x495x230', 'Outdoor Unit Weight(kg): 23.5', 'Outdoor Unit Weight(lb.): 27.0', 'Product Type: Wall Mounted', 'Rated Input Voltage(V, Hz): 230, 50', 'Refrigerant Type: R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A)): 0 / 45 / 39 / 35 / 31', 'HVAC Type: C/O', 'Himalaya Cool: Yes', 'Airflow direction control (Up & Down): Yes(6 Steps)', 'Fan Speed: 6 Steps', '6-in-1 Cooling: Yes', 'Diet Mode: Yes', 'Dehumidification: Yes', 'Energy Grade: 3 Star', 'Auto Restart: Yes', 'Fan Mode: Yes', 'Forced Switch Operation: Yes', 'Low Noise: Yes', 'On/Off Reservation(24Hr): Yes', 'Remote Controller: Basic', 'Reservation: Yes', 'Smart Diagnosis: Yes', 'Smart Guide: Yes', 'Stabilizer Free operation: Yes', 'Auto Cleaning: Yes']

- {'Model Name': 'US-Q19WNXE', 'Outdoor Unit Model Name': 'USUQ19WNXE', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Cooling Capacity Max(W)': '5500', 'Cooling Power Consumption Rated/Min(W)': '1750 / 291', 'Energy Grade': '3 Star', 'Colour(Body)': 'White', 'Display': '88 Hidden', 'Cooling Capacity Rated/Min(W)': '5000 / 1300', 'Indoor Unit Dimension WxHxD(mm)': '998x345x210', 'Indoor Unit Weight(kg)': '10.9', 'Outdoor Unit Dimension WxHxD(mm)': '717x495x230', 'Outdoor Unit Weight(kg)': '23.5', 'Outdoor Unit Weight(lb.)': '27.0', 'Rated Input Voltage(V, Hz)': '230, 50', 'Refrigerant Type': 'R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': '0 / 45 / 39 / 35 / 31', 'Himalaya Cool': 'Yes', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Fan Speed': '6 Steps', '6-in-1 Cooling': 'Yes', 'Diet Mode': 'Yes', 'Dehumidification': 'Yes', 'Auto Restart': 'Yes', 'Fan Mode': 'Yes', 'Forced Switch Operation': 'Yes', 'Low Noise': 'Yes', 'On/Off Reservation(24Hr)': 'Yes', 'Remote Controller': 'Basic', 'Reservation': 'Yes', 'Smart Diagnosis': 'Yes', 'Smart Guide': 'Yes', 'Stabilizer Free operation': 'Yes', 'Auto Cleaning': 'Yes', 'Smart Control': 'No'}

- {'Cooling Capacity Max(W)': {'value': 5500.0, 'unit': None, 'raw': '5500'}, 'Cooling Power Consumption Rated/Min(W)': {'value': 1750.0, 'unit': None, 'raw': '1750 / 291'}, 'Energy Grade': {'value': 3.0, 'unit': 'Star', 'raw': '3 Star'}, 'Display': {'value': 88.0, 'unit': 'Hidden', 'raw': '88 Hidden'}, 'Cooling Capacity Rated/Min(W)': {'value': 5000.0, 'unit': None, 'raw': '5000 / 1300'}, 'Indoor Unit Dimension WxHxD(mm)': {'value': 998.0, 'unit': 'x', 'raw': '998x345x210'}, 'Indoor Unit Weight(kg)': {'value': 10.9, 'unit': None, 'raw': '10.9'}, 'Outdoor Unit Dimension WxHxD(mm)': {'value': 717.0, 'unit': 'x', 'raw': '717x495x230'}, 'Outdoor Unit Weight(kg)': {'value': 23.5, 'unit': None, 'raw': '23.5'}, 'Outdoor Unit Weight(lb.)': {'value': 27.0, 'unit': None, 'raw': '27.0'}, 'Rated Input Voltage(V, Hz)': {'value': 230.0, 'unit': None, 'raw': '230, 50'}, 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': {'value': 0.0, 'unit': None, 'raw': '0 / 45 / 39 / 35 / 31'}, 'Fan Speed': {'value': 6.0, 'unit': 'Steps', 'raw': '6 Steps'}}

- {'Himalaya Cool': True, '6-in-1 Cooling': True, 'Diet Mode': True, 'Dehumidification': True, 'Auto Restart': True, 'Fan Mode': True, 'Forced Switch Operation': True, 'Low Noise': True,

'On/Off Reservation(24Hr)': True, 'Reservation': True, 'Smart Diagnosis': True, 'Smart Guide': True, 'Stabilizer Free operation': True, 'Auto Cleaning': True}

- {'Model Name': 'US-Q19WNXE', 'Outdoor Unit Model Name': 'USUQ19WNXE', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Colour(Body)': 'White', 'Refrigerant Type': 'R32', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Remote Controller': 'Basic'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

## Fans Recommendations

**BESTSELLER**

## Atomberg Atomberg Aris Starlight IOT Enabled 1200 mm BLDC Motor with Remote 3 Blade Ceiling Fan

Price: ₹10,250.00 (Retail: ₹15,530.00, Save: ₹5,280.00)

## Key Features:

- ['Model Name : Aris Starlight', 'Color : Dark Teakwood / Marble White', 'Room Type : Living Room Bedroom Dining Room', 'Special Feature: Led Remote IOT Enabled Underlight', 'Wattage: 39 Watts', 'Finish Type: ABS', 'No.of Blades: 3', 'Air Delivery (CMM): 245 CMM', 'Blade Length: 120 cm', 'Speed: 280 RPM', 'Item Weight: 5.2 Kilograms', 'Voltage: 165 - 285 V', 'Specification Met : 5 Star Rated', 'Control Method : IoT', 'Light Type : Underlight', 'Blade Material: ABS']

- {'Model Name': 'Aris Starlight', 'Color': 'Dark Teakwood / Marble White', 'Room Type': 'Living, Room, Bedroom, Dining, Room', 'Special Feature': 'Led Remote IOT Enabled Underlight', 'Wattage': '39 Watts', 'Finish Type': 'ABS', 'No.of Blades': '3', 'Air Delivery (CMM)': '245 CMM', 'Speed': '280 RPM', 'Item Weight': '5.2 Kilograms', 'Voltage': '165 - 285 V', 'Specification Met': '5 Star Rated', 'Control Method': 'IoT', 'Light Type': 'Underlight', 'Blade Material': 'ABS', 'blade\_length': '120.0 cm', 'Smart Control': 'Yes'}

- {'Wattage': {'value': 39.0, 'unit': 'Watts', 'raw': '39 Watts'}, 'No.of Blades': {'value': 3.0, 'unit': None, 'raw': '3'}, 'Air Delivery (CMM)': {'value': 245.0, 'unit': 'CMM', 'raw': '245 CMM'}, 'Speed': {'value': 280.0, 'unit': 'RPM', 'raw': '280 RPM'}, 'Item Weight': {'value': 5.2, 'unit': 'Kilograms', 'raw': '5.2 Kilograms'}, 'Voltage': {'value': 165.0, 'unit': None, 'raw': '165 - 285 V'}, 'Specification Met': {'value': 5.0, 'unit': 'Star', 'raw': '5 Star Rated'}, 'blade\_length': {'value': 120.0, 'unit': 'cm', 'raw': '120.0 cm'}}

- {}

- {'Model Name': 'Aris Starlight', 'Color': 'Dark Teakwood / Marble White', 'Room Type': 'Living, Room, Bedroom, Dining, Room', 'Special Feature': 'Led Remote IOT Enabled Underlight', 'Finish Type': 'ABS', 'Control Method': 'IoT', 'Light Type': 'Underlight', 'Blade Material': 'ABS'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

---

### BESTSELLER

## Superfan Superfan Super Q High Flow BLDC Ceiling Fan with 5 Years Warranty - 120 cm 48 inches

Price: ₹6,000.00 (Retail: ₹9,800.00, Save: ₹3,800.00)

### Key Features:

- ['High flow, low pressure', '20% more airflow', '6 sizes: 24 in. to 60 in.', 'Up to 69% savings', '2x quieter operation', 'Designed for healthy sleep', 'Fan Size : 1200 MM', 'Input Power : 35W', 'Typical Speed : 270 RPM', 'Air Flow : 260 m3/min', 'Service Value : 7.4 m3/min/watt', 'Power Factor : >0.9', 'Voltage Range : 90-300 Vac', '10-key remote with 5 different speeds', '2Hrs & 6Hrs Timer functions', 'Speed Control : T4 Remote']
- {'Input Power': '35W', 'Typical Speed': '270 RPM', 'Air Flow': '260 m3/min', 'Service Value': '7.4 m3/min/watt', 'Power Factor': '>0.9', 'Voltage Range': '90-300 Vac', 'Speed Control': 'T4 Remote', 'blade\_length': '120.0 cm', 'Smart Control': 'No'}
- {'Input Power': {'value': 35.0, 'unit': 'W', 'raw': '35W'}, 'Typical Speed': {'value': 270.0, 'unit': 'RPM', 'raw': '270 RPM'}, 'Air Flow': {'value': 260.0, 'unit': 'm', 'raw': '260 m3/min'}, 'Service Value': {'value': 7.4, 'unit': 'm', 'raw': '7.4 m3/min/watt'}, 'Voltage Range': {'value': 90.0, 'unit': 'None', 'raw': '90-300 Vac'}, 'blade\_length': {'value': 120.0, 'unit': 'cm', 'raw': '120.0 cm'}}
- {}
- {'high flow, low pressure': True, '20% more airflow': True, 'up to 69% savings': True, '2x quieter operation': True, 'designed for healthy sleep': True, 'Power Factor': '>0.9', '10-key remote with 5 different speeds': True, '2hrs & 6hrs timer functions': True, 'Speed Control': 'T4 Remote'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews
-



## BESTSELLER

# Atomberg Atomberg Renesa Energy Efficient Dust Resistant 1200mm Ceiling Fan with BLDC Motor and Remote

Price: ₹5,042.00 (Retail: ₹7,860.00, Save: ₹2,818.00)

## Key Features:

- ['Air Delivery: 220 CMM', 'RPM: 340', 'Power Consumption: 28 Watts', 'Input Voltage(V): 140-285', 'Frequency(HZ): 48-52', 'Power Factor: 0.99', 'No. Of Blades: 3', 'Bearing: ZZ Shielded Double Ball Bearing', 'Remote Control: Speed Control', 'Boost Mode', 'Timer & Sleep Mode', 'Available Colours: Pearl White, Earth Brown, Golden Oakwood, and Natural Oakwood']
- {'Air Delivery': '220 CMM', 'RPM': '340', 'Power Consumption': '28 Watts', 'Input Voltage(V)': '140-285', 'Frequency(HZ)': '48-52', 'Power Factor': '0.99', 'No. Of Blades': '3', 'Bearing': 'ZZ Shielded Double Ball Bearing', 'Remote Control': 'Speed Control', 'Available Colours': 'Pearl White, Earth Brown, Golden Oakwood, and Natural Oakwood', 'blade\_length': '120.0 cm', 'Smart Control': 'No'}
- {'Air Delivery': {'value': 220.0, 'unit': 'CMM', 'raw': '220 CMM'}, 'RPM': {'value': 340.0, 'unit': None, 'raw': '340'}, 'Power Consumption': {'value': 28.0, 'unit': 'Watts', 'raw': '28 Watts'}, 'Input Voltage(V)': {'value': 140.0, 'unit': None, 'raw': '140-285'}, 'Frequency(HZ)': {'value': 48.0, 'unit': None, 'raw': '48-52'}, 'Power Factor': {'value': 0.99, 'unit': None, 'raw': '0.99'}, 'No. Of Blades': {'value': 3.0, 'unit': None, 'raw': '3'}, 'blade\_length': {'value': 120.0, 'unit': 'cm', 'raw': '120.0 cm'}}
- {}
- {'Bearing': 'ZZ Shielded Double Ball Bearing', 'Remote Control': 'Speed Control', 'boost mode': True, 'timer & sleep mode': True, 'Available Colours': 'Pearl White, Earth Brown, Golden Oakwood, and Natural Oakwood'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

---

## Bathroom Recommendations

## Bedroom 2 Room

Second bedroom of 100.0 sq ft with White theme, an AC (1.0 Ton recommended), and a bathroom equipped with Shower water heating.

## Ac Recommendations

### BESTSELLER

## LG LG AC 2 Ton 3 Star Split AC with AI Convertible 6-in-1 Cooling, Gold Fin, Viraat Mode, Diet Mode, 2025 Model US-Q24ENXE

Price: ₹57,990.00 (Retail: ₹95,990.00, Save: ₹38,000.00)

### Key Features:

- ['Model Name: US-Q24ENXE', 'Outdoor Unit Model Name: USUQ24ENXE.ANLG', 'Type: Inverter Split', 'Product Type: Wall Mounted', 'HVAC Type: C/O', 'Cooling Capacity Max(W): 6800', 'Cooling Power Consumption Rated/Min(W): 2220', 'Energy Grade: 3 Star', 'Colour(Body): White', 'Display: 88 Hidden', 'Cooling Capacity Rated/Min(W): 6300 / -', 'Cooling Power Consumption Rated/Min(W): 2220', 'Indoor Unit Dimension WxHxD(mm): 998 x 345 x 210', 'Cooling Capacity Max(W): 6800', 'Indoor Unit Weight(kg): 11.0', 'Outdoor Unit Dimension WxHxD(mm): 770 x 545 x 288', 'Outdoor Unit Weight(kg): 30.0', 'Rated Input Voltage(V, Hz): 187 ~ 276, 50', 'Refrigerant Type: R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A)): 47 / 47 / 41 / 37 / 32', 'HVAC Type: C/O', 'Himalaya Cool: Yes', 'Airflow direction control (Up & Down): Yes', 'Fan Speed: 6 Steps', '6-in-1 Cooling: Yes', 'Diet Mode: Yes', 'Dehumidification: Yes', 'Energy Grade: 3 Star', 'Auto Restart: Yes', 'Fan Mode: Yes', 'Forced Switch Operation: Yes', 'Low Noise: Yes', 'On/Off Reservation(24Hr): Yes', 'Remote Controller: Basic', 'Reservation: Yes', 'Smart Diagnosis: Yes', 'Smart Guide: Yes', 'Stabilizer Free operation: Yes', 'Auto Cleaning: Yes']
- {'Model Name': 'US-Q24ENXE', 'Outdoor Unit Model Name': 'USUQ24ENXE.ANLG', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Cooling Capacity Max(W)': '6800', 'Cooling Power Consumption Rated/Min(W)': '2220', 'Energy Grade': '3 Star', 'Colour(Body)': 'White', 'Display': '88 Hidden', 'Cooling Capacity Rated/Min(W)': '6300 / -', 'Indoor Unit Dimension WxHxD(mm)': '998 x 345 x 210', 'Indoor Unit Weight(kg)': '11.0', 'Outdoor Unit Dimension WxHxD(mm)': '770 x 545 x 288', 'Outdoor Unit Weight(kg)': '30.0', 'Rated Input Voltage(V, Hz)': '187 ~ 276, 50', 'Refrigerant Type': 'R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': '47 / 47 / 41 / 37 / 32', 'Himalaya Cool': 'Yes', 'Airflow direction control (Up & Down)': 'Yes', 'Fan Speed': '6 Steps', '6-in-1 Cooling': 'Yes', 'Diet Mode': 'Yes', 'Dehumidification': 'Yes', 'Auto Restart': 'Yes', 'Fan Mode': 'Yes', 'Forced Switch Operation': 'Yes', 'Low Noise': 'Yes', 'On/Off Reservation(24Hr)': 'Yes', 'Remote Controller': 'Basic', 'Reservation': 'Yes', 'Smart Diagnosis': 'Yes', 'Smart Guide': 'Yes', 'Stabilizer Free operation': 'Yes', 'Auto Cleaning': 'Yes', 'Smart Control': 'No'}

- {'Cooling Capacity Max(W)': {'value': 6800.0, 'unit': None, 'raw': '6800'}, 'Cooling Power Consumption Rated/Min(W)': {'value': 2220.0, 'unit': None, 'raw': '2220'}, 'Energy Grade': {'value': 3.0, 'unit': 'Star', 'raw': '3 Star'}, 'Display': {'value': 88.0, 'unit': 'Hidden', 'raw': '88 Hidden'}, 'Cooling Capacity Rated/Min(W)': {'value': 6300.0, 'unit': None, 'raw': '6300 / -'}, 'Indoor Unit Dimension WxHxD(mm)': {'value': 998.0, 'unit': 'x', 'raw': '998 x 345 x 210'}, 'Indoor Unit Weight(kg)': {'value': 11.0, 'unit': None, 'raw': '11.0'}, 'Outdoor Unit Dimension WxHxD(mm)': {'value': 770.0, 'unit': 'x', 'raw': '770 x 545 x 288'}, 'Outdoor Unit Weight(kg)': {'value': 30.0, 'unit': None, 'raw': '30.0'}, 'Rated Input Voltage(V, Hz)': {'value': 187.0, 'unit': None, 'raw': '187 ~ 276, 50'}, 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': {'value': 47.0, 'unit': None, 'raw': '47 / 47 / 41 / 37 / 32'}, 'Fan Speed': {'value': 6.0, 'unit': 'Steps', 'raw': '6 Steps'}}
- {'Himalaya Cool': True, 'Airflow direction control (Up & Down)': True, '6-in-1 Cooling': True, 'Diet Mode': True, 'Dehumidification': True, 'Auto Restart': True, 'Fan Mode': True, 'Forced Switch Operation': True, 'Low Noise': True, 'On/Off Reservation(24Hr)': True, 'Reservation': True, 'Smart Diagnosis': True, 'Smart Guide': True, 'Stabilizer Free operation': True, 'Auto Cleaning': True}
- {'Model Name': 'US-Q24ENXE', 'Outdoor Unit Model Name': 'USUQ24ENXE.ANLG', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Colour(Body)': 'White', 'Refrigerant Type': 'R32', 'Remote Controller': 'Basic'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

**BESTSELLER**

## LG LG AC 1.5 Ton 5 Star Split AC with AI Convertible 6-in-1 Cooling, Anti Virus Protection, Smart Dehumidification, 2025 Model US-Q19KNZE1

Price: ₹48,800.00 (Retail: ₹79,900.00, Save: ₹31,100.00)

## Key Features:

- ['Model Name: US-Q19KNZE1', 'Outdoor Unit Model Name: USUQ19KNZE1', 'Type: Inverter Split', 'Product Type: Wall Mounted', 'HVAC Type: C/O', 'Cooling Capacity Max(W): 5800', 'Cooling Power Consumption Rated/Min(W): 1310', 'Energy Grade: 5 Star', 'Colour(Body): White', 'Display: 88 Hidden', 'Cooling Capacity Rated/Min(W): 5000', 'Cooling Power Consumption Rated/Min(W): 1310', 'Indoor Unit Dimension WxHxD(mm): 998 x 345 x 210', 'Cooling Capacity Max(W): 5800', 'Indoor Unit Weight(kg): 11.0', 'Outdoor Unit Dimension WxHxD(mm): 770 x 545 x 288', 'Outdoor Unit Weight(kg): 28.5', 'Product Type: Wall Mounted', 'Rated Input Voltage(V, Hz): 187 ~ 276, 50', 'Refrigerant

Type: R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A)):45 / 39 / 31', 'HVAC Type: C/O', 'Product Type II: Inverter', 'Himalaya Cool: Yes', '4way: Up-Down/Left-Right', 'Airflow direction control (Up & Down): Yes(6 Steps)', 'Fan Speed: 6 Steps', '6-in-1 Cooling: Yes', 'Diet Mode: Yes', 'Dehumidification: Yes', 'Energy Grade: 5 Star', 'Auto Restart: Yes', 'Fan Mode: Yes', 'Forced Switch Operation: Yes', 'Low Noise: Yes', 'On/Off Reservation(24Hr): Yes', 'Remote Controller: Basic', 'Reservation: Yes', 'Smart Diagnosis: Yes', 'Smart Guide: Yes', 'Stabilizer Free operation: Yes', 'Auto Cleaning: Yes']

- {'Model Name': 'US-Q19KNZE1', 'Outdoor Unit Model Name': 'USUQ19KNZE1', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Cooling Capacity Max(W)': '5800', 'Cooling Power Consumption Rated/Min(W)': '1310', 'Energy Grade': '5 Star', 'Colour(Body)': 'White', 'Display': '88 Hidden', 'Cooling Capacity Rated/Min(W)': '5000', 'Indoor Unit Dimension WxHxD(mm)': '998 x 345 x 210', 'Indoor Unit Weight(kg)': '11.0', 'Outdoor Unit Dimension WxHxD(mm)': '770 x 545 x 288', 'Outdoor Unit Weight(kg)': '28.5', 'Rated Input Voltage(V, Hz)': '187 ~ 276, 50', 'Refrigerant Type': 'R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': '45 / 39 / 31', 'Product Type II': 'Inverter', 'Himalaya Cool': 'Yes', '4way': 'Up-Down/Left-Right', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Fan Speed': '6 Steps', '6-in-1 Cooling': 'Yes', 'Diet Mode': 'Yes', 'Dehumidification': 'Yes', 'Auto Restart': 'Yes', 'Fan Mode': 'Yes', 'Forced Switch Operation': 'Yes', 'Low Noise': 'Yes', 'On/Off Reservation(24Hr)': 'Yes', 'Remote Controller': 'Basic', 'Reservation': 'Yes', 'Smart Diagnosis': 'Yes', 'Smart Guide': 'Yes', 'Stabilizer Free operation': 'Yes', 'Auto Cleaning': 'Yes', 'Smart Control': 'No'}

- {'Cooling Capacity Max(W)': {'value': 5800.0, 'unit': None, 'raw': '5800'}, 'Cooling Power Consumption Rated/Min(W)': {'value': 1310.0, 'unit': None, 'raw': '1310'}, 'Energy Grade': {'value': 5.0, 'unit': 'Star', 'raw': '5 Star'}, 'Display': {'value': 88.0, 'unit': 'Hidden', 'raw': '88 Hidden'}, 'Cooling Capacity Rated/Min(W)': {'value': 5000.0, 'unit': None, 'raw': '5000'}, 'Indoor Unit Dimension WxHxD(mm)': {'value': 998.0, 'unit': 'x', 'raw': '998 x 345 x 210'}, 'Indoor Unit Weight(kg)': {'value': 11.0, 'unit': None, 'raw': '11.0'}, 'Outdoor Unit Dimension WxHxD(mm)': {'value': 770.0, 'unit': 'x', 'raw': '770 x 545 x 288'}, 'Outdoor Unit Weight(kg)': {'value': 28.5, 'unit': None, 'raw': '28.5'}, 'Rated Input Voltage(V, Hz)': {'value': 187.0, 'unit': None, 'raw': '187 ~ 276, 50'}, 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': {'value': 45.0, 'unit': None, 'raw': '45 / 39 / 31'}, 'Fan Speed': {'value': 6.0, 'unit': 'Steps', 'raw': '6 Steps'}}

- {'Himalaya Cool': True, '6-in-1 Cooling': True, 'Diet Mode': True, 'Dehumidification': True, 'Auto Restart': True, 'Fan Mode': True, 'Forced Switch Operation': True, 'Low Noise': True, 'On/Off Reservation(24Hr)': True, 'Reservation': True, 'Smart Diagnosis': True, 'Smart Guide': True, 'Stabilizer Free operation': True, 'Auto Cleaning': True}

- {'Model Name': 'US-Q19KNZE1', 'Outdoor Unit Model Name': 'USUQ19KNZE1', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Colour(Body)': 'White', 'Refrigerant Type': 'R32', 'Product Type II': 'Inverter', '4way': 'Up-Down/Left-Right', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Remote Controller': 'Basic'}

**Why We Recommend This:**

- Top-rated bestseller with excellent customer reviews

## BESTSELLER

### LG LG AC 1.5 Ton 3 Star Split AC with AI Convertible, 100 Copper Tubes, Diet Mode, Gold Fin, Viraat Mode, 2025 Model US-Q19WNXE

Price: ₹41,340.00 (Retail: ₹78,990.00, Save: ₹37,650.00)

#### Key Features:

- ['Model Name: US-Q19WNXE', 'Outdoor Unit Model Name: USUQ19WNXE', 'Type: Inverter Split', 'Product Type: Wall Mounted', 'HVAC Type: C/O', 'Cooling Capacity Max(W): 5500', 'Cooling Power Consumption Rated/Min(W): 1750 / 291', 'Energy Grade: 3 Star', 'Colour(Body): White', 'Display: 88 Hidden', 'Cooling Capacity Rated/Min(W): 5000 / 1300', 'Cooling Power Consumption Rated/Min(W): 1750 / 291', 'Indoor Unit Dimension WxHxD(mm): 998x345x210', 'Cooling Capacity Max(W): 5500', 'Indoor Unit Weight(kg): 10.9', 'Outdoor Unit Dimension WxHxD(mm): 717x495x230', 'Outdoor Unit Weight(kg): 23.5', 'Outdoor Unit Weight(lb.): 27.0', 'Product Type: Wall Mounted', 'Rated Input Voltage(V, Hz): 230, 50', 'Refrigerant Type: R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A)): 0 / 45 / 39 / 35 / 31', 'HVAC Type: C/O', 'Himalaya Cool: Yes', 'Airflow direction control (Up & Down): Yes(6 Steps)', 'Fan Speed: 6 Steps', '6-in-1 Cooling: Yes', 'Diet Mode: Yes', 'Dehumidification: Yes', 'Energy Grade: 3 Star', 'Auto Restart: Yes', 'Fan Mode: Yes', 'Forced Switch Operation: Yes', 'Low Noise: Yes', 'On/Off Reservation(24Hr): Yes', 'Remote Controller: Basic', 'Reservation: Yes', 'Smart Diagnosis: Yes', 'Smart Guide: Yes', 'Stabilizer Free operation: Yes', 'Auto Cleaning: Yes']
- {'Model Name': 'US-Q19WNXE', 'Outdoor Unit Model Name': 'USUQ19WNXE', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Cooling Capacity Max(W)': '5500', 'Cooling Power Consumption Rated/Min(W)': '1750 / 291', 'Energy Grade': '3 Star', 'Colour(Body)': 'White', 'Display': '88 Hidden', 'Cooling Capacity Rated/Min(W)': '5000 / 1300', 'Indoor Unit Dimension WxHxD(mm)': '998x345x210', 'Indoor Unit Weight(kg)': '10.9', 'Outdoor Unit Dimension WxHxD(mm)': '717x495x230', 'Outdoor Unit Weight(kg)': '23.5', 'Outdoor Unit Weight(lb.)': '27.0', 'Rated Input Voltage(V, Hz)': '230, 50', 'Refrigerant Type': 'R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': '0 / 45 / 39 / 35 / 31', 'Himalaya Cool': 'Yes', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Fan Speed': '6 Steps', '6-in-1 Cooling': 'Yes', 'Diet Mode': 'Yes', 'Dehumidification': 'Yes', 'Auto Restart': 'Yes', 'Fan Mode': 'Yes', 'Forced Switch Operation': 'Yes', 'Low Noise': 'Yes', 'On/Off Reservation(24Hr)': 'Yes', 'Remote Controller': 'Basic', 'Reservation': 'Yes', 'Smart Diagnosis': 'Yes', 'Smart Guide': 'Yes', 'Stabilizer Free operation': 'Yes', 'Auto Cleaning': 'Yes', 'Smart Control': 'No'}

- {'Cooling Capacity Max(W)': {'value': 5500.0, 'unit': None, 'raw': '5500'}, 'Cooling Power Consumption Rated/Min(W)': {'value': 1750.0, 'unit': None, 'raw': '1750 / 291'}, 'Energy Grade': {'value': 3.0, 'unit': 'Star', 'raw': '3 Star'}, 'Display': {'value': 88.0, 'unit': 'Hidden', 'raw': '88 Hidden'}, 'Cooling Capacity Rated/Min(W)': {'value': 5000.0, 'unit': None, 'raw': '5000 / 1300'}, 'Indoor Unit Dimension WxHxD(mm)': {'value': 998.0, 'unit': 'x', 'raw': '998x345x210'}, 'Indoor Unit Weight(kg)': {'value': 10.9, 'unit': None, 'raw': '10.9'}, 'Outdoor Unit Dimension WxHxD(mm)': {'value': 717.0, 'unit': 'x', 'raw': '717x495x230'}, 'Outdoor Unit Weight(kg)': {'value': 23.5, 'unit': None, 'raw': '23.5'}, 'Outdoor Unit Weight(lb.)': {'value': 27.0, 'unit': None, 'raw': '27.0'}, 'Rated Input Voltage(V, Hz)': {'value': 230.0, 'unit': None, 'raw': '230, 50'}, 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': {'value': 0.0, 'unit': None, 'raw': '0 / 45 / 39 / 35 / 31'}, 'Fan Speed': {'value': 6.0, 'unit': 'Steps', 'raw': '6 Steps'}}
- {'Himalaya Cool': True, '6-in-1 Cooling': True, 'Diet Mode': True, 'Dehumidification': True, 'Auto Restart': True, 'Fan Mode': True, 'Forced Switch Operation': True, 'Low Noise': True, 'On/Off Reservation(24Hr)': True, 'Reservation': True, 'Smart Diagnosis': True, 'Smart Guide': True, 'Stabilizer Free operation': True, 'Auto Cleaning': True}
- {'Model Name': 'US-Q19WNXE', 'Outdoor Unit Model Name': 'USUQ19WNXE', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Colour(Body)': 'White', 'Refrigerant Type': 'R32', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Remote Controller': 'Basic'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

## Fans Recommendations

**BESTSELLER**

## Atomberg Atomberg Aris Starlight IOT Enabled 1200 mm BLDC Motor with Remote 3 Blade Ceiling Fan

Price: ₹10,250.00 (Retail: ₹15,530.00, Save: ₹5,280.00)

## Key Features:

- ['Model Name : Aris Starlight', 'Color : Dark Teakwood / Marble White', 'Room Type : Living Room Bedroom Dining Room', 'Special Feature: Led Remote IOT Enabled Underlight', 'Wattage: 39 Watts', 'Finish Type: ABS', 'No.of Blades: 3', 'Air Delivery (CMM): 245 CMM', 'Blade Length: 120 cm', 'Speed: 280 RPM', 'Item Weight: 5.2 Kilograms', 'Voltage: 165 - 285 V', 'Specification Met : 5 Star Rated', 'Control Method : IoT', 'Light Type : Underlight', 'Blade Material: ABS']

- {'Model Name': 'Aris Starlight', 'Color': 'Dark Teakwood / Marble White', 'Room Type': 'Living, Room, Bedroom, Dining, Room', 'Special Feature': 'Led Remote IOT Enabled Underlight', 'Wattage': '39 Watts', 'Finish Type': 'ABS', 'No.of Blades': '3', 'Air Delivery (CMM)': '245 CMM', 'Speed': '280 RPM', 'Item Weight': '5.2 Kilograms', 'Voltage': '165 - 285 V', 'Specification Met': '5 Star Rated', 'Control Method': 'IoT', 'Light Type': 'Underlight', 'Blade Material': 'ABS', 'blade\_length': '120.0 cm', 'Smart Control': 'Yes'}
- {'Wattage': {'value': 39.0, 'unit': 'Watts', 'raw': '39 Watts'}, 'No.of Blades': {'value': 3.0, 'unit': None, 'raw': '3'}, 'Air Delivery (CMM)': {'value': 245.0, 'unit': 'CMM', 'raw': '245 CMM'}, 'Speed': {'value': 280.0, 'unit': 'RPM', 'raw': '280 RPM'}, 'Item Weight': {'value': 5.2, 'unit': 'Kilograms', 'raw': '5.2 Kilograms'}, 'Voltage': {'value': 165.0, 'unit': None, 'raw': '165 - 285 V'}, 'Specification Met': {'value': 5.0, 'unit': 'Star', 'raw': '5 Star Rated'}, 'blade\_length': {'value': 120.0, 'unit': 'cm', 'raw': '120.0 cm'}}
- {}
- {'Model Name': 'Aris Starlight', 'Color': 'Dark Teakwood / Marble White', 'Room Type': 'Living, Room, Bedroom, Dining, Room', 'Special Feature': 'Led Remote IOT Enabled Underlight', 'Finish Type': 'ABS', 'Control Method': 'IoT', 'Light Type': 'Underlight', 'Blade Material': 'ABS'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

## BESTSELLER

## Superfan Superfan Super Q High Flow BLDC Ceiling Fan with 5 Years Warranty - 120 cm 48 inches

Price: ₹6,000.00 (Retail: ₹9,800.00, Save: ₹3,800.00)

## Key Features:

- ['High flow, low pressure', '20% more airflow', '6 sizes: 24 in. to 60 in.', 'Up to 69% savings', '2x quieter operation', 'Designed for healthy sleep', 'Fan Size : 1200 MM', 'Input Power : 35W', 'Typical Speed : 270 RPM', 'Air Flow : 260 m3/min', 'Service Value : 7.4 m3/min/watt', 'Power Factor : >0.9', 'Voltage Range : 90-300 Vac', '10-key remote with 5 different speeds', '2Hrs & 6Hrs Timer functions', 'Speed Control : T4 Remote']
- {'Input Power': '35W', 'Typical Speed': '270 RPM', 'Air Flow': '260 m3/min', 'Service Value': '7.4 m3/min/watt', 'Power Factor': '>0.9', 'Voltage Range': '90-300 Vac', 'Speed Control': 'T4 Remote', 'blade\_length': '120.0 cm', 'Smart Control': 'No'}
- {'Input Power': {'value': 35.0, 'unit': 'W', 'raw': '35W'}, 'Typical Speed': {'value': 270.0, 'unit': 'RPM', 'raw': '270 RPM'}, 'Air Flow': {'value': 260.0, 'unit': 'm', 'raw': '260 m3/min'},



'Service Value': {'value': 7.4, 'unit': 'm', 'raw': '7.4 m3/min/watt'}, 'Voltage Range': {'value': 90.0, 'unit': None, 'raw': '90-300 Vac'}, 'blade\_length': {'value': 120.0, 'unit': 'cm', 'raw': '120.0 cm'}}

- {}

- {'high flow, low pressure': True, '20% more airflow': True, 'up to 69% savings': True, '2x quieter operation': True, 'designed for healthy sleep': True, 'Power Factor': '>0.9', '10-key remote with 5 different speeds': True, '2hrs & 6hrs timer functions': True, 'Speed Control': 'T4 Remote'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

---

### BESTSELLER

## Atomberg Atomberg Renesa Energy Efficient Dust Resistant 1200mm Ceiling Fan with BLDC Motor and Remote

Price: ₹5,042.00 (Retail: ₹7,860.00, Save: ₹2,818.00)

### Key Features:

- ['Air Delivery: 220 CMM', 'RPM: 340', 'Power Consumption: 28 Watts', 'Input Voltage(V): 140-285', 'Frequency(HZ): 48-52', 'Power Factor: 0.99', 'No. Of Blades: 3', 'Bearing: ZZ Shielded Double Ball Bearing', 'Remote Control: Speed Control', 'Boost Mode', 'Timer & Sleep Mode', 'Available Colours: Pearl White, Earth Brown, Golden Oakwood, and Natural Oakwood']

- {'Air Delivery': '220 CMM', 'RPM': '340', 'Power Consumption': '28 Watts', 'Input Voltage(V)': '140-285', 'Frequency(HZ)': '48-52', 'Power Factor': '0.99', 'No. Of Blades': '3', 'Bearing': 'ZZ Shielded Double Ball Bearing', 'Remote Control': 'Speed Control', 'Available Colours': 'Pearl White, Earth Brown, Golden Oakwood, and Natural Oakwood', 'blade\_length': '120.0 cm', 'Smart Control': 'No'}

- {'Air Delivery': {'value': 220.0, 'unit': 'CMM', 'raw': '220 CMM'}, 'RPM': {'value': 340.0, 'unit': None, 'raw': '340'}, 'Power Consumption': {'value': 28.0, 'unit': 'Watts', 'raw': '28 Watts'}, 'Input Voltage(V)': {'value': 140.0, 'unit': None, 'raw': '140-285'}, 'Frequency(HZ)': {'value': 48.0, 'unit': None, 'raw': '48-52'}, 'Power Factor': {'value': 0.99, 'unit': None, 'raw': '0.99'}, 'No. Of Blades': {'value': 3.0, 'unit': None, 'raw': '3'}, 'blade\_length': {'value': 120.0, 'unit': 'cm', 'raw': '120.0 cm'}}

- {}



- {'Bearing': 'ZZ Shielded Double Ball Bearing', 'Remote Control': 'Speed Control', 'boost mode': True, 'timer & sleep mode': True, 'Available Colours': 'Pearl White, Earth Brown, Golden Oakwood, and Natural Oakwood'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews
- 

## Bathroom Recommendations

### Laundry Room

Laundry area of 50.0 sq ft equipped with a Front-Load washing machine and a dryer.

## Washing Machine Recommendations

### Bosch Bosch 10Kg Fully Automatic Front Load Washing Machine Series 6 - WGA252ZSIN

Price: ₹48,940.00 (Retail: ₹59,990.00, Save: ₹11,050.00)

#### Key Features:

- ['Built-in / Free-standing: Freestanding', 'Door hinge: left', 'Loading capacity: 10.0 kg', 'Colour / Material body: Silver', 'Delicates programme, Easy-care programme, Whites and coloureds programme, Woollens hand wash programme', 'Cottons programme: Standard cold - 90C', 'Easy-care programme: Standard cold - 60C', 'Wash optimization: Drain / Spin, Duvet, Easy iron, easy ironing steam assisted, extra Rinse, Hygiene, Mixed fabric 50 minute quick wash programme, Quick 15'/30', Ready, Shirts/ Blouses, Single Rinse, Speed Perfect, Spin speed reduction, stain selection, Start/Reload, Temperature selection.', 'Start delay options: continuous', 'Depth with open door 90 degree: 1,049 mm', 'Length electrical supply cord: 160.0 cm', 'Height of the appliance: 848 mm', 'Dimensions of the product: 848x598x590 mm', 'Wheels: No', 'Net weight: 73.7 kg', 'Drum volume: 60 l', 'Drum material: Stainless steel', 'Door Frame: Silver-black grey', 'Colour Buttons: White', 'Noise level washing: 54 dB(A) re 1pW.', 'Noise level spinning: 72 dB(A) re 1pW', 'Connection rating: 2300 W', 'Fuse protection: 10 A', 'Voltage: 220-240 V', 'Frequency: 50 Hz', 'Cord Included: Yes', 'Plug type: India plug (16 Ampere)', 'Length of supply hose (in): 47.24', 'Dimensions of the packed product: 34.44 x 25.78 x 27.95', 'Net weight: 163.000 lbs', 'Gross weight: 172.000 lbs', 'Length of drain hose: 150.00 cm', 'Length of supply hose: 120.00 cm', 'Dimensions of the packed product (HxWxD): 875 x 655 x 710 mm', 'Gross

weight: 78.2 kg', 'Connection rating: 2300 W', 'Fuse protection: 10 A', 'Voltage: 220-240 V', 'Frequency: 50 Hz', 'Water protection system: Multiple water protection', 'Max. spin speed: 1200 rpm', 'Spin speed options: Variable', 'Digital countdown indicator: Yes', 'Drying progress indicator: LED-display, LED', 'Maximum capacity in kg (EU 2017/1369): 10.0 kg']

- {'Built-in / Free-standing': 'Freestanding', 'Door hinge': 'left', 'Loading capacity': '10.0 kg', 'Colour / Material body': 'Silver', 'Cottons programme': 'Standard cold - 90C', 'Easy-care programme': 'Standard cold - 60C', 'Wash optimization': "Drain / Spin, Duvet, Easy iron, easy ironing steam assisted, extra Rinse, Hygiene, Mixed fabric 50 minute quick wash programme, Quick 15'/30', Ready, Shirts/ Blouses, Single Rinse, Speed Perfect, Spin speed reduction, stain selection, Start/Reload, Temperature selection.", 'Start delay options': 'continuous', 'Depth with open door 90 degree': '1,049 mm', 'Length electrical supply cord': '160.0 cm', 'Height of the appliance': '848 mm', 'Dimensions of the product': '848x598x590 mm', 'Wheels': 'No', 'Net weight': '163.000 lbs', 'Drum volume': '60 l', 'Drum material': 'Stainless steel', 'Door Frame': 'Silver-black grey', 'Colour Buttons': 'White', 'Noise level washing': '54 dB(A) re 1pW.', 'Noise level spinning': '72 dB(A) re 1pW', 'Connection rating': '2300 W', 'Fuse protection': '10 A', 'Voltage': '220-240 V', 'Frequency': '50 Hz', 'Cord Included': 'Yes', 'Plug type': 'India plug (16 Ampere)', 'Length of supply hose (in)': '47.24', 'Dimensions of the packed product': '34.44 x 25.78 x 27.95', 'Gross weight': '78.2 kg', 'Length of drain hose': '150.00 cm', 'Length of supply hose': '120.00 cm', 'Dimensions of the packed product (HxWxD)': '875 x 655 x 710 mm', 'Water protection system': 'Multiple water protection', 'Max. spin speed': '1200 rpm', 'Spin speed options': 'Variable', 'Digital countdown indicator': 'Yes', 'Drying progress indicator': 'LED-display, LED', 'Maximum capacity in kg (EU 2017/1369)': '10.0 kg', 'Type': 'Front Load', 'Smart Control': 'No'}

- {'Loading capacity': {'value': 10.0, 'unit': 'kg', 'raw': '10.0 kg'}, 'Depth with open door 90 degree': {'value': 1.0, 'unit': None, 'raw': '1,049 mm'}, 'Length electrical supply cord': {'value': 160.0, 'unit': 'cm', 'raw': '160.0 cm'}, 'Height of the appliance': {'value': 848.0, 'unit': 'mm', 'raw': '848 mm'}, 'Dimensions of the product': {'value': 848.0, 'unit': 'x', 'raw': '848x598x590 mm'}, 'Net weight': {'value': 163.0, 'unit': 'lbs', 'raw': '163.000 lbs'}, 'Drum volume': {'value': 60.0, 'unit': 'l', 'raw': '60 l'}, 'Noise level washing': {'value': 54.0, 'unit': 'dB', 'raw': '54 dB(A) re 1pW.'}, 'Noise level spinning': {'value': 72.0, 'unit': 'dB', 'raw': '72 dB(A) re 1pW'}, 'Connection rating': {'value': 2300.0, 'unit': 'W', 'raw': '2300 W'}, 'Fuse protection': {'value': 10.0, 'unit': 'A', 'raw': '10 A'}, 'Voltage': {'value': 220.0, 'unit': None, 'raw': '220-240 V'}, 'Frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50 Hz'}, 'Length of supply hose (in)': {'value': 47.24, 'unit': None, 'raw': '47.24'}, 'Dimensions of the packed product': {'value': 34.44, 'unit': 'x', 'raw': '34.44 x 25.78 x 27.95'}, 'Gross weight': {'value': 78.2, 'unit': 'kg', 'raw': '78.2 kg'}, 'Length of drain hose': {'value': 150.0, 'unit': 'cm', 'raw': '150.00 cm'}, 'Length of supply hose': {'value': 120.0, 'unit': 'cm', 'raw': '120.00 cm'}, 'Dimensions of the packed product (HxWxD)': {'value': 875.0, 'unit': 'x', 'raw': '875 x 655 x 710 mm'}, 'Max. spin speed': {'value': 1200.0, 'unit': 'rpm', 'raw': '1200 rpm'}, 'Maximum capacity in kg (EU 2017/1369)': {'value': 10.0, 'unit': 'kg', 'raw': '10.0 kg'}}

- {'Wheels': False, 'Cord Included': True, 'Digital countdown indicator': True}

- {'Built-in / Free-standing': 'Freestanding', 'Door hinge': 'left', 'Colour / Material body': 'Silver', 'delicates programme, easy-care programme, whites and coloureds programme, woollens hand wash programme': True, 'Cottons programme': 'Standard cold - 90C', 'Easy-care programme': 'Standard cold - 60C', 'Wash optimization': "Drain / Spin, Duvet, Easy iron, easy ironing steam assisted, extra Rinse, Hygiene, Mixed fabric 50 minute quick wash programme, Quick 15'/30', Ready, Shirts/ Blouses, Single Rinse, Speed Perfect, Spin speed reduction, stain selection, Start/Reload, Temperature selection.", 'Start delay options': 'continuous', 'Drum material': 'Stainless steel', 'Door Frame': 'Silver-black grey', 'Colour Buttons': 'White', 'Plug type': 'India plug (16 Ampere)', 'Water protection system': 'Multiple water protection', 'Spin speed options': 'Variable', 'Drying progress indicator': 'LED-display, LED'}

## Why We Recommend This:

---

### Bosch Bosch Front Load Washing Machine Series 6 7Kg 1200 rpm - WGA1220PIN

Price: ₹31,860.00 (Retail: ₹50,990.00, Save: ₹19,130.00)

#### Key Features:

- ['Built-in / Free-standing: Freestanding', 'Length electrical supply cord: 160.0 cm', 'Dimensions of the product: 848x598x590 mm', 'Drum volume: 53 l', 'Door frame: Silver-black grey', 'Color buttons: white', 'Noise level washing: 53 dB(A) re 1pW', 'Connection rating: 2300 W', 'Fuse protection: 10 A', 'Voltage: 220-240 V', 'Frequency: 50 Hz', 'Cord Included: Yes', 'Plug type: India plug (16 Ampere)', 'Length of supply hose (in): 47.24"', 'Length of drain hose: 150.00 cm', 'Length of supply hose: 120.00 cm', 'Connection rating: 2300 W', 'Fuse protection: 10 A', 'Voltage: 220-240 V', 'Frequency: 50 Hz', 'Water protection system: Multiple water protection', 'Max. spin speed: 1200 rpm', 'Digital countdown indicator: Yes', 'Drying progress indicator: LED-display, LED', 'Maximum capacity in kg (EU 2017/1369): 7.0 kg']

- {'Built-in / Free-standing': 'Freestanding', 'Length electrical supply cord': '160.0 cm', 'Dimensions of the product': '848x598x590 mm', 'Drum volume': '53 l', 'Door frame': 'Silver-black grey', 'Color buttons': 'white', 'Noise level washing': '53 dB(A) re 1pW', 'Connection rating': '2300 W', 'Fuse protection': '10 A', 'Voltage': '220-240 V', 'Frequency': '50 Hz', 'Cord Included': 'Yes', 'Plug type': 'India plug (16 Ampere)', 'Length of supply hose (in)': '47.24"', 'Length of drain hose': '150.00 cm', 'Length of supply hose': '120.00 cm', 'Water protection system': 'Multiple water protection', 'Max. spin speed': '1200 rpm', 'Digital countdown indicator': 'Yes', 'Drying progress indicator': 'LED-display, LED', 'Maximum capacity in kg (EU 2017/1369)': '7.0 kg', 'Type': 'Front Load', 'Smart Control': 'No'}

- {'Length electrical supply cord': {'value': 160.0, 'unit': 'cm', 'raw': '160.0 cm'}, 'Dimensions of the product': {'value': 848.0, 'unit': 'x', 'raw': '848x598x590 mm'}, 'Drum volume': {'value': 53.0, 'unit': 'l', 'raw': '53 l'}, 'Noise level washing': {'value': 53.0, 'unit': 'dB', 'raw': '53 dB(A) re 1pW'}, 'Connection rating': {'value': 2300.0, 'unit': 'W', 'raw': '2300 W'}, 'Fuse protection': {'value': 10.0, 'unit': 'A', 'raw': '10 A'}, 'Voltage': {'value': 220.0, 'unit': 'None', 'raw': '220-240 V'}, 'Frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50 Hz'}, 'Length of supply hose (in)': {'value': 47.24, 'unit': '', 'raw': '47.24 '}, 'Length of drain hose': {'value': 150.0, 'unit': 'cm', 'raw': '150.00 cm'}, 'Length of supply hose': {'value': 120.0, 'unit': 'cm', 'raw': '120.00 cm'}, 'Max. spin speed': {'value': 1200.0, 'unit': 'rpm', 'raw': '1200 rpm'}, 'Maximum capacity in kg (EU 2017/1369)': {'value': 7.0, 'unit': 'kg', 'raw': '7.0 kg'}}}
- {'Cord Included': True, 'Digital countdown indicator': True}
- {'Built-in / Free-standing': 'Freestanding', 'Door frame': 'Silver-black grey', 'Color buttons': 'white', 'Plug type': 'India plug (16 Ampere)', 'Water protection system': 'Multiple water protection', 'Drying progress indicator': 'LED-display, LED'}

## Why We Recommend This:

---

### Bosch Bosch 6.5 Kg Fully Automatic Front Load Washing Machine Series 2 - WAJ24265IN

Price: ₹36,415.00 (Retail: ₹46,990.00, Save: ₹10,575.00)

#### Key Features:

- ['Built-in / Free-standing: Freestanding', 'Maximum capacity in kg (EU 2017/1369): 6.5 kg', 'Length electrical supply cord: 160.0 cm', 'Dimensions of the product: 848x598x590 mm', 'Drum Volume: 53 l', 'Door Frame: Silver-black grey', 'Color Buttons: white', 'Noise level washing: 53 dB(A) re 1pW', 'Connection rating: 2300 W', 'Fuse protection: 10 A', 'Voltage: 220-240 V', 'Frequency: 50 Hz', 'Cord Included: Yes', 'Plug type: India plug (16 Ampere)', 'Length of supply hose (in): 47.24 ', 'Length of drain hose: 150.00 cm', 'Length of supply hose: 120.00 cm', 'Water protection system: Multiple water protection', 'Max. spin speed:1200 rpm', 'Digital countdown indicator: Yes', 'Drying progress indicator: LED-display, LED']
- {'Built-in / Free-standing': 'Freestanding', 'Maximum capacity in kg (EU 2017/1369)': '6.5 kg', 'Length electrical supply cord': '160.0 cm', 'Dimensions of the product': '848x598x590 mm', 'Drum Volume': '53 l', 'Door Frame': 'Silver-black grey', 'Color Buttons': 'white', 'Noise level washing': '53 dB(A) re 1pW', 'Connection rating': '2300 W', 'Fuse protection': '10 A', 'Voltage': '220-240 V', 'Frequency': '50 Hz', 'Cord Included': 'Yes', 'Plug type': 'India plug (16 Ampere)', 'Length of supply hose (in)': '47.24 ', 'Length of drain hose': '150.00 cm', 'Length of supply hose': '120.00 cm', 'Water protection system': 'Multiple water

protection', 'Max. spin speed': '1200 rpm', 'Digital countdown indicator': 'Yes', 'Drying progress indicator': 'LED-display, LED', 'Type': 'Front Load', 'Smart Control': 'No'}

- {'Maximum capacity in kg (EU 2017/1369)': {'value': 6.5, 'unit': 'kg', 'raw': '6.5 kg'}, 'Length electrical supply cord': {'value': 160.0, 'unit': 'cm', 'raw': '160.0 cm'}, 'Dimensions of the product': {'value': 848.0, 'unit': 'x', 'raw': '848x598x590 mm'}, 'Drum Volume': {'value': 53.0, 'unit': 'l', 'raw': '53 l'}, 'Noise level washing': {'value': 53.0, 'unit': 'dB', 'raw': '53 dB(A) re 1pW'}, 'Connection rating': {'value': 2300.0, 'unit': 'W', 'raw': '2300 W'}, 'Fuse protection': {'value': 10.0, 'unit': 'A', 'raw': '10 A'}, 'Voltage': {'value': 220.0, 'unit': 'None', 'raw': '220-240 V'}, 'Frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50 Hz'}, 'Length of supply hose (in)': {'value': 47.24, 'unit': '', 'raw': '47.24 '}, 'Length of drain hose': {'value': 150.0, 'unit': 'cm', 'raw': '150.00 cm'}, 'Length of supply hose': {'value': 120.0, 'unit': 'cm', 'raw': '120.00 cm'}, 'Max. spin speed': {'value': 1200.0, 'unit': 'rpm', 'raw': '1200 rpm'}}
- {'Cord Included': True, 'Digital countdown indicator': True}
- {'Built-in / Free-standing': 'Freestanding', 'Door Frame': 'Silver-black grey', 'Color Buttons': 'white', 'Plug type': 'India plug (16 Ampere)', 'Water protection system': 'Multiple water protection', 'Drying progress indicator': 'LED-display, LED'}

## Why We Recommend This:

---

## Dryer Recommendations

### BESTSELLER

## Bosch Bosch 8Kg Fully Automatic Front Load Condenser Tumble Dryer Series 4 - WPG23108IN Silver

Price: ₹55,295.00 (Retail: ₹65,990.00, Save: ₹10,695.00)

## Key Features:

- ['Built-in / Free-standing: Freestanding', 'Colour / Material body: Silver inox', 'Dimensions: 842x598x613 mm', 'Drum volume: 112 l', 'Net weight: 42.9 kg', 'Dryer type: Condensing', 'Installation typology: Freestanding', 'Loading capacity: 8.0 kg', 'Energy efficiency rating: B', 'Drum material: Stainless steel', 'Dryer type: Condensing', 'List of programmes: additional programmes', 'Digital countdown indicator: Yes', 'Start delay options: continuous', 'Door hinge: Right', 'Interior light: No', 'Removable top: No', 'Length electrical supply cord: 145.0 cm', 'Power consumption in off-mode - NEW (2010/30/EC): 0.15 W', 'Power consumption in left-on mode - NEW (2010/30/EC): 0.50 W', 'Available languages display: Symbols', 'Drying time selector: No', 'Fluff filter: Yes', 'Digital countdown indicator: Yes', 'End of cycle indicator: Acoustic, LED-display', 'Blocked filter indicator: Yes', 'Full tank

indicator: Yes', 'Reverse tumble action: No', 'Start delay options: continuous', 'Connection rating: 2,800 W', 'Length electrical supply cord: 145.0 cm', 'Fuse protection: 13 A', 'Exhaust water pipe: No', 'Frequency: 50 Hz', 'Plug type: India plug (16 Ampere)', 'Vent hose: No', 'Voltage: 220-240 V']

- {'Built-in / Free-standing': 'Freestanding', 'Colour / Material body': 'Silver inox', 'Dimensions': '842x598x613 mm', 'Drum volume': '112 l', 'Net weight': '42.9 kg', 'Dryer type': 'Condensing', 'Installation typology': 'Freestanding', 'Loading capacity': '8.0 kg', 'Energy efficiency rating': 'B', 'Drum material': 'Stainless steel', 'List of programmes': 'additional programmes', 'Digital countdown indicator': 'Yes', 'Start delay options': 'continuous', 'Door hinge': 'Right', 'Interior light': 'No', 'Removable top': 'No', 'Length electrical supply cord': '145.0 cm', 'Power consumption in off-mode - NEW (2010/30/EC)': '0.15 W', 'Power consumption in left-on mode - NEW (2010/30/EC)': '0.50 W', 'Available languages display': 'Symbols', 'Drying time selector': 'No', 'Fluff filter': 'Yes', 'End of cycle indicator': 'Acoustic, LED-display', 'Blocked filter indicator': 'Yes', 'Full tank indicator': 'Yes', 'Reverse tumble action': 'No', 'Connection rating': '2,800 W', 'Fuse protection': '13 A', 'Exhaust water pipe': 'No', 'Frequency': '50 Hz', 'Plug type': 'India plug (16 Ampere)', 'Vent hose': 'No', 'Voltage': '220-240 V', 'Smart Control': 'No'}

- {'Dimensions': {'value': 842.0, 'unit': 'x', 'raw': '842x598x613 mm'}, 'Drum volume': {'value': 112.0, 'unit': 'l', 'raw': '112 l'}, 'Net weight': {'value': 42.9, 'unit': 'kg', 'raw': '42.9 kg'}, 'Loading capacity': {'value': 8.0, 'unit': 'kg', 'raw': '8.0 kg'}, 'Length electrical supply cord': {'value': 145.0, 'unit': 'cm', 'raw': '145.0 cm'}, 'Power consumption in off-mode - NEW (2010/30/EC)': {'value': 0.15, 'unit': 'W', 'raw': '0.15 W'}, 'Power consumption in left-on mode - NEW (2010/30/EC)': {'value': 0.5, 'unit': 'W', 'raw': '0.50 W'}, 'Connection rating': {'value': 2.0, 'unit': None, 'raw': '2,800 W'}, 'Fuse protection': {'value': 13.0, 'unit': 'A', 'raw': '13 A'}, 'Frequency': {'value': 50.0, 'unit': 'Hz', 'raw': '50 Hz'}, 'Voltage': {'value': 220.0, 'unit': None, 'raw': '220-240 V'}}

- {'Digital countdown indicator': True, 'Interior light': False, 'Removable top': False, 'Drying time selector': False, 'Fluff filter': True, 'Blocked filter indicator': True, 'Full tank indicator': True, 'Reverse tumble action': False, 'Exhaust water pipe': False, 'Vent hose': False}

- {'Built-in / Free-standing': 'Freestanding', 'Colour / Material body': 'Silver inox', 'Dryer type': 'Condensing', 'Installation typology': 'Freestanding', 'Energy efficiency rating': 'B', 'Drum material': 'Stainless steel', 'List of programmes': 'additional programmes', 'Start delay options': 'continuous', 'Door hinge': 'Right', 'Available languages display': 'Symbols', 'End of cycle indicator': 'Acoustic, LED-display', 'Plug type': 'India plug (16 Ampere)'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews
-

## Dining Room

### Fans Recommendations

#### Superfan Unknown Model

Price: ₹6,400.00 (Retail: ₹9,900.00, Save: ₹3,500.00)

#### Key Features:

- ['High flow, low pressure', '20% more airflow', '6 sizes: 24 in. to 60 in.', 'Up to 69% savings', '2x quieter operation', 'Designed for healthy sleep', 'Fan Size : 600 MM', 'Input Power : 20W', 'Typical Speed : 420 RPM', 'Air Flow : 120 m3/min', 'Service Value : 6.0 m3/min/watt', 'Power Factor : >0.9', 'Voltage Range : 90-300 Vac', '10-key remote with 5 different speeds', '2Hrs & 6Hrs Timer functions', 'Speed Control : T4 Remote']
- {'Input Power': '20W', 'Typical Speed': '420 RPM', 'Air Flow': '120 m3/min', 'Service Value': '6.0 m3/min/watt', 'Power Factor': '>0.9', 'Voltage Range': '90-300 Vac', 'Speed Control': 'T4 Remote', 'blade\_length': '60.0 cm', 'Smart Control': 'No'}
- {'Input Power': {'value': 20.0, 'unit': 'W', 'raw': '20W'}, 'Typical Speed': {'value': 420.0, 'unit': 'RPM', 'raw': '420 RPM'}, 'Air Flow': {'value': 120.0, 'unit': 'm', 'raw': '120 m3/min'}, 'Service Value': {'value': 6.0, 'unit': 'm', 'raw': '6.0 m3/min/watt'}, 'Voltage Range': {'value': 90.0, 'unit': 'None', 'raw': '90-300 Vac'}, 'blade\_length': {'value': 60.0, 'unit': 'cm', 'raw': '60.0 cm'}}
- {}
- {'high flow, low pressure': True, '20% more airflow': True, 'up to 69% savings': True, '2x quieter operation': True, 'designed for healthy sleep': True, 'Power Factor': '>0.9', '10-key remote with 5 different speeds': True, '2hrs & 6hrs timer functions': True, 'Speed Control': 'T4 Remote'}

#### Why We Recommend This:

- Save ₹9,900.00 compared to retail price - exceptional value for money

---

#### Superfan Unknown Model

Price: ₹6,400.00 (Retail: ₹9,900.00, Save: ₹3,500.00)

#### Key Features:

- ['High flow, low pressure', '20% more airflow', '6 sizes: 24 in. to 60 in.', 'Up to 69% savings', '2x quieter operation', 'Designed for healthy sleep', 'Fan Size : 600 MM', 'Input

Power : 20W', 'Typical Speed : 420 RPM', 'Air Flow : 120 m3/min', 'Service Value : 6.0 m3/min/watt', 'Power Factor : >0.9', 'Voltage Range : 90-300 Vac', '10-key remote with 5 different speeds', '2Hrs & 6Hrs Timer functions', 'Speed Control : T4 Remote']

- {'Input Power': '20W', 'Typical Speed': '420 RPM', 'Air Flow': '120 m3/min', 'Service Value': '6.0 m3/min/watt', 'Power Factor': '>0.9', 'Voltage Range': '90-300 Vac', 'Speed Control': 'T4 Remote', 'blade\_length': '60.0 cm', 'Smart Control': 'No'}
- {'Input Power': {'value': 20.0, 'unit': 'W', 'raw': '20W'}, 'Typical Speed': {'value': 420.0, 'unit': 'RPM', 'raw': '420 RPM'}, 'Air Flow': {'value': 120.0, 'unit': 'm', 'raw': '120 m3/min'}, 'Service Value': {'value': 6.0, 'unit': 'm', 'raw': '6.0 m3/min/watt'}, 'Voltage Range': {'value': 90.0, 'unit': None, 'raw': '90-300 Vac'}, 'blade\_length': {'value': 60.0, 'unit': 'cm', 'raw': '60.0 cm'}}
- {}
- {'high flow, low pressure': True, '20% more airflow': True, 'up to 69% savings': True, '2x quieter operation': True, 'designed for healthy sleep': True, 'Power Factor': '>0.9', '10-key remote with 5 different speeds': True, '2hrs & 6hrs timer functions': True, 'Speed Control': 'T4 Remote'}

## Why We Recommend This:

- Save ₹9,900.00 compared to retail price - exceptional value for money

---

## Atomberg Unknown Model

Price: ₹3,573.00 (Retail: ₹5,340.00, Save: ₹1,767.00)

## Key Features:

- ['Air Delivery: 135 CMM', 'RPM: 830', 'Power Consumption: 28Watts', 'Input Voltage(V): 140-285', 'Frequency(HZ): 48-52', 'Power Factor: 0.99', 'No. Of Blades: 3', 'Bearing: ZZ Shielded Double Ball Bearing', 'Remote Control: Speed Control', 'Boost Mode', 'Timer & Sleep Mode', 'Available Colours: Brown and Black, Matt Brown, White, White and Black']
- {'Air Delivery': '135 CMM', 'RPM': '830', 'Power Consumption': '28Watts', 'Input Voltage(V)': '140-285', 'Frequency(HZ)': '48-52', 'Power Factor': '0.99', 'No. Of Blades': '3', 'Bearing': 'ZZ Shielded Double Ball Bearing', 'Remote Control': 'Speed Control', 'Available Colours': 'Brown and Black, Matt Brown, White, White and Black', 'blade\_length': '60.0 cm', 'Smart Control': 'No'}
- {'Air Delivery': {'value': 135.0, 'unit': 'CMM', 'raw': '135 CMM'}, 'RPM': {'value': 830.0, 'unit': None, 'raw': '830'}, 'Power Consumption': {'value': 28.0, 'unit': 'Watts', 'raw': '28Watts'}, 'Input Voltage(V)': {'value': 140.0, 'unit': None, 'raw': '140-285'}, 'Frequency(HZ)': {'value': 48.0, 'unit': None, 'raw': '48-52'}, 'Power Factor': {'value': 0.99,



'unit': None, 'raw': '0.99'}, 'No. Of Blades': {'value': 3.0, 'unit': None, 'raw': '3'},  
'blade\_length': {'value': 60.0, 'unit': 'cm', 'raw': '60.0 cm'}}

- {}
- {'Bearing': 'ZZ Shielded Double Ball Bearing', 'Remote Control': 'Speed Control', 'boost mode': True, 'timer & sleep mode': True, 'Available Colours': 'Brown and Black, Matt Brown, White, White and Black'}

## Why We Recommend This:

- Save ₹5,340.00 compared to retail price - exceptional value for money

## Ac Recommendations

**BESTSELLER**

## LG LG AC 2 Ton 3 Star Split AC with AI Convertible 6-in-1 Cooling, Gold Fin, Viraat Mode, Diet Mode, 2025 Model US-Q24ENXE

Price: ₹57,990.00 (Retail: ₹95,990.00, Save: ₹38,000.00)

## Key Features:

- ['Model Name: US-Q24ENXE', 'Outdoor Unit Model Name: USUQ24ENXE.ANLG', 'Type: Inverter Split', 'Product Type: Wall Mounted', 'HVAC Type: C/O', 'Cooling Capacity Max(W): 6800', 'Cooling Power Consumption Rated/Min(W): 2220', 'Energy Grade: 3 Star', 'Colour(Body): White', 'Display: 88 Hidden', 'Cooling Capacity Rated/Min(W): 6300 / -', 'Cooling Power Consumption Rated/Min(W): 2220', 'Indoor Unit Dimension WxHxD(mm): 998 x 345 x 210', 'Cooling Capacity Max(W): 6800', 'Indoor Unit Weight(kg): 11.0', 'Outdoor Unit Dimension WxHxD(mm): 770 x 545 x 288', 'Outdoor Unit Weight(kg): 30.0', 'Rated Input Voltage(V, Hz): 187 ~ 276, 50', 'Refrigerant Type: R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A)): 47 / 47 / 41 / 37 / 32', 'HVAC Type: C/O', 'Himalaya Cool: Yes', 'Airflow direction control (Up & Down): Yes', 'Fan Speed: 6 Steps', '6-in-1 Cooling: Yes', 'Diet Mode: Yes', 'Dehumidification: Yes', 'Energy Grade: 3 Star', 'Auto Restart: Yes', 'Fan Mode: Yes', 'Forced Switch Operation: Yes', 'Low Noise: Yes', 'On/Off Reservation(24Hr): Yes', 'Remote Controller: Basic', 'Reservation: Yes', 'Smart Diagnosis: Yes', 'Smart Guide: Yes', 'Stabilizer Free operation: Yes', 'Auto Cleaning: Yes']
- {'Model Name': 'US-Q24ENXE', 'Outdoor Unit Model Name': 'USUQ24ENXE.ANLG', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Cooling Capacity Max(W)': '6800', 'Cooling Power Consumption Rated/Min(W)': '2220', 'Energy Grade': '3 Star', 'Colour(Body)': 'White', 'Display': '88 Hidden', 'Cooling Capacity Rated/Min(W)': '6300

/ -', 'Indoor Unit Dimension WxHxD(mm)': '998 x 345 x 210', 'Indoor Unit Weight(kg)': '11.0', 'Outdoor Unit Dimension WxHxD(mm)': '770 x 545 x 288', 'Outdoor Unit Weight(kg)': '30.0', 'Rated Input Voltage(V, Hz)': '187 ~ 276, 50', 'Refrigerant Type': 'R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': '47 / 47 / 41 / 37 / 32', 'Himalaya Cool': 'Yes', 'Airflow direction control (Up & Down)': 'Yes', 'Fan Speed': '6 Steps', '6-in-1 Cooling': 'Yes', 'Diet Mode': 'Yes', 'Dehumidification': 'Yes', 'Auto Restart': 'Yes', 'Fan Mode': 'Yes', 'Forced Switch Operation': 'Yes', 'Low Noise': 'Yes', 'On/Off Reservation(24Hr)': 'Yes', 'Remote Controller': 'Basic', 'Reservation': 'Yes', 'Smart Diagnosis': 'Yes', 'Smart Guide': 'Yes', 'Stabilizer Free operation': 'Yes', 'Auto Cleaning': 'Yes', 'Smart Control': 'No'}

- {'Cooling Capacity Max(W)': {'value': 6800.0, 'unit': None, 'raw': '6800'}, 'Cooling Power Consumption Rated/Min(W)': {'value': 2220.0, 'unit': None, 'raw': '2220'}, 'Energy Grade': {'value': 3.0, 'unit': 'Star', 'raw': '3 Star'}, 'Display': {'value': 88.0, 'unit': 'Hidden', 'raw': '88 Hidden'}, 'Cooling Capacity Rated/Min(W)': {'value': 6300.0, 'unit': None, 'raw': '6300 / -'}, 'Indoor Unit Dimension WxHxD(mm)': {'value': 998.0, 'unit': 'x', 'raw': '998 x 345 x 210'}, 'Indoor Unit Weight(kg)': {'value': 11.0, 'unit': None, 'raw': '11.0'}, 'Outdoor Unit Dimension WxHxD(mm)': {'value': 770.0, 'unit': 'x', 'raw': '770 x 545 x 288'}, 'Outdoor Unit Weight(kg)': {'value': 30.0, 'unit': None, 'raw': '30.0'}, 'Rated Input Voltage(V, Hz)': {'value': 187.0, 'unit': None, 'raw': '187 ~ 276, 50'}, 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': {'value': 47.0, 'unit': None, 'raw': '47 / 47 / 41 / 37 / 32'}, 'Fan Speed': {'value': 6.0, 'unit': 'Steps', 'raw': '6 Steps'}}

- {'Himalaya Cool': True, 'Airflow direction control (Up & Down)': True, '6-in-1 Cooling': True, 'Diet Mode': True, 'Dehumidification': True, 'Auto Restart': True, 'Fan Mode': True, 'Forced Switch Operation': True, 'Low Noise': True, 'On/Off Reservation(24Hr)': True, 'Reservation': True, 'Smart Diagnosis': True, 'Smart Guide': True, 'Stabilizer Free operation': True, 'Auto Cleaning': True}

- {'Model Name': 'US-Q24ENXE', 'Outdoor Unit Model Name': 'USUQ24ENXE.ANLG', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Colour(Body)': 'White', 'Refrigerant Type': 'R32', 'Remote Controller': 'Basic'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

---

**BESTSELLER**

**LG LG AC 1.5 Ton 5 Star Split AC with AI Convertible 6-in-1 Cooling, Anti Virus Protection, Smart Dehumidification, 2025 Model US-Q19KNZE1**

Price: ₹48,800.00 (Retail: ₹79,900.00, Save: ₹31,100.00)

## Key Features:

- ['Model Name: US-Q19KNZE1', 'Outdoor Unit Model Name: USUQ19KNZE1', 'Type: Inverter Split', 'Product Type: Wall Mounted', 'HVAC Type: C/O', 'Cooling Capacity Max(W): 5800', 'Cooling Power Consumption Rated/Min(W): 1310', 'Energy Grade: 5 Star', 'Colour(Body): White', 'Display: 88 Hidden', 'Cooling Capacity Rated/Min(W): 5000', 'Cooling Power Consumption Rated/Min(W): 1310', 'Indoor Unit Dimension WxHxD(mm): 998 x 345 x 210', 'Cooling Capacity Max(W): 5800', 'Indoor Unit Weight(kg): 11.0', 'Outdoor Unit Dimension WxHxD(mm): 770 x 545 x 288', 'Outdoor Unit Weight(kg): 28.5', 'Product Type: Wall Mounted', 'Rated Input Voltage(V, Hz): 187 ~ 276, 50', 'Refrigerant Type: R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A)):45 / 39 / 31', 'HVAC Type: C/O', 'Product Type II: Inverter', 'Himalaya Cool: Yes', '4way: Up-Down/Left-Right', 'Airflow direction control (Up & Down): Yes(6 Steps)', 'Fan Speed: 6 Steps', '6-in-1 Cooling: Yes', 'Diet Mode: Yes', 'Dehumidification: Yes', 'Energy Grade: 5 Star', 'Auto Restart: Yes', 'Fan Mode: Yes', 'Forced Switch Operation: Yes', 'Low Noise: Yes', 'On/Off Reservation(24Hr): Yes', 'Remote Controller: Basic', 'Reservation: Yes', 'Smart Diagnosis: Yes', 'Smart Guide: Yes', 'Stabilizer Free operation: Yes', 'Auto Cleaning: Yes']
- {'Model Name': 'US-Q19KNZE1', 'Outdoor Unit Model Name': 'USUQ19KNZE1', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Cooling Capacity Max(W)': '5800', 'Cooling Power Consumption Rated/Min(W)': '1310', 'Energy Grade': '5 Star', 'Colour(Body)': 'White', 'Display': '88 Hidden', 'Cooling Capacity Rated/Min(W)': '5000', 'Indoor Unit Dimension WxHxD(mm)': '998 x 345 x 210', 'Indoor Unit Weight(kg)': '11.0', 'Outdoor Unit Dimension WxHxD(mm)': '770 x 545 x 288', 'Outdoor Unit Weight(kg)': '28.5', 'Rated Input Voltage(V, Hz)': '187 ~ 276, 50', 'Refrigerant Type': 'R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': '45 / 39 / 31', 'Product Type II': 'Inverter', 'Himalaya Cool': 'Yes', '4way': 'Up-Down/Left-Right', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Fan Speed': '6 Steps', '6-in-1 Cooling': 'Yes', 'Diet Mode': 'Yes', 'Dehumidification': 'Yes', 'Auto Restart': 'Yes', 'Fan Mode': 'Yes', 'Forced Switch Operation': 'Yes', 'Low Noise': 'Yes', 'On/Off Reservation(24Hr)': 'Yes', 'Remote Controller': 'Basic', 'Reservation': 'Yes', 'Smart Diagnosis': 'Yes', 'Smart Guide': 'Yes', 'Stabilizer Free operation': 'Yes', 'Auto Cleaning': 'Yes', 'Smart Control': 'No'}
- {'Cooling Capacity Max(W)': {'value': 5800.0, 'unit': None, 'raw': '5800'}, 'Cooling Power Consumption Rated/Min(W)': {'value': 1310.0, 'unit': None, 'raw': '1310'}, 'Energy Grade': {'value': 5.0, 'unit': 'Star', 'raw': '5 Star'}, 'Display': {'value': 88.0, 'unit': 'Hidden', 'raw': '88 Hidden'}, 'Cooling Capacity Rated/Min(W)': {'value': 5000.0, 'unit': None, 'raw': '5000'}, 'Indoor Unit Dimension WxHxD(mm)': {'value': 998.0, 'unit': 'x', 'raw': '998 x 345 x 210'}, 'Indoor Unit Weight(kg)': {'value': 11.0, 'unit': None, 'raw': '11.0'}, 'Outdoor Unit Dimension WxHxD(mm)': {'value': 770.0, 'unit': 'x', 'raw': '770 x 545 x 288'}, 'Outdoor Unit Weight(kg)': {'value': 28.5, 'unit': None, 'raw': '28.5'}, 'Rated Input Voltage(V, Hz)': {'value': 187.0, 'unit': None, 'raw': '187 ~ 276, 50'}, 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': {'value': 45.0, 'unit': None, 'raw': '45 / 39 / 31'}, 'Fan Speed': {'value': 6.0, 'unit': 'Steps', 'raw': '6 Steps'}}

- {'Himalaya Cool': True, '6-in-1 Cooling': True, 'Diet Mode': True, 'Dehumidification': True, 'Auto Restart': True, 'Fan Mode': True, 'Forced Switch Operation': True, 'Low Noise': True, 'On/Off Reservation(24Hr)': True, 'Reservation': True, 'Smart Diagnosis': True, 'Smart Guide': True, 'Stabilizer Free operation': True, 'Auto Cleaning': True}
- {'Model Name': 'US-Q19KNZE1', 'Outdoor Unit Model Name': 'USUQ19KNZE1', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Colour(Body)': 'White', 'Refrigerant Type': 'R32', 'Product Type II': 'Inverter', '4way': 'Up-Down/Left-Right', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Remote Controller': 'Basic'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

## BESTSELLER

## LG LG AC 1.5 Ton 3 Star Split AC with AI Convertible, 100 Copper Tubes, Diet Mode, Gold Fin, Viraat Mode, 2025 Model US-Q19WNXE

Price: ₹41,340.00 (Retail: ₹78,990.00, Save: ₹37,650.00)

## Key Features:

- ['Model Name: US-Q19WNXE', 'Outdoor Unit Model Name: USUQ19WNXE', 'Type: Inverter Split', 'Product Type: Wall Mounted', 'HVAC Type: C/O', 'Cooling Capacity Max(W): 5500', 'Cooling Power Consumption Rated/Min(W): 1750 / 291', 'Energy Grade: 3 Star', 'Colour(Body): White', 'Display: 88 Hidden', 'Cooling Capacity Rated/Min(W): 5000 / 1300', 'Cooling Power Consumption Rated/Min(W): 1750 / 291', 'Indoor Unit Dimension WxHxD(mm): 998x345x210', 'Cooling Capacity Max(W): 5500', 'Indoor Unit Weight(kg): 10.9', 'Outdoor Unit Dimension WxHxD(mm): 717x495x230', 'Outdoor Unit Weight(kg): 23.5', 'Outdoor Unit Weight(lb.): 27.0', 'Product Type: Wall Mounted', 'Rated Input Voltage(V, Hz): 230, 50', 'Refrigerant Type: R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A)): 0 / 45 / 39 / 35 / 31', 'HVAC Type: C/O', 'Himalaya Cool: Yes', 'Airflow direction control (Up & Down): Yes(6 Steps)', 'Fan Speed: 6 Steps', '6-in-1 Cooling: Yes', 'Diet Mode: Yes', 'Dehumidification: Yes', 'Energy Grade: 3 Star', 'Auto Restart: Yes', 'Fan Mode: Yes', 'Forced Switch Operation: Yes', 'Low Noise: Yes', 'On/Off Reservation(24Hr): Yes', 'Remote Controller: Basic', 'Reservation: Yes', 'Smart Diagnosis: Yes', 'Smart Guide: Yes', 'Stabilizer Free operation: Yes', 'Auto Cleaning: Yes']
- {'Model Name': 'US-Q19WNXE', 'Outdoor Unit Model Name': 'USUQ19WNXE', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Cooling Capacity Max(W)': '5500', 'Cooling Power Consumption Rated/Min(W)': '1750 / 291', 'Energy Grade': '3 Star', 'Colour(Body)': 'White', 'Display': '88 Hidden', 'Cooling Capacity Rated/Min(W)':

'5000 / 1300', 'Indoor Unit Dimension WxHxD(mm)': '998x345x210', 'Indoor Unit Weight(kg)': '10.9', 'Outdoor Unit Dimension WxHxD(mm)': '717x495x230', 'Outdoor Unit Weight(kg)': '23.5', 'Outdoor Unit Weight(lb.)': '27.0', 'Rated Input Voltage(V, Hz)': '230, 50', 'Refrigerant Type': 'R32', 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': '0 / 45 / 39 / 35 / 31', 'Himalaya Cool': 'Yes', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Fan Speed': '6 Steps', '6-in-1 Cooling': 'Yes', 'Diet Mode': 'Yes', 'Dehumidification': 'Yes', 'Auto Restart': 'Yes', 'Fan Mode': 'Yes', 'Forced Switch Operation': 'Yes', 'Low Noise': 'Yes', 'On/Off Reservation(24Hr)': 'Yes', 'Remote Controller': 'Basic', 'Reservation': 'Yes', 'Smart Diagnosis': 'Yes', 'Smart Guide': 'Yes', 'Stabilizer Free operation': 'Yes', 'Auto Cleaning': 'Yes', 'Smart Control': 'No'}

- {'Cooling Capacity Max(W)': {'value': 5500.0, 'unit': None, 'raw': '5500'}, 'Cooling Power Consumption Rated/Min(W)': {'value': 1750.0, 'unit': None, 'raw': '1750 / 291'}, 'Energy Grade': {'value': 3.0, 'unit': 'Star', 'raw': '3 Star'}, 'Display': {'value': 88.0, 'unit': 'Hidden', 'raw': '88 Hidden'}, 'Cooling Capacity Rated/Min(W)': {'value': 5000.0, 'unit': None, 'raw': '5000 / 1300'}, 'Indoor Unit Dimension WxHxD(mm)': {'value': 998.0, 'unit': 'x', 'raw': '998x345x210'}, 'Indoor Unit Weight(kg)': {'value': 10.9, 'unit': None, 'raw': '10.9'}, 'Outdoor Unit Dimension WxHxD(mm)': {'value': 717.0, 'unit': 'x', 'raw': '717x495x230'}, 'Outdoor Unit Weight(kg)': {'value': 23.5, 'unit': None, 'raw': '23.5'}, 'Outdoor Unit Weight(lb.)': {'value': 27.0, 'unit': None, 'raw': '27.0'}, 'Rated Input Voltage(V, Hz)': {'value': 230.0, 'unit': None, 'raw': '230, 50'}, 'Sound Power(Cooling) SH/H/M/L/SL(dB(A))': {'value': 0.0, 'unit': None, 'raw': '0 / 45 / 39 / 35 / 31'}, 'Fan Speed': {'value': 6.0, 'unit': 'Steps', 'raw': '6 Steps'}}

- {'Himalaya Cool': True, '6-in-1 Cooling': True, 'Diet Mode': True, 'Dehumidification': True, 'Auto Restart': True, 'Fan Mode': True, 'Forced Switch Operation': True, 'Low Noise': True, 'On/Off Reservation(24Hr)': True, 'Reservation': True, 'Smart Diagnosis': True, 'Smart Guide': True, 'Stabilizer Free operation': True, 'Auto Cleaning': True}

- {'Model Name': 'US-Q19WNXE', 'Outdoor Unit Model Name': 'USUQ19WNXE', 'Type': 'Inverter Split', 'Product Type': 'Wall Mounted', 'HVAC Type': 'C/O', 'Colour(Body)': 'White', 'Refrigerant Type': 'R32', 'Airflow direction control (Up & Down)': 'Yes(6 Steps)', 'Remote Controller': 'Basic'}

## Why We Recommend This:

- Top-rated bestseller with excellent customer reviews

---

Thank you for choosing BetterHome! For any questions, please contact [support@betterhome.com](mailto:support@betterhome.com)