

EmPhAsIS

Empowering **Ph**armacists in **As**thma management through **I**nteractive **S**MS

Follow-up Procedures: Intervention Pharmacy, Monthly Follow-up and WelTel Platform

emphasis.core.ubc.ca

Click for more information



EmPhAsIS

Empowering **Ph**armacists in **As**thma management through **I**nteractive **S**MS

To review how to recruit and screen a potential study participant, please see the previous mini-webinar on:

"Baseline Procedures: Recruiting and Screening Patients"

To review how to consent and enroll a potential study participant, please see the previous mini-webinar on:

"Baseline Procedures: Consenting and Enrolling Patients"

To review how to register patients into the WelTel platform and initiate text messages, please see previous mini-webinar on:

"Baseline Procedures: Intervention Pharmacy, Next Steps"




Monthly Follow-up Procedures

- Check monthly SMS ("checkins")
 - Patient responses to monthly SMS in WelTel platform)

2. Follow-up nonadherent patients by telephone (if needed) In your binder



Follow-up Instructions for AAAQ and ACT (laminated)





- Standardized sending of text messages on the first Monday of every month via WelTel
 - You will not have to do anything with respect to texting participant yourself


Tip:

 Incorporate monthly SMS checks into workflow by doing "checkins" on WelTel on first Tuesday (or first Wednesday) of the month




Go to the EmPhAsIS study website: What It Is Why Important Contact emphasis.core.ubc.ca Click on Info **EmPhAsIS** Empowering Pharmacists in Asthma management through Interactive SMS.


















'Checkins' view for all patients (# according to Status)






'Checkins' view for all patients (List)






Profile view for individual patient





Origin	Туре		Details
System Wed Mar 4, 2:35 PM	System	-	Thanks for responding! You will receive the text messages again next month.
atient Ved Mar 4, 2:35 PM	Incoming	-	6
ystem Ved Mar 4, 2:34 PM	System	-	Txt 1-6: I can't afford my inhaled steroid medication AGREE: Completely=1; Mostly=2; Somewhat=3 DISAGREE: Somewhat=4; Mostly=5; Completely=6
atient /ed Mar 4, 2:34 PM	Incoming	-	6
ystem Ved Mar 4, 2:34 PM	System	-	Txt 1-6: My inhaled steroid causes side effects AGREE: Completely=1; Mostly=2; Somewhat=3 DISAGREE: Somewhat=4; Mostly=5; Completely=6
atient Ved Mar 4, 2:34 PM	Incoming	-	1
ystem Ved Mar 4, 2:18 PM	System	-	Txt 1-6 for: My asthma is mild & doesn't require regular preventative treatment AGREE: Completely=1; Mostly=2; Somewhat=3 DISAGREE: Somewhat=4; Mostly=! Completely=6
Patient Patie Patie	ent's response	-	1
ystem /ed Mar 4, 2:96 PM	System	-	Txt 1-6: I forget to take at least 1 dose of my inhaled steroid each day AGREE: Completely=1; Mostly=2; Somewhat=3 DISAGREE: Somewhat=4; Mostly=5; Completely=6
ystem Ved Mar 4, 2:06 PM	• NOT OK		
atient Ved Ma 4, 2:06 PM	Incoming	•	6
iystem	System		Txt 1-6 for: I follow my asthma medication plan AGREE: Completely=1; Mostly=2;







- Your role in this step is the most important part of the EmPhAsIS study
- Because this is a pragmatic study, please provide counselling according to your practice but we have provided you with some tools to help

Tools


- AAAQ Questions 2 to 5 to identify adherence barrier
 - Texted to patients OR
 - Accessible via WelTel OR
 - AAAQ Form (in binder)



- —Asthma Control Test (ACT) to assess asthma control
 - Accessible via WelTel OR
 - ACT Form (in binder)









• Why the AAAQ?

- By identifying potential adherence barrier, we hope this tool will facilitate your counselling
- Please note: This is
 provided as a tool and
 while we encourage its
 use, you may decide to
 use/not use










Why the ACT?

- This allows assessment of asthma control
- If total score is 19 or lower, please advise patient to consult their GP
- Please note: This is provided as a tool and while we encourage its use, you may decide to use/not use








From Follow-up Instructions for AAAQ and ACT (laminated card), possible scenarios:







If you used the **AAAQ Form** or the **ACT Form** to follow-up non-adherent patients

- Stick Patient Study ID onto the forms
- <u>File</u> completed forms at the back of the study binder
 - You do not need to fax these forms to UBC

Congratulations!

You have now successfully completed a monthly followup with your patients!

If you are unable to follow-up with a non-adherent patient, please notify the study investigators as soon as possible.



EmPhAsIS

Empowering **Ph**armacists in **As**thma management through **I**nteractive **S**MS

Questions?

Please do not hesitate to contact us

Dr. Mary De Vera at 604-827-2138 (mdevera@mail.ubc.ca)

Research Coordinator (Louise) at 604-827-1567 (louisega@mail.ubc.ca)

Fax: **604-827-4014**

Mailing Address

2405 Wesbrook Mall, Vancouver BC, Canada V6T 1Z3