Fixture report

Fixture report: section 1

The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions.

The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully.

Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses.

Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l’espace où la gravité est si forte que même la lumière ne peut s’en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects.

Le système solaire s’est formé il y a environ 4,6 milliards d’années à partir d’un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years.

Fixture report: section 2

Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter.

Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time.

Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud.

Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l’espace où la gravité est si forte que même la lumière ne peut s’en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole.

Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore.

Fixture report: section 3

Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity.

Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière.

Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight.

Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe.

A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power.

Fixture report: section 4

The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place.

Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines.

Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun.

Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade.

The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year.

Fixture report: section 5

Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job.

Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape.

A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system.

Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar.

Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning.

Fixture report: section 6

Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper.

Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons.

Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water.

Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential.

Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session.

Fixture report: section 7

A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky.

Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star.

The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions.

The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully.

Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses.

Fixture report: section 8

Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects.

Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years.

Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter.

Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time.

Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud.

Fixture report: section 9

Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole.

Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore.

Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity.

Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière.

Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight.

Fixture report: section 10

Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe.

A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power.

The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place.

Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines.

Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun.

Fixture report: section 11

Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade.

The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year.

Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job.

Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape.

A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system.

Fixture report: section 12

Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar.

Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning.

Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l’espace où la gravité est si forte que même la lumière ne peut s’en échapper.

Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s’est formé il y a environ 4,6 milliards d’années à partir d’un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons.

Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water.

Fixture report: section 13

Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential.

Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session.

A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l’espace où la gravité est si forte que même la lumière ne peut s’en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky.

Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s’est formé il y a environ 4,6 milliards d’années à partir d’un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star.

The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions.

Fixture report: section 14

The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully.

Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses.

Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l’espace où la gravité est si forte que même la lumière ne peut s’en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects.

Le système solaire s’est formé il y a environ 4,6 milliards d’années à partir d’un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years.

Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter.

Fixture report: section 15

Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time.

Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud.

Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l’espace où la gravité est si forte que même la lumière ne peut s’en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole.

Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore.

Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity.

Fixture report: section 16

Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière.

Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight.

Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe.

A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power.

The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place.

Fixture report: section 17

Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines.

Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun.

Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade.

The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year.

Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job.

Fixture report: section 18

Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape.

A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system.

Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar.

Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning.

Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper.

Fixture report: section 19

Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons.

Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water.

Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential.

Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session.

A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky.

Fixture report: section 20

Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star.

The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions.

The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully.

Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses.

Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects.

Fixture report: section 21

Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years.

Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter.

Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time.

Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud.

Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l'espace où la gravité est si forte que même la lumière ne peut s'en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole.

Fixture report: section 22

Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore.

Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity.

Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s’est formé il y a environ 4,6 milliards d’années à partir d’un nuage de gaz et de poussière.

Capacity factor measures how much of its maximum output a power plant actually delivers over a year. Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight.

Tools do not need to be expensive, but they should be well maintained and the right size for the job. Un trou noir est une région de l’espace où la gravité est si forte que même la lumière ne peut s’en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe.

Fixture report: section 23

A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape. The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power.

The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system. Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place.

Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar. Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s’est formé il y a environ 4,6 milliards d’années à partir d’un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines.

Beginners often skip the basics, then spend more time repairing mistakes than they would have spent learning. A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun.

Un trou noir est une région de l’espace où la gravité est si forte que même la lumière ne peut s’en échapper. Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade.

Fixture report: section 24

The giant planets Jupiter and Saturn are mostly hydrogen and helium, with deep atmospheres and many moons. Astronomers detect exoplanets by watching for tiny dips in starlight as a planet crosses in front of its star. Orbital periods grow longer with distance: Mercury takes 88 days, while Neptune takes about 165 years. Wind turbines turn the kinetic energy of moving air into electrical power, onshore and offshore. Geothermal plants use heat from the Earth, which makes them steady sources of baseload power. Capacity factor measures how much of its maximum output a power plant actually delivers over a year.

Renewable energy comes from sources that are replenished naturally, such as sunlight, wind and flowing water. Hydropower is the largest source of renewable electricity, though new dams raise ecological questions. A modern grid must balance supply and demand every second, so forecasting and flexible demand matter. Heat pumps move heat rather than creating it, delivering three or more units of heat per unit of electricity. Local conditions such as weather, soil or water quality change what works from place to place. Tools do not need to be expensive, but they should be well maintained and the right size for the job.

Biomass can replace fossil fuels in heating and transport, but sustainable sourcing is essential. Good results come from patient preparation and from measuring ingredients and timings carefully. Records from earlier seasons are the best guide to what to do differently next time. Le système solaire s'est formé il y a environ 4,6 milliards d'années à partir d'un nuage de gaz et de poussière. Les astronomes utilisent des télescopes pour mesurer la distance et la composition des étoiles lointaines. A black hole is a region of spacetime where gravity is so strong that nothing, not even light, can escape.

A small amount of regular practice beats an occasional long session. Les planètes tournent autour du Soleil, et les quatre planètes intérieures sont petites et rocheuses. The solar system formed about 4.6 billion years ago from the collapse of a giant molecular cloud. Stellar black holes form when massive stars exhaust their nuclear fuel and collapse under their own weight. Comets are icy bodies that grow bright tails when their orbits carry them close to the Sun. The asteroid belt between Mars and Jupiter holds the leftover building blocks of the early solar system.

Planets orbit the Sun in nearly circular paths, and the four inner planets are small and rocky. Telescopes collect faint light, letting astronomers measure the distances, motions and chemistry of distant objects. The Milky Way contains hundreds of billions of stars, most of them orbiting a central supermassive black hole. Gravitational waves from merging black holes were first detected in 2015, opening a new way to observe the universe. Solar panels convert sunlight directly into electricity, and their cost has fallen sharply over the past decade. Energy storage, from lithium batteries to pumped hydro, smooths out the variable output of wind and solar.