

```
import { useState, useEffect } from "react";
```

```
// — ARTYOM'S WORLD DATA —————
```

```
const PROFILE = {  
  name: "Артём",  
  sister: "Полина",  
  cat: "Томик",  
  mom: "Юля",  
  dad: "Игорь",  
  level: "A2",  
  target: "B2",  
  team: "Barcelona",  
};
```

```
const ROAD_MAP = [  
  { level: "A2", label: "Сейчас", color: "#94a3b8", done: true },  
  { level: "A2+", label: "Месяц 1-2", color: "#6C63FF", done: false },  
  { level: "B1", label: "Месяц 3-5", color: "#F59E0B", done: false },  
  { level: "B1+", label: "Месяц 6-8", color: "#EF4444", done: false },  
  { level: "B2", label: "Месяц 9-12", color: "#10B981", done: false },  
];
```

```
// — WORDS by topic —————
```

```
const WORD_PACKS = [  
  {  
    id: "football",  
    icon: "⚽",  
    title: "Football",  
    color: "#10B981",  
    words: [  
      { word: "Dribble", translation: "Вести мяч", emoji: "⚽", example: "Messi c"},  
      { word: "Striker", translation: "Нападающий", emoji: "🎯", example: "Ronald"},  
      { word: "Champions", translation: "Чемпионы", emoji: "🏆", example: "Barcel"},  
      { word: "Legendary", translation: "Легендарный", emoji: "⭐", example: "Ney"},  
      { word: "Assist", translation: "Голевая передача", emoji: "🔴⬜", example: "H"},  
      { word: "Goalkeeper", translation: "Вратарь", emoji: "🧤", example: "The gc"},  
      { word: "Penalty", translation: "Пенальти", emoji: "📌", example: "Messi sc"},  
      { word: "Tournament", translation: "Турнир", emoji: "🏅", example: "Barcel"},  
    ],  
  },  
  {  
    id: "f1",  
    icon: "🏎️",
```

```

title: "Formula 1",
color: "#EF4444",
words: [
  { word: "Overtake", translation: "Обогнать", emoji: "🏎️", example: "He mana
  { word: "Pit stop", translation: "Пит-стоп", emoji: "🔧", example: "A fast
  { word: "Podium", translation: "Подиум", emoji: "🏆", example: "He finished
  { word: "Lap", translation: "Круг", emoji: "🔄", example: "The fastest lap
  { word: "Aerodynamics", translation: "Аэродинамика", emoji: "💨", example:
  { word: "Pole position", translation: "Поул-позиция", emoji: "🚦", example:
  { word: "Strategy", translation: "Стратегия", emoji: "🧠", example: "Merced
  { word: "Championship", translation: "Чемпионат", emoji: "🏆", example: "He
],
},
{
  id: "lego",
  icon: "🧱",
  title: "LEGO & Tech",
  color: "#6C63FF",
  words: [
    { word: "Instructions", translation: "Инструкция", emoji: "📖", example: "Е
    { word: "Construct", translation: "Конструировать", emoji: "🔨", example: "
    { word: "Blueprint", translation: "Чертёж / план", emoji: "📐", example: "Т
    { word: "Precise", translation: "Точный", emoji: "🎯", example: "You need t
    { word: "Creative", translation: "Творческий", emoji: "💡", example: "His I
    { word: "Engineer", translation: "Инженер", emoji: "⚙️", example: "LEGO tea
    { word: "Assemble", translation: "Собирать", emoji: "🔗", example: "It took
    { word: "Masterpiece", translation: "Шедевр", emoji: "🌟", example: "His LE
  ],
},
{
  id: "music",
  icon: "🎸",
  title: "Music & Guitar",
  color: "#F59E0B",
  words: [
    { word: "Rhythm", translation: "Ритм", emoji: "🥁", example: "Artyom has pe
    { word: "Chord", translation: "Аккорд", emoji: "🎸", example: "Learn the G
    { word: "Melody", translation: "Мелодия", emoji: "🎵", example: "The melody
    { word: "Performance", translation: "Выступление", emoji: "🎤", example: "Е
    { word: "Rehearsal", translation: "Репетиция", emoji: "🎼", example: "We ha
    { word: "Tempo", translation: "Темп", emoji: "🕒", example: "Keep the tempo
    { word: "Solo", translation: "Соло", emoji: "🌟", example: "He played an in
    { word: "Talent", translation: "Талант", emoji: "✨", example: "Playing tw
  ],
},
];

```

// — DIALOGUES

```
const DIALOGUES = [
  {
    id: "barcelona",
    icon: "⚽",
    title: "Watching Barcelona",
    color: "#10B981",
    level: "A2+",
    context: "Артём смотрит матч Барселоны с другом",
    lines: [
      { speaker: "Artyom", text: "Did you see that goal?! Messi is absolutely leg",
      { speaker: "Friend", text: "I know! But do you think Barcelona will win the",
      { speaker: "Artyom", text: "Definitely! Their strikers are incredible and t",
      { speaker: "Friend", text: "What about Neymar? I think he was better at Bar",
      { speaker: "Artyom", text: "True. That trio — Messi, Neymar and Suárez — wa",
      { speaker: "Friend", text: "Who's your favourite player of all time?", ru:
      { speaker: "Artyom", text: "Messi, no question. He's the greatest footballe",
    ],
  },
  {
    id: "flrace",
    icon: "🏎️",
    title: "Race Day!",
    color: "#EF4444",
    level: "B1",
    context: "Артём и папа Игорь смотрят гонку Формулы 1",
    lines: [
      { speaker: "Dad (Игорь)", text: "Artyom, the race starts in five minutes! C",
      { speaker: "Artyom", text: "Coming! Who's on pole position today?", ru: "Ид",
      { speaker: "Dad (Игорь)", text: "Verstappen, as usual. But the strategy wil",
      { speaker: "Artyom", text: "I think an early pit stop could help. The tyres",
      { speaker: "Dad (Игорь)", text: "Wow, you really know your Formula 1! Where",
      { speaker: "Artyom", text: "I watch every race and read about the aerodynam",
    ],
  },
  {
    id: "tomik",
    icon: "🐱",
    title: "Tomik the Cat",
    color: "#6C63FF",
    level: "A2",
    context: "Артём рассказывает другу о коте Томике",
    lines: [
      { speaker: "Friend", text: "Do you have any pets?", ru: "У тебя есть домашн",
      { speaker: "Artyom", text: "Yes! I have a cat called Tomik. He's the funnie",
      { speaker: "Friend", text: "What does he look like?", ru: "Как он выглядит?",
      { speaker: "Artyom", text: "He's fluffy and lazy. He sleeps on my LEGO sets",
    ],
  },
]
```

```

    { speaker: "Friend", text: "Haha! Does he like music? Does he listen when y
    { speaker: "Artyom", text: "Actually yes! He sits next to me. But when I pl
    { speaker: "Friend", text: "Smart cat! What's his favourite thing to do?",
    { speaker: "Artyom", text: "Sleep, eat, and steal food from my sister Polin
  ],
},
{
  id: "gymnasium",
  icon: "🏫",
  title: "Gymnasium Interview",
  color: "#F59E0B",
  level: "B1+",
  context: "Артём на вступительном собеседовании в гимназии",
  lines: [
    { speaker: "Teacher", text: "Good morning, Artyom. Please, take a seat. Tel
    { speaker: "Artyom", text: "Good morning. My name is Artyom. I'm 13. I love
    { speaker: "Teacher", text: "Impressive! Why do you want to study at our gy
    { speaker: "Artyom", text: "Because I want to develop my English to a high
    { speaker: "Teacher", text: "Good answer. What are your plans for the futur
    { speaker: "Artyom", text: "I'd like to work in sports engineering – combin
    { speaker: "Teacher", text: "That's a very specific and interesting goal. W
  ],
},
];

```

```

// — QUIZ QUESTIONS —————
const QUIZZES = {
  football: [
    { q: "Messi plays for...", options: ["Real Madrid", "Barcelona", "PSG", "Man
    { q: "What does 'dribble' mean?", options: ["Ударить", "Вести мяч", "Бросить"
    { q: "Complete: 'Barcelona ___ the Champions League.'", options: ["win", "win
    { q: "What is an 'assist'?", options: ["Гол", "Голевая передача", "Пенальти",
    { q: "Neymar, Messi and Suárez were a famous...", options: ["duo", "trio", "t
  ],
  f1: [
    { q: "What is a 'pit stop'?", options: ["Финиш", "Пит-стоп для смены шин", "А
    { q: "Complete: 'He ___ on pole position.'", options: ["is starting", "starts
    { q: "What does 'overtake' mean?", options: ["Тормозить", "Обогнать", "Остано
    { q: "'The fastest ___ was incredible.'", options: ["round", "circle", "lap",
    { q: "What is 'aerodynamics' about?", options: ["Двигатель", "Шины", "Форма и
  ],
  music: [
    { q: "What does 'rhythm' mean?", options: ["Мелодия", "Ритм", "Слова", "Инстр
    { q: "Artyom plays guitar AND...", options: ["piano", "violin", "drums", "bas
    { q: "'He gave an amazing ___ on stage.'", options: ["perform", "performance"
    { q: "What is a 'chord'?", options: ["Нота", "Аккорд", "Ритм", "Темп"], corre
    { q: "Complete: 'We have ___ on Thursday.'", options: ["rehearse", "rehearsal

```

```
  ],  
};
```

```
// — MAIN APP —
```

```
export default function ArtyomEnglish() {  
  const [screen, setScreen] = useState("home");  
  const [xp, setXp] = useState(0);  
  const [streak, setStreak] = useState(5);  
  const [packId, setPackId] = useState("football");  
  const [wordIdx, setWordIdx] = useState(0);  
  const [flipped, setFlipped] = useState(false);  
  const [memorized, setMemorized] = useState([]);  
  const [quizTopic, setQuizTopic] = useState("football");  
  const [qIdx, setQIdx] = useState(0);  
  const [selected, setSelected] = useState(null);  
  const [score, setScore] = useState(0);  
  const [quizDone, setQuizDone] = useState(false);  
  const [dialogueId, setDialogueId] = useState("barcelona");  
  const [dlLine, setDlLine] = useState(0);  
  const [showRu, setShowRu] = useState(false);  
  const [roadScreen, setRoadScreen] = useState(false);  
  
  const addXP = (n) => setXp(p => p + n);  
  const pack = WORD_PACKS.find(p => p.id === packId);  
  const word = pack.words[wordIdx];  
  const qs = QUIZZES[quizTopic];  
  const dialogue = DIALOGUES.find(d => d.id === dialogueId);  
  
  const resetQuiz = () => { setQIdx(0); setSelected(null); setScore(0); setQuizDo  
  
  const handleAnswer = (i) => {  
    if (selected !== null) return;  
    setSelected(i);  
    if (i === qs[qIdx].correct) { setScore(s => s + 1); addXP(25); }  
    setTimeout(() => {  
      if (qIdx + 1 >= qs.length) setQuizDone(true);  
      else { setQIdx(q => q + 1); setSelected(null); }  
    }, 900);  
  };  
  
  // — HOME —  
  if (screen === "home") return (  
    <Wrap>  
      { /* Header */ }  
      <div style={{  
        background: "linear-gradient(160deg, #0f0c29, #302b63, #24243e)",  
        padding: "40px 20px 32px", borderRadius: "0 0 36px 36px",
```

```

marginBottom: 24, position: "relative", overflow: "hidden",
}}>
{/* decorative blobs */}
<Blob color="#6C63FF" top={-40} right={-40} size={180} />
<Blob color="#EF4444" bottom={-30} left={20} size={120} />

<div style={{ position: "relative", zIndex: 2 }}>
  <div style={{
    display: "flex", alignItems: "center", gap: 14, marginBottom: 20
  }}>
    <div style={{
      width: 52, height: 52, borderRadius: "50%",
      background: "linear-gradient(135deg, #6C63FF, #F59E0B)",
      display: "flex", alignItems: "center", justifyContent: "center",
      fontSize: 26, border: "3px solid rgba(255,255,255,0.2)"
    }}>🏠</div>
    <div>
      <div style={{ color: "rgba(255,255,255,0.5)", fontSize: 12, fontFam
      <div style={{ color: "#fff", fontSize: 22, fontWeight: 800, fontFam
      </div>
    </div>
    <button onClick={() => setRoadScreen(true)} style={{
      marginLeft: "auto", background: "rgba(255,255,255,0.1)",
      border: "1px solid rgba(255,255,255,0.2)", borderRadius: 12,
      padding: "8px 14px", cursor: "pointer", color: "#fff",
      fontFamily: "'DM Sans', sans-serif", fontSize: 12, fontWeight: 600
    }}>🗺️ Мой путь</button>
  </div>

  {/* Level bar */}
  <div style={{
    background: "rgba(255,255,255,0.08)", borderRadius: 16,
    padding: "14px 18px", marginBottom: 16,
    border: "1px solid rgba(255,255,255,0.1)"
  }}>
    <div style={{ display: "flex", justifyContent: "space-between", margi
      <span style={{ color: "rgba(255,255,255,0.7)", fontSize: 12, fontFa
      <span style={{ color: "#6C63FF", fontSize: 12, fontWeight: 700, fon
    </div>
    <div style={{ background: "rgba(255,255,255,0.1)", borderRadius: 8, h
      <div style={{
        height: "100%", borderRadius: 8, width: "10%",
        background: "linear-gradient(90deg, #6C63FF, #10B981)",
        position: "relative"
      }}>
      <div style={{
        position: "absolute", right: -1, top: -3,
        width: 16, height: 16, borderRadius: "50%",

```



```

        display: "flex", gap: 14, alignItems: "center"
    }}>
    <div style={{ fontSize: 32 }}>🏆</div>
    <div>
        <div style={{ fontFamily: "'Syne',sans-serif", fontSize: 14, fontWeig
            До гимназии: ~12 месяцев
        </div>
        <div style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 12, color
            30 мин в день = B2 через год. Ты справишься, Артём! 💪
        </div>
    </div>
</div>
</Wrap>
);

// — ROAD MAP —
if (roadScreen) return (
    <Wrap>
        <TopBar title="🗺️ Мой путь до B2" onBack={() => setRoadScreen(false)} />
        <div style={{ padding: "0 16px 24px" }}>
            <div style={{
                background: "linear-gradient(135deg, #0f0c29, #302b63)",
                borderRadius: 24, padding: "24px 20px", marginBottom: 20
            }}>
                <div style={{ fontFamily: "'Syne',sans-serif", fontSize: 20, fontWeight
                    Артём → Гимназия
                </div>
                <div style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 13, color:
                    От A2 до B2 за 12 месяцев · 30 мин/день
                </div>
            </div>

            {ROAD_MAP.map((step, i) => (
                <div key={i} style={{ display: "flex", gap: 16, marginBottom: 16, align
                    <div style={{ display: "flex", flexDirection: "column", alignItems: "
                        <div style={{
                            width: 48, height: 48, borderRadius: "50%",
                            background: step.done ? step.color : `${step.color}20`,
                            border: `3px solid ${step.color}`,
                            display: "flex", alignItems: "center", justifyContent: "center",
                            fontFamily: "'Syne',sans-serif", fontSize: 13, fontWeight: 800,
                            color: step.done ? "#fff" : step.color,
                        }}>{step.done ? "✓" : step.level}</div>
                        {i < ROAD_MAP.length - 1 && <div style={{ width: 2, height: 40, bac
                    </div>
                    <div style={{

```



```

        flex: 1, background: step.done ? `${step.color}10` : "#f8fafc",
        border: `1px solid ${step.color}30`, borderRadius: 16,
        padding: "14px 16px"
    }}>
    <div style={{ display: "flex", justifyContent: "space-between", ali
      <div style={{ fontFamily: "'Syne',sans-serif", fontSize: 16, font
        <div style={{
          background: `${step.color}20`, color: step.color,
          borderRadius: 8, padding: "2px 10px",
          fontSize: 11, fontWeight: 700, fontFamily: "'DM Sans',sans-seri
        }}>{step.label}</div>
      </div>
    <div style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 13, col
      {i === 0 && "Базовые фразы, простые диалоги. Ты здесь сейчас! 🙌"}
      {i === 1 && "Расширяем словарный запас: футбол, Ф1, ЛЕГО. Уверенн
      {i === 2 && "Диалоги, времена глаголов, чтение статей. Можешь гов
      {i === 3 && "Сложные тексты, эссе, аргументация. Готовишься к соб
      {i === 4 && "🎯 ЦЕЛЬ! Вступительное собеседование в гимназию. Ты
    </div>
  </div>
</div>
))}

<div style={{
  background: "linear-gradient(135deg, #10B98120, #6C63FF20)",
  border: "1px solid #10B98140", borderRadius: 20, padding: "20px",
  marginTop: 8
}}>
  <div style={{ fontFamily: "'Syne',sans-serif", fontSize: 15, fontWeight
    17 Твой план на неделю
  </div>
  {[
    { day: "Пн / Чт", task: "10 новых слов по теме (Ф1 или футбол)", icon
    { day: "Вт / Пт", task: "1 диалог + повтор слов прошлой недели", icon
    { day: "Ср / Сб", task: "Викторина + грамматика 15 мин", icon: "⚡" }
    { day: "Вс", task: "Смотри Ф1 / футбол на английском — это тоже учёба
  ].map((item, i) => (
    <div key={i} style={{
      display: "flex", gap: 12, alignItems: "center",
      marginBottom: 10, background: "#fff", borderRadius: 12, padding: "1
    }}>
    <span style={{ fontSize: 20 }}>{item.icon}</span>
    <div>
      <div style={{ fontFamily: "'Syne',sans-serif", fontSize: 12, font
        <div style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 12, c
      </div>
    </div>
  </div>

```

```

    )))
  </div>
</div>
</Wrap>
);

// — WORDS —
if (screen === "words") return (
  <Wrap>
    <TopBar title="📖 Слова по темам" onBack={() => { setScreen("home"); setWor
    <div style={{ padding: "0 16px 24px" }}>
      {/* Pack selector */}
      <div style={{ display: "flex", gap: 8, marginBottom: 20, overflowX: "auto"
        {WORD_PACKS.map(p => (
          <button key={p.id} onClick={() => { setPackId(p.id); setWordIdx(0); s
            flexShrink: 0, background: packId === p.id ? p.color : "#f1f5f9",
            border: "none", borderRadius: 14, padding: "10px 16px",
            cursor: "pointer", fontFamily: "'DM Sans',sans-serif",
            fontSize: 13, fontWeight: 600,
            color: packId === p.id ? "#fff" : "#64748b",
          }}>{p.icon} {p.title}</button>
        )))
      </div>

      {/* Progress */}
      <div style={{ display: "flex", justifyContent: "space-between", alignItem
        <span style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 12, color:
          Слово {wordIdx + 1} из {pack.words.length}
        </span>
        <span style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 12, color:
          {pack.icon} {pack.title}
        </span>
      </div>
      <div style={{ background: "#f1f5f9", borderRadius: 8, height: 6, marginBo
        <div style={{
          height: "100%", borderRadius: 8, background: pack.color,
          width: `${((wordIdx + 1) / pack.words.length) * 100}%`, transition: "
        }} />
      </div>

      {/* Card */}
      <div onClick={() => { setFlipped(f => !f); if (!flipped) addXP(5); }} sty
        background: flipped
          ? `linear-gradient(135deg, ${pack.color}, ${pack.color}bb)`
          : "linear-gradient(135deg, #1a1a2e, #302b63)",
        borderRadius: 28, padding: "44px 28px",
        textAlign: "center", cursor: "pointer",

```

```

marginBottom: 16, minHeight: 240,
display: "flex", flexDirection: "column",
alignItems: "center", justifyContent: "center",
boxShadow: `0 16px 48px ${pack.color}30`,
transition: "background 0.4s", position: "relative", overflow: "hidden"
}}>
<Blob color="rgba(255,255,255,0.04)" top={-40} right={-40} size={160} /
<div style={{ fontSize: 52, marginBottom: 14, position: "relative" }}>{
  {!flipped ? (
    <>
      <div style={{ fontFamily: "'Syne',sans-serif", fontSize: 32, fontWe
      <div style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 13, col
    </>
  ) : (
    <>
      <div style={{ fontFamily: "'Syne',sans-serif", fontSize: 24, fontWe
      <div style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 14, col
    </>
  )}
</div>

<button onClick={() => {
  if (!memorized.includes(`${packId}-${wordIdx}`)) {
    setMemorized(m => [...m, `${packId}-${wordIdx}`]);
    addXP(15);
  }
}} style={{
  width: "100%", padding: "13px",
  background: memorized.includes(`${packId}-${wordIdx}`) ? `${pack.color}
  border: `1.5px solid ${memorized.includes(`${packId}-${wordIdx}`) ? pac
  borderRadius: 14, cursor: "pointer",
  fontFamily: "'DM Sans',sans-serif", fontSize: 14, fontWeight: 700,
  color: memorized.includes(`${packId}-${wordIdx}`) ? pack.color : "#6474
  marginBottom: 12,
}}>{memorized.includes(`${packId}-${wordIdx}`) ? "✅ Выучено! +15 XP" : "

<div style={{ display: "flex", gap: 10 }}>
  <button onClick={() => { setWordIdx(i => Math.max(0, i - 1)); setFlippe
  <button onClick={() => { setWordIdx(i => Math.min(pack.words.length - 1
</div>
</div>
</Wrap>
);

// — QUIZ —
if (screen === "quiz") return (
  <Wrap>

```

```

<AppBar title="⚡ Викторина" onBack={() => { setScreen("home"); resetQuiz()
<div style={{ padding: "0 16px 24px" }}>
  {/* Topic selector */}
  <div style={{ display: "flex", gap: 8, marginBottom: 20, overflowX: "auto"
    {[
      { id: "football", icon: "⚽", label: "Футбол", color: "#10B981" },
      { id: "fl", icon: "🚗", label: "Ф1", color: "#EF4444" },
      { id: "music", icon: "🎸", label: "Музыка", color: "#F59E0B" },
    ].map(t => (
      <button key={t.id} onClick={() => { setQuizTopic(t.id); resetQuiz();
        flexShrink: 0, background: quizTopic === t.id ? t.color : "#f1f5f9"
        border: "none", borderRadius: 14, padding: "10px 18px",
        cursor: "pointer", fontFamily: "'DM Sans', sans-serif",
        fontSize: 13, fontWeight: 600,
        color: quizTopic === t.id ? "#fff" : "#64748b"
      })>{t.icon} {t.label}</button>
    ))}
  </div>

  {quizDone ? (
    <div style={{ textAlign: "center", padding: "32px 0" }}>
      <div style={{ fontSize: 60, marginBottom: 12 }}>{score >= 4 ? "🏆" :
      <div style={{ fontFamily: "'Syne', sans-serif", fontSize: 26, fontWeig
        {score >= 4 ? "Отлично, Артём!" : "Продолжай!"}
      </div>
      <div style={{ fontFamily: "'DM Sans', sans-serif", color: "#64748b", f
        {score} из {qs.length} правильно
      </div>
      <div style={{
        background: "linear-gradient(135deg, #FEF3C720, #FEF3C750)",
        border: "1px solid #F59E0B40", borderRadius: 20, padding: "20px", m
      }}>
        <div style={{ fontFamily: "'Syne', sans-serif", fontSize: 30, fontWe
        </div>
        <button onClick={resetQuiz} style={navBtn("#F59E0B", "#fff", 1, true)
        </div>
      ) : (
        <>
        <div style={{ background: "#f1f5f9", borderRadius: 8, height: 6, marg
          <div style={{
            height: "100%", borderRadius: 8,
            background: "linear-gradient(90deg, #F59E0B, #EF4444)",
            width: `${(qIdx / qs.length) * 100}%`, transition: "width 0.4s"
          }} />
        </div>
        <div style={{
          background: "linear-gradient(135deg, #1a1a2e, #302b63)",

```

```

        borderRadius: 24, padding: "28px 22px", marginBottom: 20, textAlign
    }}>
    <div style={{ fontSize: 40, marginBottom: 12 }}>{qs[qIdx].emoji}</div>
    <div style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 11, color:
        Bonpoc {qIdx + 1} / {qs.length}
    </div>
    <div style={{ fontFamily: "'Syne',sans-serif", fontSize: 18, fontWe
        {qs[qIdx].q}
    </div>
</div>
<div style={{ display: "flex", flexDirection: "column", gap: 10 }}>
    {qs[qIdx].options.map((opt, i) => {
        const isCorrect = i === qs[qIdx].correct;
        const isSelected = i === selected;
        let bg = "#fff", border = "#e2e8f0", color = "#1a1a2e";
        if (selected !== null) {
            if (isCorrect) { bg = "#ECFDF5"; border = "#10B981"; color = "#
            else if (isSelected) { bg = "#FEF2F2"; border = "#EF4444"; colo
        }
        return (
            <button key={i} onClick={() => handleAnswer(i)} style={{
                background: bg, border: `2px solid ${border}`, borderRadius:
                padding: "15px 18px", cursor: selected !== null ? "default" :
                fontFamily: "'DM Sans',sans-serif", fontSize: 14, fontWeight:
                textAlign: "left", display: "flex", alignItems: "center", gap
            }}>
            <span style={{
                width: 28, height: 28, borderRadius: 8, flexShrink: 0,
                background: (selected !== null && isCorrect) ? "#10B981" :
                display: "flex", alignItems: "center", justifyContent: "cen
                fontSize: 12, fontWeight: 800, color: (selected !== null &&
            }}>{String.fromCharCode(65 + i)}</span>
            {opt}
        </button>
    );
    })}
</div>
</>
    )}
</div>
</Wrap>
);

// — DIALOGUE —
if (screen === "dialogue") return (
    <Wrap>
        <TopBar title="💬 Диалоги" onBack={() => { setScreen("home"); setDlLine(0);

```

```

<div style={{ padding: "0 16px 24px" }}>
  {/* Dialogue selector */}
  <div style={{ display: "flex", gap: 8, marginBottom: 20, overflowX: "auto" }}>
    {DIALOGUES.map(d => (
      <button key={d.id} onClick={() => { setDialogueId(d.id); setDlLine(0)
        flexShrink: 0, background: dialogueId === d.id ? d.color : "#f1f5f9",
        border: "none", borderRadius: 14, padding: "10px 14px",
        cursor: "pointer", fontFamily: "'DM Sans',sans-serif",
        fontSize: 12, fontWeight: 600,
        color: dialogueId === d.id ? "#fff" : "#64748b"
      })>{d.icon} {d.title}</button>
    ))}
  </div>

  {/* Header */}
  <div style={{
    background: `linear-gradient(135deg, ${dialogue.color}20, ${dialogue.co
    border: `1px solid ${dialogue.color}30`,
    borderRadius: 20, padding: "16px 18px", marginBottom: 20,
    display: "flex", alignItems: "center", gap: 14
  }}>
    <div style={{ fontSize: 32 }}>{dialogue.icon}</div>
    <div style={{ flex: 1 }}>
      <div style={{ fontFamily: "'Syne',sans-serif", fontSize: 16, fontWeig
      <div style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 12, color
      </div>
      <div style={{ display: "flex", flexDirection: "column", gap: 6, alignIt
        <div style={{ background: `${dialogue.color}20`, color: dialogue.col
          {dialogue.level}
        </div>
        <button onClick={() => setShowRu(r => !r)} style={{
          background: showRu ? dialogue.color : "#f1f5f9",
          border: "none", borderRadius: 8, padding: "4px 10px",
          cursor: "pointer", fontFamily: "'DM Sans',sans-serif",
          fontSize: 11, fontWeight: 600, color: showRu ? "#fff" : "#64748b"
        }}><img alt="Russian flag icon" data-bbox="268 718 285 732"/></button>
      </div>
    </div>

    {/* Lines */}
    <div style={{ display: "flex", flexDirection: "column", gap: 12, marginBo
      {dialogue.lines.slice(0, dlLine + 1).map((line, i) => (
        <div key={i} style={{
          display: "flex", flexDirection: line.isLeft ? "row" : "row-reverse"
          gap: 10, alignItems: "flex-end",
        }}>
          <div style={{

```

```

        width: 34, height: 34, borderRadius: "50%",
        background: line.isLeft ? `${dialogue.color}25` : "#f1f5f9",
        border: `2px solid ${line.isLeft ? dialogue.color : "#e2e8f0"}`,
        display: "flex", alignItems: "center", justifyContent: "center",
        fontSize: 14, flexShrink: 0
    })>{line.isLeft ? "👤" : "👤"}</div>
<div style={{ maxWidth: "74%" }}>
    <div style={{
        fontFamily: "'DM Sans',sans-serif", fontSize: 10,
        color: "#94a3b8", marginBottom: 3,
        textAlign: line.isLeft ? "left" : "right"
    }}>{line.speaker}</div>
    <div style={{
        background: line.isLeft ? `${dialogue.color}12` : "#f8fafc",
        border: `1px solid ${line.isLeft ? dialogue.color + "25" : "#e2e8f0"}`,
        borderRadius: line.isLeft ? "4px 18px 18px 18px" : "18px 4px 18px 18px",
        padding: "11px 14px",
    }}>
        <div style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 14,
            {line.text}
        }}>
        </div>
        {showRu && (
            <div style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 14,
                {line.ru}
            }}>
            </div>
        )}
    </div>
</div>
)))
</div>

<dlLine < dialogue.lines.length - 1 ? (
    <button onClick={() => { setDlLine(l => l + 1); addXP(10); }} style={na
        Следующая реплика →
    </button>
) : (
    <div style={{ textAlign: "center" }}>
        <div style={{ fontSize: 48, marginBottom: 10 }}>🎉</div>
        <div style={{ fontFamily: "'Syne',sans-serif", fontSize: 20, fontWeig
        <div style={{ fontFamily: "'DM Sans',sans-serif", color: "#64748b", f
        <button onClick={() => { setDlLine(0); setShowRu(false); }} style={na
        </div>
    </div>
</div>
</Wrap>
);

```

```

    return null;
}

// — HELPERS —————
function Wrap({ children }) {
    return (
        <div style={{ background: "#F8FAFC", minHeight: "100vh", maxWidth: 480, margin: 0 }}>
            <style>{`
                @import url('https://fonts.googleapis.com/css2?family=Syne:wght@700;800&f
                * { box-sizing: border-box; }
                button { transition: all 0.15s ease; }
                button:active { transform: scale(0.96) !important; }
            `}</style>
            {children}
        </div>
    );
}

function TopBar({ title, onBack }) {
    return (
        <div style={{ display: "flex", alignItems: "center", gap: 12, padding: "20px 20px 0 20px" }}>
            <button onClick={onBack} style={{
                background: "#f1f5f9", border: "none", borderRadius: 12,
                width: 38, height: 38, cursor: "pointer", fontSize: 18, flexShrink: 0
            }}></button>
            <span style={{ fontFamily: "'Syne', sans-serif", fontSize: 20, fontWeight: 800 }}>{title}</span>
        </div>
    );
}

function SectionTitle({ children }) {
    return (
        <div style={{
            fontFamily: "'DM Sans', sans-serif", fontSize: 11,
            letterSpacing: "0.1em", textTransform: "uppercase",
            color: "#94a3b8", fontWeight: 700, marginBottom: 10, marginTop: 4
        }}>{children}</div>
    );
}

function MenuCard({ icon, title, desc, color, onClick }) {
    return (
        <button onClick={onClick} style={{
            background: `linear-gradient(135deg, ${color}12, ${color}05)`,
            border: `1px solid ${color}25`, borderRadius: 20,
            padding: "18px 20px", cursor: "pointer", textAlign: "left",
        }}>
            {icon}
            <div>
                {title}
                <div>{desc}</div>
            </div>
        </button>
    );
}

```



```

        display: "flex", alignItems: "center", gap: 16, width: "100%",
    }}
    onMouseEnter={e => e.currentTarget.style.transform = "scale(1.015)"}
    onMouseLeave={e => e.currentTarget.style.transform = "scale(1)"}
    >
    <div style={{
        width: 52, height: 52, borderRadius: 16, background: `${color}18`,
        border: `1px solid ${color}30`,
        display: "flex", alignItems: "center", justifyContent: "center", fontSize
    }}>{icon}</div>
    <div>
        <div style={{ fontFamily: "'Syne',sans-serif", fontSize: 16, fontWeight:
        <div style={{ fontFamily: "'DM Sans',sans-serif", fontSize: 12.5, color:
        </div>
        <div style={{ marginLeft: "auto", color, fontSize: 22 }}></div>
    </button>
    );
}

function Blob({ color, top, bottom, left, right, size }) {
    return (
        <div style={{
            position: "absolute", top, bottom, left, right,
            width: size, height: size, borderRadius: "50%",
            background: color, filter: "blur(40px)", pointerEvents: "none"
        }} />
    );
}

function navBtn(bg, color, flex = 1, full = false) {
    return {
        flex, width: full ? "100%" : undefined,
        padding: "15px", background: bg, border: "none",
        borderRadius: 16, cursor: "pointer",
        fontFamily: "'Syne',sans-serif", fontSize: 15, fontWeight: 700, color,
        boxShadow: bg !== "#f1f5f9" ? `0 8px 24px ${bg}50` : "none"
    };
}

```