# 모바일 프로그래밍

환경 설정



**KYUNGSUNG UNIVERSITY SINCE 1955** 

- 0. 재부팅(파일 설치 중 재부팅됨)
- 1. <a href="http://hanbit.co.kr/src/4524">http://hanbit.co.kr/src/4524</a>





**KYUNGSUNG UNIVERSITY SINCE 1955** 


## 모바일 프로그래밍(Java)


## 2. CookAndroid(R\_11.0).exe 다운로드


₹	FourButton_Eclipse.zip 🚢	송관	2MB
₹	Source(11.0)_AndroidStudio.zip	송관	77.3MB
₩	haxm-windows_v7_6_5.zip 🚢	송관	500KB
	DB.Browser.for.SQLite-3.12.0-win64.msi	송관	16.6MB
	idea.properties 🚢	송관	11KB
₹	android-studio-ide-201.6858069-windows.zip 🚢	송관	900.9MB
8	CookAndroid(R_11.0).exe	송관	3.71GB
==	SqliteDev451.exe 🐣	송관	10.2MB
	R100.bmp 🐣	송관	29KB
₩	Project(11.0)_AndroidStudio.zip 🚢	송관	1.18GB
<u>~</u>	android-studio-ide-201.6858069-windows.exe	송관	896.9MB

**KYUNGSUNG UNIVERSITY SINCE 1955** 

3. CookAndroid(R\_11.0).exe 실행











**KYUNGSUNG UNIVERSITY SINCE 1955** 

4. C:₩CookAndroid₩IntelHAXM₩haxm-7.6.5-setup.exe 실행









**KYUNGSUNG UNIVERSITY SINCE 1955** 


#### 5. C:₩CookAndroid₩studio64.exe 실행





**KYUNGSUNG UNIVERSITY SINCE 1955** 

#### 6. C:₩CookAndroid₩studio64.exe 실행



KYUNGSUNG UNIVERSITY SINCE 1955







**KYUNGSUNG UNIVERSITY SINCE 1955** 

## 모바일 프로그래밍(Java)

### Reference

✔ Android Studio를 활용한 안드로이드 프로그래밍, 우재남, 박길식, 한빛아카데미



**KYUNGSUNG UNIVERSITY SINCE 1955**