

Introduction to Debugging Lectures



Debug Lecture

Layout Macro Testing With Cannibalized Content



Learning goals

- Test layout
 - Fix stuff
 - Go home

SPLITV IN ITEMIZE

- This is a frame consisting only of an itemize environment
- You can put splitV in here but it needs extra spacing



This is as well



This is in splitV

- This is another itemize item

ENUMERATE DEBUG

- ➊ Test
- ➋ Foo bar baz
- ➌ Blubb





IMAGE WITH CITATIONS




▶ Click for source




▶ Click for source





IMAGE WITH CITEKEY CITATIONS




▶ Click for source



▶ Click for source



▶ Click for source




▶ Click for source


IMAGE WITH URL CITATIONS




▶ Click for source



▶ Click for source




▶ Click for source



▶ Click for source


SPACER IN ITEMIZE

- Test
- 2 empty lines after this
- one empty line after this
- two empty lines after this
- Look, a squirrel
- Test
- 2 empty lines after this
- (Blank)
- (Blank)
- one empty line after this
- (Blank)
- two empty lines after this
- (Blank)
- (Blank)
- Look, a squirrel




FRAME FOOTNOTESIZE ITEMIZE

- Subitem in itemizeM footnotesize



TINY FRAMEI WITH NESTED ITEMIZE

- Item A
 - itemize inherits tiny
- Separator
 - itemizeM overrides with large
- Separator
 - itemizeM inherits tiny
- Item B



NORMAL FRAME NEST ITEMIZE

- Subitem in itemize
- Separator
 - Subitem
 - Subitem
- Separator
- Subitem

