Introduction to Debugging Lectures

Demo Lecture
Layout Macro Testing With Cannibalized Content



Learning goals

- Test layout
- Fix stuff
- Go home

DEMO SLIDES

This is a demo lecture chunk.
It is recommended to view these slides as PDF and LaTeX code side by side
Refer to the `slds-lmu/lecture_debug` repository for the source and PDF:

- Compiled PDF
- LaTeX source

\SPLITV(TCB)(TCB)

- `\splitVCC` creates two centered columns
- `\splitVTT` creates two top-aligned columns
- `\splitVBT` left is bottom-, right is top aligned

Left column Lorem ipsum dolor sit amet, consectetur adipiscing elit

Right column Lorem ipsum dolor sit amet, consectetur adipiscing elit

- Example itemize content
- Second itemize item

Lorem ipsum dolor sit amet, consectetur adipiscing elit

\SPLITV WITH UNEQUAL SIZES

You only need to specify the width of the first column:

`\splitVTT[0.75]{left content}{right content}` creates a column with 75% width and the second column will fill the remaining space:

First column with 75% of the text width on the slide

Second column with rest

Tiny column

Second column with a lot of room for activities

TWO COLUMNS, MINIMAL ADJUSTMENTS

Compact version if you do not want to use the full slide width: `\splitVCompact{0.2}{0.2}` only takes up 20% of the slide width in each column for a total of 40% with a minimal horizontal spacer:

First column with 20%

Second column with 20%

3 COLUMNS

Using `\splitVThree{Left}{Middle}{Right}` for 3 equally sized columns:

First column content is here

Second column content is here as well

And also a third column is here just in case

Then there is `\splitVThreeCustom` for three columns of arbitrary widths, where the width of the third column can also be inferred from the first two

first column with 20% width

second column with 20% width

third column with remaining width

TWOBYTWO 2×2 LAYOUT / QUADRANTS

Use `\twobytwo{top left}{top right}{bottom left}{bottom right}` for horizontally aligned quadrants



- Example top left...
- ...quadrant content
- Next to a figure



- Bottom left...
- ...quadrant content



2×2 LAYOUT: ALL IMAGES





ITEMIZE WRAPPERS

Presets fro `itemize` with different vertical spacings (`itemsep`). The default value for `itemsep` is apparently `2pt`. Use `\the \itemsep` to find out the current value.

- **Default itemize**
- itemsep is unmodified
- Another thing
- Words
- A fourth thing to show
- Just filling space here
- Hello there

- **Uses environment** `itemizeS`
- itemsep is: 1.0pt
- Another thing
- Words
- A fourth thing to show
- Just filling space here
- Hello there

ITEMIZE WRAPPERS / 2

- **Default itemize**
- itemsep is unmodified
- Another thing
- Words
- A fourth thing to show
- Just filling space here
- Hello there

- **Uses environment** `itemizeM`
- itemsep is: 5.0pt
- Another thing
- Words
- A fourth thing to show
- Just filling space here
- Hello there

ITEMIZE WRAPPERS / 3

- **Default itemize**
- itemsep is unmodified
- Another thing
- Words
- A fourth thing to show
- Just filling space here
- Hello there

- **Uses environment** `itemizeL`
- itemsep is: 15.0pt
- Another thing
- Words
- A fourth thing to show
- Just filling space here
- Hello there

ITEMIZE WRAPPERS / 4

- **Uses environment** `itemizefill`

- itemsep is: 0.0pt plus 1.0fill

- Automatically uses all vertical space

IMAGE TAKING THE FULL WIDTH BY DEFAULT



FULL WIDTH IMAGE WITH ATTRIBUTION



Source: Author 2025

IMAGES WITH ALIGNMENT AND OPTIONAL ATTRIBUTION



Source: Author 2025



Source: Author 2025



Source: Author 2025

IMAGES WITHIN ITEMIZE

- Foo bar
- Plubber



- jfowiehfgnsdlkjnfg

IMAGES WITHIN SPLITV











IMAGES WITHIN SPLITVCC











Source: Author 2025