
Using the Transformer


GPT (Radford et al., 2018)



Learning goals

- Understand inner workings of BPE
- Being able to compare BPE to other tokenization approaches

GPT → RADFORD ET AL., 2018



Source: Radford et al., 2018

ARCHITECTURAL DETAILS

- Transformer decoder as backbone of the architecture
 - 12-layer-decoder with masked self-attention mechanism
 - Hidden dimension H = 768, A = 12 Attention heads
 - BPE vocabulary w/ 40k merges
 - Learned positional embeddings (as opposed to fixed, sinusoidal ones in the original Transformer)

$$h_0 = UW_e + W_p$$

 $h_l = Trafo(h_{l-1})$
 $P(u) = softmax(h_nW_e^\top)$

PRE-TRAINING GPT

- Standard LM objective
- Use the BooksCorpus (> 7k unpublished books from various genres)
 - \rightarrow contains long texts and thus allows learning long range dependencies

FINE-TUNING GPT

- Linear output layer with softmax activation on top
- Auxiliary language modeling objective during fine-tuning
 - → Improves generalization
 - \rightarrow Accelerates convegence
- Task-specific input transformations
 - Entailment:
 Concatenation of premise (p) & hypothesis (h): [p; \$; h]
 - Similarity: Use both orderings and concatenate resulting representations: [s₁; \$; s₂] and [s₂; \$; s₁]
 - Q&A and Commensense Reasoning:
 Concatenate context (z), question (q) and each possible answer (a_k): [z; q; \$, a_k]

SOTA RESULTS

Performance on different benchmarks:

Table 2: Experimental results on natural language inference tasks, comparing our model with current state-of-the-art methods. 5x indicates an ensemble of 5 models. All datasets use accuracy as the evaluation metric.

Method	MNLI-m	MNLI-mm	SNLI	SciTail	QNLI	RTE
ESIM + ELMo [44] (5x)	-	-	89.3	-	-	-
CAFE [58] (5x)	80.2	79.0	89.3	-	-	-
Stochastic Answer Network [35] (3x)	80.6	80.1	-	-	-	-
CAFE [58]	78.7	77.9	88.5	83.3		
GenSen [64]	71.4	71.3	-	-	82.3	59.2
Multi-task BiLSTM + Attn [64]	72.2	72.1	-	-	82.1	61.7
Finetuned Transformer LM (ours)	82.1	81.4	89.9	88.3	88.1	56.0

Table 3: Results on question answering and commonsense reasoning, comparing our model with current state-of-the-art methods.. 9x means an ensemble of 9 models.

Method	Story Cloze	RACE-m	RACE-h	RACE
val-LS-skip [55]	76.5	-	-	-
Hidden Coherence Model [7]	<u>77.6</u>	-	-	-
Dynamic Fusion Net [67] (9x)	-	55.6	49.4	51.2
BiAttention MRU [59] (9x)	-	60.2	50.3	53.3
Finetuned Transformer LM (ours)	86.5	62.9	57.4	59.0

Source: Radford et al. (2018)

--

• •