

# Chain-of-thought Prompting

## Large Language Models (LLMs)

### Learning goals

- illustrate chain-of-thought and point out the benefits it brings to LLMs
- illustrate tree-of-thought and point out the benefits it brings to LLMs

# CHAIN-OF-THOUGH MOTIVATION

How to boost the reasoning capabilities of LLMs? ► Wei et al., 2021

- Use formal approaches, e.g., logic, symbolic reasoning
  - Example: ► BeliefBank
  - Difficult to train and deploy, not widely used
- Few-shot learning via prompting works for many tasks
  - Still, it works poorly on tasks that require reasoning
- Chain of thought (CoT) prompting
  - Prompts in the form <input, *chain of thought*, output>
  - CoT: series of intermediate steps that lead to a final output

# CHAIN-OF-THOUGHT PROMPTING PARADIGM

CoT enables LLMs to tackle complex arithmetic, commonsense and symbolic reasoning tasks.

## Standard Prompting

### Model Input

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: The answer is 11.

Q: The cafeteria had 23 apples. If they used 20 to make lunch and bought 6 more, how many apples do they have?

### Model Output

A: The answer is 27. ❌

## Chain-of-Thought Prompting

### Model Input

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: Roger started with 5 balls. 2 cans of 3 tennis balls each is 6 tennis balls.  $5 + 6 = 11$ . The answer is 11.

Q: The cafeteria had 23 apples. If they used 20 to make lunch and bought 6 more, how many apples do they have?

### Model Output

A: The cafeteria had 23 apples originally. They used 20 to make lunch. So they had  $23 - 20 = 3$ . They bought 6 more apples, so they have  $3 + 6 = 9$ . The answer is 9. ✅

► Source: Wei et al., 2022

# CHAIN-OF-THOUGHT PROMPTING PARADIGM

## Chain-of-Thought Prompting

### Model Input

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: Roger started with 5 balls. 2 cans of 3 tennis balls each is 6 tennis balls.  $5 + 6 = 11$ . The answer is 11.

Q: The cafeteria had 23 apples. If they used 20 to make lunch and bought 6 more, how many apples do they have?

### Model Output

A: The cafeteria had 23 apples originally. They used 20 to make lunch. So they had  $23 - 20 = 3$ . They bought 6 more apples, so they have  $3 + 6 = 9$ . The answer is 9. ✓

# BENEFITS OF CHAIN-OF-THOUGHT

- Decompose multi-step problems and thus allocate more compute to problems requiring more reasoning steps
- By describing the reasoning, interpretability is increased. It provides the possibility to observe where reasoning went wrong
- It is closer to how humans solve tasks using language
- By designing a prompt, existing large language models are able to perform chain-of-thought reasoning.

# EXAMPLES FOR CHAIN OF THOUGHT

**Examples of <input, chain of thought, output> triples for commonsense and symbolic reasoning**

▸ Source: Wei et al., 2022

# EXAMPLES

## StrategyQA

Q: Yes or no: Would a pear sink in water?

A: The density of a pear is about 0.6 g/cm<sup>3</sup>, which is less than water. Thus, a pear would float. So the answer is no.

# EXAMPLES

## Date Understanding

Q: The concert was scheduled to be on 06/01/1943, but was delayed by one day to today. What is the date 10 days ago in MM/DD/YYYY?

A: One day after 06/01/1943 is 06/02/1943, so today is 06/02/1943. 10 days before today is 05/23/1943. So the answer is 05/23/1943.



# EXAMPLES

## Sports Understanding

Q: Is the following sentence plausible? "Joao Moutinho caught the screen pass in the NFC championship."

A: Joao Moutinho is a soccer player. The NFC championship is part of American football, not soccer. So the answer is no.

# EXAMPLES

## SayCan (Instructing a robot)

Human: How would you bring me something that isn't a fruit?

Explanation: the user wants something to eat that isn't a fruit. An energy bar is not a fruit, so I will bring the user an energy bar.

Plan: 1. find(energy bar) 2. pick(energy bar) 3. find(user) 4. put(energy bar) 5. done().

# EXAMPLES

## Last Letter Concatenation

Q: Take the last letters of the words in "Lady Gaga" and concatenate them.

A: The last letter of "Lady" is "y". The last letter of "Gaga" is "a". Concatenating them is "ya". So the answer is ya.

# EXAMPLES

---

## Coin Flip (state tracking)


Q: A coin is heads up. Maybelle flips the coin. Shalonda does not flip the coin. Is the coin still heads up?

A: The coin was flipped by Maybelle. So the coin was flipped 1 time, which is an odd number. The coin started heads up, so after an odd number of flips, it will be tails up. So the answer is no.

# COT IMPROVES ARITHMETICS


SVAMP: math word problems with varying structures; MAWPS: repository unifying math problems from different sources;

► Source: Wei et al., 2022



# COT IMPROVES COMMONSENSE

CSQA: Contains around 200K dialogs with a total of 1.6M turns. Further, unlike existing large scale QA datasets which contain simple questions that can be answered from a single tuple, the questions in the dialogs require a larger subgraph of the KG.




► Source: Wei et al., 2022

# TREE-OF-THOUGHT: MOTIVATION

- The token-level and left-to-right decisions of the autoregressive mechanism pose a limitation for:
  - Tasks where initial decisions play a pivotal role
  - Tasks requiring exploration or strategic lookahead
- Potential strategy to solve those:
  - Maintain and explore diverse alternatives instead of just picking one
  - Evaluates current status and looks ahead or backtrack to make global decisions

# TREE-OF-THOUGHT: PROMPTING PARADIGM

Schematic illustrating various approaches to problem solving with LLMs. Each rectangle box represents a *thought*, a coherent language sequence serving as an intermediate step toward problem solving.




► Yao et al., 2023



# TREE-OF-THOUGHT FOR CREATIVE WRITING

A step of deliberate search in a randomly picked Creative Writing task. Given the input, the LM samples five different plans, and then votes five times to decide which plan is best.



► Yao et al., 2023

# TREE-OF-THOUGHT FOR CREATIVE WRITING (2)

(a)  
Input

Write a coherent passage of 4 short paragraphs. The end sentence of each paragraph must be: **1.** It isn't difficult to do a handstand if you just stand on your hands. **2.** It caught him off guard that space smelled of seared steak. **3.** When she didn't like a guy who was trying to pick her up, she started using sign language. **4.** Each person who knows you has a different perception of who you are.

(b)  
Plans

Plan 1

**1.** Introduce and explain the technique of doing a handstand **2.** Switch to a story about an astronaut's first time in space **3.** Describe a situation where a woman uses sign language to avoid unwanted attention **4.** The final paragraph explains how everyone has different perceptions of others

0/5 votes

Plan 2

**1.** Introduction to an unusual self-help book, mentioning a handstand as a metaphor for embracing challenges. **2.** Discuss the unexpected things learned from astronauts, including the smell of space. **3.** Describe a woman's clever tactic for avoiding unwanted attention at a bar. **4.** Contemplate how different perceptions of oneself can shape one's identity.

3/5 votes

Plan 3-5

1...  
2...  
...

n/5 votes

(c)  
Votes

Analyzing each choice in detail: Choice 1, while incorporating the required end sentences, seems to lack a clear connection between the paragraphs {...} Choice 2 offers an interesting perspective by using the required end sentences to present a self-help book's content. It connects the paragraphs with the theme of self-improvement and embracing challenges, making for a coherent passage. {...} **The best choice is 2.**

# CHAIN OF THOUGHT: WHAT COULD GO WRONG?

- Decompose multi-step problems and thus allocate more compute to problems requiring more reasoning steps
- By describing the reasoning, interpretability is increased. It provides the possibility to observe where reasoning went wrong
- It is closer to how humans solve tasks using language
- By designing a prompt, existing large language models are able to perform chain-of-thought reasoning.
- **Question:** What could go wrong?