
# **Interpretable Machine Learning**

# **Inherently Interpretable Models - Motivation**







#### Learning goals

- Why should we use interpretable models?
- Advantages and disadvantages of interpretable models

### **MOTIVATION**

- Achieving interpretability by using interpretable models is the most straightforward approach
- Classes of models deemed interpretable:
  - (Generalized) linear models (LM, GLM)
  - Generalized additive models (GAM)
  - Decision trees
  - Rule-based learning
  - Model-based / component-wise boosting
  - ...
- Often there is a trade-off between interpretability and model performance








### **ADVANTAGES**

 Interpretable models are transparent by design, making many model-agnostic explanation methods unnecessary
 Eliminates an extra source of estimation error







### **ADVANTAGES**

- Interpretable models are transparent by design, making many model-agnostic explanation methods unnecessary
   Eliminates an extra source of estimation error
- They often have few hyperparameters and are structurally simple (e.g., linear, additive, sparse, monotonic)

   → Easy to train, fast to tune, and straightforward to explain x<sub>2</sub> < 0.2</li>









### **ADVANTAGES**


- Interpretable models are transparent by design, making many model-agnostic explanation methods unnecessary → Eliminates an extra source of estimation error
- They often have few hyperparameters and are structurally simple (e.g., linear, additive, sparse, monotonic) → Easy to train, fast to tune, and straightforward to explain
- Many people are familiar with simple interpretable models → Increases trust, facilitates communication of results








Often require assumptions about data / model structure
 → If assumptions are wrong, models may perform bad





- Often require assumptions about data / model structure
   → If assumptions are wrong, models may perform bad
- Interpretable models may also be hard to interpret, e.g.:
  - LM with lots of features and interactions
  - Decision trees with huge tree depth





- Often require assumptions about data / model structure → If assumptions are wrong, models may perform bad

- Interpretable models may also be hard to interpret, e.g.:
  - LM with lots of features and interactions
  - Decision trees with huge tree depth
- Often do not automatically model complex relationships due to limited flexibility e.g., high-order main or interaction effects need to be specified manually in an LM

- Interpretable models may also be hard to interpret, e.g.:
  - LM with lots of features and interactions
  - Decision trees with huge tree depth
- Often do not automatically model complex relationships due to limited flexibility e.g., high-order main or interaction effects need to be specified manually in an LM
- Inherently interpretable models do not address all explanation needs
   Complementary model-agnostic methods (e.g., counterfactuals) remain valuable for specific tasks

### **FURTHER COMMENTS**

- Some researchers advocate for inherently interpretable models instead of explaining black boxes after training

  Rudin 2019
  - Built-in interpretation ⇒ fewer risks from misleading post-hoc explanations
  - Good performance possible with effort on preprocessing / feat. engineering
  - But interpretability depends on meaning of created features
    - $\rightsquigarrow$  E.g., PCA keeps models linear, but yields hard-to-interpret components



### **FURTHER COMMENTS**

- Some researchers advocate for inherently interpretable models instead of explaining black boxes after training

  Rudin 2019
  - ullet Built-in interpretation  $\Rightarrow$  fewer risks from misleading post-hoc explanations
  - Good performance possible with effort on preprocessing / feat. engineering
  - But interpretability depends on meaning of created features
    - → E.g., PCA keeps models linear, but yields hard-to-interpret components
- Limitation: Less suited for complex data where end-to-end learning is crucial
  - Applies to image, text, or sensor data where features must be learned
  - Manual extraction of interpretable features is difficult
    - ⇒ Information loss and lower performance



#### RECOMMENDATION

- Begin with the simplest model appropriate for the task
- Increase complexity only if necessary to meet performance requirements
   Typically reduces interpretability and requires model-agnostic explanations
- $\bullet$  Choose the simplest model with sufficient accuracy  $\leadsto$  Occam's razor



#### Bike Data, 4-fold CV

Model	RMSE	$R^2$
LM	800.15	0.83
Tree	981.83	0.74
Random Forest	653.25	0.88
Boosting (tuned)	638.42	0.89