



# Interpretable Machine Learning

## Inherently Interpretable Models - Motivation




### Learning goals

- Why should we use interpretable models?
- Advantages and disadvantages of interpretable models




## Interpretable Machine Learning Inherently Interpretable Models - Motivation




### Learning goals

- Why should we use interpretable models?
- Advantages and disadvantages of interpretable models





# MOTIVATION

- Achieving interpretability by using interpretable models is the most straightforward approach
- Classes of models deemed interpretable:
  - (Generalized) linear models (LM, GLM)
  - Generalized additive models (GAM)
  - Decision trees
  - Rule-based learning
  - Model-based / component-wise boosting
  - ...




↪ LM provides straightforward interpretation

- Often there is a trade-off between interpretability and model performance





# MOTIVATION

- Achieving interpretability by using interpretable models is the most straightforward approach
- Classes of models deemed interpretable:
  - (Generalized) linear models (LM, GLM)
  - Generalized additive models (GAM)
  - Decision trees
  - Rule-based learning
  - Model-based / component-wise boosting
  - ...





↪ LM provides straightforward interpretation

- Often there is a trade-off between interpretability and model performance





# ADVANTAGES

- Interpretable models are transparent by design, making many model-agnostic explanation methods unnecessary  
~> Eliminates an extra source of estimation error






# ADVANTAGES

- Interpretable models are transparent by design, making many model-agnostic explanation methods unnecessary  
~> Eliminates an extra source of estimation error






# ADVANTAGES

- Interpretable models are transparent by design, making many model-agnostic explanation methods unnecessary  
~> Eliminates an extra source of estimation error
- They often have few hyperparameters and are structurally simple (e.g., linear, additive, sparse, monotonic)  
~> Easy to train, fast to tune, and straightforward to explain






# ADVANTAGES

- Interpretable models are transparent by design, making many model-agnostic explanation methods unnecessary  
~> Eliminates an extra source of estimation error
- They often have few hyperparameters and are structurally simple (e.g., linear, additive, sparse, monotonic)  
~> Easy to train, fast to tune, straightforward to explain






# ADVANTAGES

- Interpretable models are transparent by design, making many model-agnostic explanation methods unnecessary  
~> Eliminates an extra source of estimation error
- They often have few hyperparameters and are structurally simple (e.g., linear, additive, sparse, monotonic)  
~> Easy to train, fast to tune, and straightforward to explain
- Many people are familiar with simple interpretable models  
~> Increases trust, facilitates communication of results





# ADVANTAGES

- Interpretable models are transparent by design, making many model-agnostic explanation methods unnecessary  
~> Eliminates an extra source of estimation error
- They often have few hyperparameters and are structurally simple (e.g., linear, additive, sparse, monotonic)  
~> Easy to train, fast to tune, straightforward to explain
- Many people are familiar with simple interpretable models  
~> Increases trust, facilitates communication of results





# DISADVANTAGES & LIMITATIONS

- Often require assumptions about data / model structure  
     $\rightsquigarrow$  If assumptions are wrong, models may perform bad





# DISADVANTAGES & LIMITATIONS

- Often require assumptions about data / model structure  
     $\rightsquigarrow$  If assumptions are wrong, models may perform bad





# DISADVANTAGES & LIMITATIONS

- Often require assumptions about data / model structure  
~> If assumptions are wrong, models may perform bad
- Interpretable models may also be hard to interpret, e.g.:
  - LM with lots of features and interactions
  - Decision trees with huge tree depth



# DISADVANTAGES & LIMITATIONS

- Often require assumptions about data / model structure  
~> If assumptions are wrong, models may perform bad
- Interpretable models may also be hard to interpret, e.g.:
  - LM with lots of features and interactions
  - Decision trees with huge tree depth





# DISADVANTAGES & LIMITATIONS

- Often require assumptions about data / model structure  
~→ If assumptions are wrong, models may perform bad

- Interpretable models may also be hard to interpret, e.g.:

- LM with lots of features and interactions
- Decision trees with huge tree depth

- Often do not automatically model complex relationships due to limited flexibility  
e.g., high-order main or interaction effects need to be specified manually in an LM





# DISADVANTAGES & LIMITATIONS

- Often require assumptions about data / model structure  
~→ If assumptions are wrong, models may perform bad

- Interpretable models may also be hard to interpret, e.g.:

- LM with lots of features and interactions
- Decision trees with huge tree depth

- Often do not automatically model complex relationships due to limited flexibility  
e.g., high-order main or interaction effects need to be specified manually in an LM





# DISADVANTAGES & LIMITATIONS



- Often require assumptions about data / model structure  
~> If assumptions are wrong, models may perform bad

- Interpretable models may also be hard to interpret, e.g.:

- LM with lots of features and interactions
- Decision trees with huge tree depth

- Often do not automatically model complex relationships due to limited flexibility  
e.g., high-order main or interaction effects need to be specified manually in an LM

- Inherently interpretable models do not address all explanation needs  
~> Complementary model-agnostic methods (e.g., counterfactuals) remain valuable for specific tasks



# DISADVANTAGES & LIMITATIONS



- Often require assumptions about data / model structure  
~> If assumptions are wrong, models may perform bad

- Interpretable models may also be hard to interpret, e.g.:

- LM with lots of features and interactions
- Decision trees with huge tree depth


- Often do not automatically model complex relationships due to limited flexibility  
e.g., high-order main or interaction effects need to be specified manually in an LM

- Inherently interpretable models do not address all explanation needs  
~> Complementary model-agnostic methods (e.g., counterfactuals) remain valuable for specific tasks




## FURTHER COMMENTS

- Some researchers advocate for inherently interpretable models instead of explaining black boxes after training [▶ Rudin 2019](#)
  - Built-in interpretation  $\Rightarrow$  fewer risks from misleading post-hoc explanations
  - Good performance possible with effort on preprocessing / feat. engineering
  - But interpretability depends on meaning of created features
    - $\rightsquigarrow$  E.g., PCA keeps models linear, but yields hard-to-interpret components




## FURTHER COMMENTS

- Some researchers advocate for inherently interpretable models instead of explaining black boxes after training [▶ Rudin 2019](#)
  - Built-in interpretation
    - $\rightsquigarrow$  fewer risks from misleading post-hoc explanations
  - Good performance possible with effort on preprocessing and/or feature engineering
  - But interpretability depends on meaning of created features
    - $\rightsquigarrow$  E.g., PCA keeps models linear, but yields hard-to-interpret components




## FURTHER COMMENTS

- Some researchers advocate for inherently interpretable models instead of explaining black boxes after training ► Rudin 2019
  - Built-in interpretation  $\Rightarrow$  fewer risks from misleading post-hoc explanations
  - Good performance possible with effort on preprocessing / feat. engineering
  - But interpretability depends on meaning of created features
    - $\rightsquigarrow$  E.g., PCA keeps models linear, but yields hard-to-interpret components
- Limitation: Less suited for complex data where end-to-end learning is crucial
  - Applies to image, text, or sensor data where features must be learned
  - Manual extraction of interpretable features is difficult
    - $\Rightarrow$  Information loss and lower performance



## FURTHER COMMENTS

- Some researchers advocate for inherently interpretable models instead of explaining black boxes after training ► Rudin 2019
  - Built-in interpretation
    - $\rightsquigarrow$  fewer risks from misleading post-hoc explanations
  - Good performance possible with effort on preprocessing and/or feature engineering
  - But interpretability depends on meaning of created features
    - $\rightsquigarrow$  E.g., PCA keeps models linear, but yields hard-to-interpret components
- Limitation: Less suited for complex data complex data requiring end-to-end learning
  - Applies to image, text, or sensor data where features must be learned from raw input
  - Manual extraction of interpretable features is difficult
    - $\Rightarrow$  Information loss and lower performance




# RECOMMENDATION

- Begin with the simplest model appropriate for the task
- Increase complexity only if necessary to meet performance requirements  
    ~> Typically reduces interpretability and requires model-agnostic explanations
- Choose the simplest model with sufficient accuracy ~> Occam's razor

**Bike Data, 4-fold CV**

Model	RMSE	$R^2$
LM	800.15	0.83
Tree	981.83	0.74
Random Forest	653.25	0.88
Boosting (tuned)	638.42	0.89



# RECOMMENDATION

- Begin with the simplest model appropriate for the task
- Increase complexity only if necessary to meet performance requirements  
    ~> Typically reduces interpretability and requires model-agnostic explanations
- Choose the simplest model with sufficient accuracy ~> Occam's razor

**Bike Data, 4-fold CV**

Model	RMSE	$R^2$
LM	800.15	0.83
Tree	981.83	0.74
Random Forest	653.25	0.88
Boosting (tuned)	638.42	0.89

