



Optimization in Machine Learning

Evolutionary Algorithms Introduction



Learning goals



- Evolutionary algorithms
- Encoding
- Parent selection, variation, survival selection

EVOLUTIONARY ALGORITHMS

- **Genetic algorithms:** Use binary problem representation, therefore closest to the biological model of evolution.
- **Evolution strategies:** Use direct problem representation, e.g., vector of real numbers.
- **Genetic programming:** Create structures that convert an input into a fixed output (e.g. computer programs); solution candidates are represented as trees.
- **Evolutionary programming:** Similar to genetic programming, but solution candidates are not represented by trees, but by finite state machines.


The boundaries between the terms become increasingly blurred and are often used synonymously.

STRUCTURE OF AN EVOLUTIONARY ALGORITHM



NOTATION AND TERMINOLOGY

- A chromosome is a set of parameters which encodes a proposed solution to the problem that the genetic algorithm is trying to solve. The chromosome is often represented as a binary string, although a wide variety of other data structures are also used.
- The set of all solutions is known as the population.



Symbols	EA Terminology
solution candidate $\mathbf{x} \in \mathcal{S}$	chromosome of an individual
x_j	j -th gene of chromosome
set of candidates P with $\mu = P $	population and size
λ	number of generated offsprings
$f : \mathcal{S} \rightarrow \mathbb{R}$	fitness function

Note: Unintuitively, we are minimizing fitness because we always minimize f by convention.

ENCODING


Encoding of chromosomes is the first step of solving a problem with EAs. Technically: Mapping from **genotype** to **phenotype**. Encoding depends on the problem, and eventually decides performance of problem solving. **Encoding methods:**

- Binary encoding: Strings of 0s and 1s
- Real value encoding: Real values

Genotype:




Phenotype:



Binary encoding




Real value encoding



STEP 1: INITIALIZE POPULATION

- Evolutionary algorithms start with generating initial population $P = \{\mathbf{x}^{(1)}, \dots, \mathbf{x}^{(\mu)}\}$.
- Usually: Initialize uniformly at random.
- Introducing prior knowledge possible.
- Population is evaluated: objective function is computed for each initial individual.
- Initialization influences quality of solution, so many EAs employ *restarts* with new randomly generated initial populations.





STEP 3: VARIATION

New individuals (offsprings) are generated from parents.

- Recombination/Crossover: Combine two parents into offspring.
- Mutation: Modify the offspring locally.

Sometimes only one of both operations is performed.



Note: Particular operation depends on encoding. Examples for binary and numeric encodings follow later.

EVOLUTIONARY ALGORITHMS

- **Advantages**

- Simple but enough to solve complex problems
- All parameter types possible in general
- Highly parallelizable
- Flexible through different variation operations

- **Disadvantages**

- Little mathematical rigor (for realistic, complex EAs)
- Hard to find balance between exploration and exploitation
- Quite some parameters, hard to determine them
- Customization necessary for complex problems
- Not suitable for expensive problems like HPO as large number of function evaluations necessary

