[SCA] 网络诊断库介绍

- 1 背星
- 2. 功能
- 3. 使用说明
 - 3.1 依赖引入
 - 3.2 初始化
 - 33网络诊断操作员
 - 3.4 后台触发控制
 - 3.5 支持多进程
- 4. 上传数据说明

1. 背景

由于移动端应用的功能越来越依赖网络状况,为了能随时反馈移动端网络状况,并且在用户环境出现网络问题时及时给出解决方案,需要加入移动端的网络 诊断功能。

2. 功能

功能点	功能描述
网络诊断操作页	操作页可以选择诊断的具体项目,填写需要诊断的Host
9项网络诊断	操作页,或者后台通过Interceptor可以开启诊断,诊断内容参考设计文档
诊断数据记录和上传	诊断完成自动上传数据到前端接口,操作页可以查看本地上传失败的记录

设计文档: https://confluence.shopee.io/pages/viewpage.action?pageId=368971423

3. 使用说明

3.1 依赖引入

```
implementation "com.shopee.sc:net-diagnosis:lastestVersion"
```

目前的最新版本为1.0.6

3.2 初始化

入口类为NetDiagnosis,是个单例。

init方法需要传入context,配置信息DiagnosisConfigInfo(不能为空),以及是否支持多进程。配置信息包含如下信息:

```
private String mProject = ""; // WMS SPX...

private String mEnv = "test"; // test uat live

private String mUid = ""; // id

private String mCountry = ""; //

private String mWareHouse = ""; //

private boolean mBackEnable = true; //

//

private long mBackDiagnosisTimeInterval = DIALOG_TIME_INTERVAL;

// 58

private long mBackTimeoutInterval = HTTP_TIMEOUT;

// 15

private int mBackUploadTimeInterval = UPLOAD_TIME_INTERVAL;

// TimeUnit
private TimeUnit mBackUploadTimeUnit = TimeUnit.MINUTES;
```

实际使用,使用Build新建实例:

通过NetDiagnosis的getConfigInfo()可以随时获取已设置的DiagnosisConfigInfo实例,来更新配置。

3.3 网络诊断操作页

通过调用NetDiagnosis的goToSelect()可以进入操作页面。

NetDiagnosis的start方法可以开启全选项诊断,start方法区分手动触发和后台自动触发,后台自动触发需要记录触发超时的url请求,会触发前端的预警功能。

3.4 后台触发控制

通常情况下,若项目使用OkHttp,则可以通过NetDiagnosis的getTimeOutInterceptor()方法获取拦截器,加入到OkHttp中。

也可以调用NetDiagnosis的dealWithNetTimeOut方法,传入请求耗时和请求网址,框架自行判断是否需要触发后台诊断。

3.5 支持多进程

支持将网络诊断运行在子进程中。

在3.2的初始化之前,需要先初始化WorkManager,使其支持多进程。调用的是NetDiagnosis的initWorkManager方法,传入context,进程名,和是否为Debug。然后将3.2的初始化移到子进程中运行。

在Manifest中指定相关组件的进程名:

```
cprovider
    android:name="androidx.work.impl.WorkManagerInitializer"
    android:authorities="${applicationId}.workmanager-init"
    tools:node="remove" />
<service
    android:name="androidx.work.multiprocess.RemoteWorkManagerService"
    android:process=":${NET_MONITOR_PROCESS}"
    tools:replace="android:process" />
    android:name="androidx.work.impl.background.systemjob.SystemJobService"
    android:process=":${NET_MONITOR_PROCESS}"
    tools:replace="android:process" />
    android:name="com.shopee.sc.netdiagnosis.ui.DiagnosisSelectActivity"
    android:process=":${NET_MONITOR_PROCESS}"
    tools:replace="android:process" />
    android:name="com.shopee.sc.netdiagnosis.ui.DiagnosisDialogActivity"
    android:process=":${NET_MONITOR_PROCESS}"
    tools:replace="android:process" />
<activity
    android:name="com.shopee.sc.netdiagnosis.ui.DiagnosisResultActivity"
    android:process=":${NET_MONITOR_PROCESS}"
    tools:replace="android:process" />
<activity
    android:name="com.shopee.sc.netdiagnosis.ui.DiagnosisHistoryActivity"
    android:process=":${NET_MONITOR_PROCESS}"
    tools:replace="android:process" />
```

后台控制需要注意,子进程无法通过传递拦截器来实现,必须将请求耗时和请求url传到子进程,在子进程调用dealWithNetTimeOut方法自行实现。

4. 上传数据说明

使用前端接口上报,数据查询可以在Kibana:

http://10.143.138.93:5601/app/kibana#/discover?_g=(filters:!(),refreshInterval:(pause:!t,value:0),time:(from:now-30d,to:now))&_a=(columns:!(d.delay), filters:!(('\$state':(store:appState),meta:(alias:!n,disabled:!f,index:'980f4d70-ea13-11eb-b049-3b6436676388',key:bt,negate:!f,params:(query:WMS)),type: phrase),query:(match_phrase:(bt:WMS))),('\$state':(store:appState),meta:(alias:!n,disabled:!f,index:'980f4d70-ea13-11eb-b049-3b6436676388',key:pf, negate:!f,params:(query:android),type:phrase),query:(match_phrase:(pf:android)))),index:'980f4d70-ea13-11eb-b049-3b6436676388',interval:auto,query: (language:kuery,query:''),sort:!())

数据选择data-code_log-*, 过滤条件为pf=android 且 bt=WMS。

诊断结果数据示例:

```
// MTU
"MtuScan":{
"totalTime":2200,
"mtu":604
"Device":{
"mCpuName": "ARMv7 Processor rev 4 (v71)",
"mAvailableMem":"1.94 GB",
"mTotalRootStorage":"2.60 GB",
"mFreeExternalStorage":"24.14 GB",
"mBatteryLevel":90,
"mTotalMem":"3.04 GB"
"mFreeRootStorage": "761 MB",
"mTotalExternalStorage":"26.42 GB"
"Ping":{
"mRttAvg":34.543,
"mRttMin":11.772,
"mRttMax":147.951
"mIp":"143.92.81.64",
"mAddress": "http://wms.ssc.shopee.com.my",
"mReceived":10,
"mLossRate":9
```

```
"mError":0,
"mRttMDev":41.186,
"mTransmitted":11,
"mAllTime":10020,
"mTtl":55
 // Host
"Host":{
"mParam":[
"127.0.0.1 localhost",
"::1 ip6-localhost"
"mTotalTime":13
 // Http
"Http":{
"mHeaderServer": "SGW",
"mIsJump":true,
"mAddress": "http://wms.ssc.shopee.com.my",
"mSize":7.287109375,
"mTotalTime":498,
"mHeader":[
"X-Android-Selected-Protocol":"http/1.1",
"null": "HTTP/1.1 307 Temporary Redirect",
"Server": "SGW",
"Connection": "keep-alive",
"X-Android-Response-Source": "NETWORK 307",
"X-Android-Sent-Millis": "1637742956071",
"Content-Length": "164"
"X-Android-Received-Millis": "1637742956086",
"Date": "Wed, 24 Nov 2021 08:35:56 GMT",
"Content-Type": "text/html",
"Location": "https://wms.ssc.shopee.com.my/"
Transfer-Encoding":"chunked",
"Server": "SGW",
"vary": "Accept-Encoding",
"Connection": "keep-alive",
"X-Android-Received-Millis": "1637742956210",
"Date": "Wed, 24 Nov 2021 08:35:56 GMT",
"last-modified": "Wed, 17 Nov 2021 09:46:13 GMT",
"X-Android-Selected-Protocol": "http/1.1",
"null":"HTTP/1.1 200 OK",
"X-Android-Response-Source": "NETWORK 200",
"etag":"W/\"6194cf65-1d26\"",
"X-Android-Sent-Millis": "1637742956176",
"Content-Type": "text/html"
"mSpeed":39,
"mResponseCode": 200,
"mTime":497
 // Trace Route
"TraceRoute":{
"mTotalTime":11976,
"mList":[
"mIp":"172.16.110.254",
"mTime":"*",
"mHop":1
"mIp":"172.16.210.3",
"mTime": "*",
"mHop":2
},
"mIp":"1.9.55.254",
"mTime":"*",
"mHop":3
mIp":"10.55.49.253",
"mTime":"*",
"mHop":4
"mIp":"*",
32.03.02 \7:59:22
"mTime":"*",
"mHop":5
```

```
"mIp":"10.55.209.34",
"mTime":"*",
"mHop":6
"mIp":"27.111.229.145",
"mTime":"*",
"mHop":7
"mIp":"143.92.108.196",
"mTime":"*",
8: "qoHm"
"mIp":"143.92.108.154",
"mTime":"*",
"mHop":9
"mIp":"143.92.108.155",
"mTime":"*",
"mHop":10
"mIp":"10.100.168.63",
"mTime": "*",
"mHop":11
"mIp":"*".
"mTime": "*",
"mHop":12
"mIp":"*",
"mTime":"*",
"mHop":13
mip":"*",
"mTime": "*"
"mHop":14
"mIp":"*",
"mTime":"*",
"mHop":15
"mIp":"*",
"mTime": "*",
"mHop":16
"mIp":"*",
"mTime":"*",
"mHop":17
"mIp":"*",
"mTime": "*",
"mHop":18
"mIp":"*",
"mTime": "*",
"mHop":19
"mIp":"*".
"mTime":"*",
"mHop":20
"mIp":"*",
"mTime":"*".
"mHop":21
32.03.02 17:59:22
"mIp":"*",
"mTime":"*",
"mHop":22
```

```
},
"mIp":"*",
"mTime": "*",
"mHop":23
"mIp":"*",
"mTime": "*",
"mHop":24
"mIp":"*",
"mTime": "*",
"mHop":25
"mIp":"*",
"mTime":"*"
"mHop":26
"mIp":"*",
"mTime":"*",
"mHop":27
"mIp":"*",
"mTime": "*",
"mHop":28
"mIp":"*",
"mTime": "*",
"mHop":29
 11
"PortScan":{
"mPortNetBeans":[
"mIsConnected":true,
"mDelay":193,
"mPort":80
"mIsConnected":true,
"mDelay":25,
"mPort":443
"mAddress": "http://wms.ssc.shopee.com.my",
"mTotalTime":30367
 //
"Net":{
"mOutputIpCountry": " * ",
"mMobileDbm":0,
"mWifiRssi":-87,
"mDnsServer": "10.36.6.91 / 10.36.6.92",
"mOutputDnsCountry": "*",
"mMobileAsu":0,
"mMobileLevel":0,
"mOutputIp":"115.134.221.169",
"mIsWifi":true,
"mNetworkType": "Other",
"mNetworkTypeValue":0,
"mClientIP": "10.36.26.54",
"mOutputDns": "172.69.19.71",
"mWifiName": "<unknown ssid>"
 // DNS
"NSLookup":{
"mDnsServerIPs":[
"10.36.6.91",
"10.36.6.92"
],
"mTotalTime":168,
"mDnsMethodBeans":[
32.03.02 17:59:22
"mDnsIps":[
"143.92.81.64"
```

```
"mDnsMethod": "Default Strategy",
"mAddress": "wms.ssc.shopee.com.my",
"mTime":0
"mDnsIps":[
"143.92.81.64"
],
"mDnsMethod": "DNS 10.36.6.91",
"mAddress": "wms.ssc.shopee.com.my",
"mTime":160
"mDnsIps":[
"143.92.81.64"
"mDnsMethod": "DNS 10.36.6.92",
"mAddress": "wms.ssc.shopee.com.my",
"mTime":1
"Base":{
"timeoutUrl": "https://wms.ssc.shopee.com.my/api/v2/pda/config/pdanotification/get_notification_sound_list",
"modifyTimeString":"2021-11-24 16:36:26",
"modifyTime":1637742986092,
"isManual":0,
"host": "http://wms.ssc.shopee.com.my",
"wareHouse": "MYL"
```