

PRAKTIKUM SISTEM BASIS DATA

Nama	Wesley Frederick Oh	No. Modul	5
NPM	2306202763	Tipe	Case Study



1. Connect ke database









```
C:\Users\pembe>psql postgresql://express_wesley_owner:npg_D1npoFwxE5M@ep-floral-fire-a5lxbu8l.us-east-2.aws.neon.tech/express_wesley?sslmode=require
psql (17.2, server 17.4)
WARNING: Console code page (437) differs from Windows code page (1252)
         8-bit characters might not work correctly. See psql reference
         page "Notes for Windows users" for details.
SSL connection (protocol: TLSv1.3, cipher: TLS_AES_256_GCM_SHA384, compression: off, ALPN: postgresql)
Type "help" for help.







express_wesley=> CREATE TABLE IF NOT EXISTS users (
express_wesley(>   id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
express_wesley(>   name VARCHAR(255) NOT NULL,
express_wesley(>   email VARCHAR(255) UNIQUE NOT NULL,
express_wesley(>   password VARCHAR(255) NOT NULL,
express_wesley(>   balance INT DEFAULT 0,
express_wesley(>   created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
express_wesley(> );
CREATE TABLE
express_wesley=> |
```

2. Node Modules -> Sudah ada, pakai folder yang sama dengan TP

3. Screenshot Response

Method	Endpoint	Success	Failed
GET	/store/:id		

PUT	/store/		
DELETE	/store/:id		
POST	/user/register		
POST	/user/login		

GET	/user/:email	 <pre> 1 { 2 "id": "b2bc0ae1-08e1-4e7d-ac34-0adbc600cc52", 3 "name": "netlab", 4 "email": "netlab@mail.com", 5 "password": "modul6", 6 "balance": 0, 7 "created_at": "2025-03-11T23:46:08.686Z" 8 } </pre>	 <pre> 1 { 2 "message": "User not found" 3 } </pre>
PUT	/user	 <pre> 1 { 2 "id": "b2bc0ae1-08e1-4e7d-ac34-0adbc600cc52", 3 "email": "netlabupdated@mail.com", 4 "password": "modul6", 5 "name": "William Iskandar Updated2" 6 } </pre> <pre> 1 { 2 "message": "User data updated successfully" 3 } </pre>	 <pre> 1 { 2 "id": "abcdefg", 3 "email": "netlabupdated@mail.com", 4 "password": "modul6", 5 "name": "William Iskandar Updated5" 6 } </pre> <pre> 1 { 2 "message": "fail to update user" 3 } </pre>
DELETE	/user/:id	 <pre> 1 { 2 "message": "User deleted successfully" 3 } </pre>	 <pre> 1 { 2 "message": "Internal Server Error" 3 } </pre>