



ES. Trovare tutti' gli isomorfismi da G in G
dove





$$1) f(5) = 2 \text{ et } f(2) = 5.$$

.... $\Rightarrow$ Poiché $\{4, 5\} \in E$ et $\{4, 2\} \notin E$

$$\Rightarrow \{f(4), 2\} \in E \text{ et } \{f(4), 5\} \notin E \Rightarrow f(4) = 3$$

SIMIL. $\{3, 2\} \in E \wedge \{3, 5\} \notin E \Rightarrow \{f(3), 5\} \in E$
 $\wedge \{f(3), 2\} \notin E \Rightarrow f(3) = 4$. MA ANCHE,
 $\{6, 5\} \in E \wedge \{6, 2\} \in E \Rightarrow \{f(6), 2\} \in E \wedge$
 $\{f(6), 5\} \in E \Rightarrow f(6) \in \{1, 6\}$. SIMIL., $\Rightarrow$
 $f(1) \in \{1, 6\}$. QUINDI

$$f(1) = 1 \wedge f(6) = 6$$

$$f(1) = 6 \overset{\sigma}{\wedge} f(6) = 1.$$

PERTANTO, 0

$$f(1)=1, f(2)=5, f(3)=4, f(4)=3, f(5)=2, f(6)=6$$

0


$$f(1)=6, f(2)=5, f(3)=4, f(4)=3, f(5)=2, f(6)=1.$$

E' FACILE VEDERE CHE ENTRAMBI SONO
ISOMORFISMI.

$$2) f(5)=5 \text{ E } f(2)=2.$$

$$\text{POICHE' } \{4, 5\} \in E \text{ E } \{4, 2\} \notin E \Rightarrow$$

$$\{f(4), 5\} \in E \text{ E } \{f(4), 2\} \notin E \Rightarrow f(4)=4.$$



SIMIL. $\Rightarrow f(3)=3$. INFINE $\{1,5\} \in E \in$
 $\{1,2\} \in E \Rightarrow \{f(1), 5\} \in E \in \{f(1), 2\} \in E$
 $\Rightarrow f(1) \in \{1,6\}$. SIMIL. $f(6) \in \{1,6\}$. PER =

TANTO 0





$$f(1)=1, f(2)=2, f(3)=3, f(4)=4, f(5)=5, f(6)=6$$

0

$$f(1)=6, f(2)=2, f(3)=3, f(4)=4, f(5)=5, f(6)=1.$$

E' FACILE VEDERE CHE QUESTI
SONO ISOMORFISMI.

GRAFICAMENTE QUESTI ISOMOR-
FISMI SONO:



(TUTTI QUESTI 4 GRAFI SONO UGUALI.)

ES. [1+]: TROVARE TUTTI GLI
ISOMORFISMI DI G IN G DOVE

