Beamer Template

A Demo of the Modern Style

Pingbang Hu

University of Illinois Urbana-Champaign

October 24, 2026

Outline

Useful Environment

Math and Figures

Useful Environment

`itemize` and `enumerate`

This is a demonstration of various environments [Hu]. The first is `itemize`:

- Item 1
- Item 2
- etc.

[1] Footnotes are numbered per frame.

`itemize` and `enumerate`

This is a demonstration of various environments [Hu]. The first is `itemize`:

- Item 1
- Item 2
- etc.

Usually I'll use `enumerate` as well, revealed step by step with `\pause`:

1. Item 1

[1] Footnotes are numbered per frame.

`itemize` and `enumerate`

This is a demonstration of various environments [Hu]. The first is `itemize`:

- Item 1
- Item 2
- etc.

Usually I'll use `enumerate` as well, revealed step by step with `\pause`:

1. Item 1
2. Item 2

[1] Footnotes are numbered per frame.

`itemize` and `enumerate`

This is a demonstration of various environments [Hu]. The first is `itemize`:

- Item 1
- Item 2
- etc.

Usually I'll use `enumerate` as well, revealed step by step with `\pause`:

1. Item 1
2. Item 2
3. etc.

[1] Footnotes are numbered per frame.

`itemize` and `enumerate`

This is a demonstration of various environments [Hu]. The first is `itemize`:

- Item 1
- Item 2
- etc.

Usually I'll use `enumerate` as well, revealed step by step with `\pause`:

1. Item 1
2. Item 2
3. etc.

Use `\emph` to *highlight* a phrase, and `\footnote` for asides.[1]

[1] Footnotes are numbered per frame.

Definition, Examples, etc.

All the common environments are available, e.g.,

- *Theorem*-related: `lemma`, `theorem`, `corollary`.
- *Common* environments: `definition`, `example`, `problem`.
- *Others*: `goal`, `prev`, `observe`, `assumption`, `remark`, `intuition`.

Definition, Examples, etc.

All the common environments are available, e.g.,

- *Theorem*-related: `lemma`, `theorem`, `corollary`.
- *Common* environments: `definition`, `example`, `problem`.
- *Others*: `goal`, `prev`, `observe`, `assumption`, `remark`, `intuition`.

Remark

Each custom environment has its own color; the name is the block title, so they are unnumbered.

Definition, Examples, etc.

All the common environments are available, e.g.,

- *Theorem*-related: `lemma`, `theorem`, `corollary`.
- *Common* environments: `definition`, `example`, `problem`.
- *Others*: `goal`, `prev`, `observe`, `assumption`, `remark`, `intuition`.

Remark

Each custom environment has its own color; the name is the block title, so they are unnumbered.

Goal

A `goal` environment.

Definition, Examples, etc.

All the common environments are available, e.g.,

- *Theorem*-related: `lemma`, `theorem`, `corollary`.
- *Common* environments: `definition`, `example`, `problem`.
- *Others*: `goal`, `prev`, `observe`, `assumption`, `remark`, `intuition`.

Remark

Each custom environment has its own color; the name is the block title, so they are unnumbered.

Goal

A `goal` environment.

As previously seen

A `prev` environment.

More Blocks

Problem

A `problem` environment.

Assumption

An `assumption` environment.

Observe

An `observe` environment.

Intuition (Optional title)

An `intuition` environment.

Example

A plain `example` environment.

Ad-hoc color

Wrap a `block` with `\styleblock{color}` for a one-off color.

Math and Figures

Math

The usual macros are available, e.g., $\arg\min_\theta \mathrm{Var}[f_\theta(x)]$, $\mathrm{d}x$, $\|\boldsymbol{v}\|$, and $\mathrm{P} \neq \mathrm{NP}$.

Math

The usual macros are available, e.g., $\arg\min_\theta \mathrm{Var}[f_\theta(x)]$, $\mathrm{d}x$, $\|\boldsymbol{v}\|$, and $\mathrm{P} \neq \mathrm{NP}$.

Theorem (A statement)

For every $\epsilon > 0$ there exists $\delta > 0$ such that $|x - y| < \delta \Rightarrow |f(x) - f(y)| < \epsilon$.

Math

The usual macros are available, e.g., $\arg\min_\theta \operatorname{Var}[f_\theta(x)]$, $\mathrm{d}x$, $\|\boldsymbol{v}\|$, and $\mathsf{P} \neq \mathsf{NP}$.

Theorem (A statement)


For every $\epsilon > 0$ there exists $\delta > 0$ such that $|x - y| < \delta \Rightarrow |f(x) - f(y)| < \epsilon$.

Proof.

Left as an exercise. Use `proofs` for a proof that spans overlays. □

Figures

Use `\includegraphics` as usual, or `\incfig{name}` for Inkscape figures exported as `Figures/name.pdf_tex`.



Thanks! Ask *anything* you want!

References i

[Hu] Pingbang Hu. *LaTeX-Template*. URL: https://github.com/sleepymalc/LaTeX-Template.