NCEA Level 2 Mathematics

91262 · Apply calculus methods in solving problems (Calculus)

Excellence-level practice questions

PRACTICE ANSWER SCHEDULE

About this answer schedule

- This schedule gives the **final answers only** to the 91262 practice excellence questions.
- Solutions are **NOT** provided in this answer schedule to encourage students **NOT** to just copy off the solution and think they learnt something.
- It is **not** an official NZQA assessment schedule, and no marks or grades are given. However, solving these levels of questions in the exam should award you an excellence mark.

How to use it

- Only check an answer once you've made a proper attempt at the question.
- If your answer doesn't match, go back and find your mistake before looking at anything else.
- For "show that" questions, the result is given, so it's your working that counts. If you have proved a statement, then your statement counts as the answer, and counts as a solution.

Copyright

- © 2026 Juyoung Park and Sedecember. All rights reserved.
- You're welcome to use this schedule for your own study. Please don't sell, re-upload or redistribute it without permission. Share a link to **sleepywndud.github.io** instead.
- This schedule is not affiliated with or endorsed by NZQA.

Contact

- Email: **juyoung.parkk8@gmail.com**
- Instagram / Discord: **@sleepywndud**

- If you spot an error or typo, please let me know so I can fix it.

Good luck!

91262 Practice Excellence Questions

Answer Schedule

Solutions are NOT provided in this answer schedule to encourage students NOT to just copy off the solution and think they learnt something.

Q	Answer
1	Maximum volume = 500 cm^3 ($x = 10$ cm, $h = 5$ cm)
2	$r = \dfrac{6}{4+\pi} \approx 0.840$ m; maximum area = $\dfrac{18}{4+\pi} \approx 2.52$ m^2
3	Maximum area = 32 units^2 (vertices at $x = \pm 2$, height 8)
4	Maximum area = 12 cm^2 (4 cm by 3 cm)
5	Width 30 m, length 60 m; maximum area = 1800 m^2
6	Minimum value = 20 (at $x = 2$, $y = 4$)
7	$r = \sqrt[3]{\dfrac{250}{\pi}} \approx 4.30$ cm
8	4 m (4 m from O in the positive direction)
9	Approximately 250 m from the traffic lights (≈ 249.6 m); speed ≈ 31.6 m s^{-1}
10	Approximately 29.8 m s^{-1}
11	(i) No: the car needs 82.5 m to stop (ii) $\dfrac{125}{24} \approx 5.21$ m s^{-2}
12	$c = -7$ or $c = \dfrac{67}{27}$
13	$y = 2x - 4$ and $y = -6x + 4$
14	$\text{P}(5, 52)$
15	$a = \dfrac{7}{4}$, $b = -6$, $c = 3$, $d = 0$; $(2, -4)$ is a local minimum
16	$p = 0$, $q = -3$; other stationary point $(-1, 6)$ is a local maximum
17	$y = x^3 - 2x^2 - 4x + 5$; other turning point $\left(-\dfrac{2}{3}, \dfrac{175}{27}\right)$
18	$-6 \le k \le 6$
19	18π cm^3 per cm (at $r = 3$ cm)
20	(i) $-k < x < k$ (ii) $k = \sqrt[3]{2}$
21	$f'(x) = 3x^2 - 2$
22	Normal: $y = \dfrac{1}{2}x - \dfrac{7}{2}$; meets the curve again at $\left(\dfrac{7}{2}, -\dfrac{7}{4}\right)$
23	18 units^2 (tangent $y = 12 - 4x$)
24	Smallest gradient $= -3$, at the point $(2, 3)$
25	(i) $t = 2.5$ s; 12.5 m apart (ii) $t = 5$ s
26	$\text{P}(2, 4)$; shortest distance = $\dfrac{7\sqrt{17}}{2} \approx 14.4$

Q	Answer
27	15 items per day; maximum profit = \$1350
28	$r = 4$ cm; maximum volume = $64\pi \approx 201$ cm^3
29	$y = x^3 - 2x^2 + x + 2$
30	$f(x)$: local maximum $(-1, 4)$, local minimum $(3, -3)$, passing through $(0, 2)$. $f'(x)$: crosses the x-axis at $x = -1$ and $x = 3$, positive outside this interval and negative between
31	$\frac{dy}{dx} = 3x^2 + 3 \geq 3$ for all x; tangent with smallest gradient: $y = 3x$
32	Shown: tangents meet at $\left(\frac{a+b}{2},\ ab\right)$, and perpendicular gives $4ab = -1$, so $y = -\frac{1}{4}$
33	2.5 cm^2 per cm
34	$x = 7.5$ cm (maximum area 112.5 cm^2)
35	$-4 < k < 0$
36	$\left(\sqrt{3},\ 2\sqrt{3}\right)$
37	5.5 seconds
38	$f(x) = -\frac{1}{4}(x-3)^2 + 2$ $\left(= -\frac{1}{4}x^2 + \frac{3}{2}x - \frac{1}{4}\right)$
39	$v = 10$ km h^{-1}; minimum cost = \$1800
40	(i) 16 m (at $t = 2$ s) (ii) $t = 2\sqrt{3} \approx 3.46$ s