




the net is itself a union of 3 teal + 3 violet tiles (thin orange = tile edges inside it)


$T3_1^4$ – right-isosceles triangular bipyramid (was P1)

$K=3 \cdot \text{cell}(2,4,4) \cdot v1:270^\circ, v2:270^\circ, v3:180^\circ, v4:180^\circ, v5:180^\circ$

● A: $v1(270^\circ)$

● B: $v2(270^\circ)$

● C: $v3(180^\circ), v4(180^\circ), v5(180^\circ)$




the net is itself a union of 4 teal + 4 violet tiles (thin orange = tile edges inside it)

$T4_1^3$ — regular octahedron (was P4)

$K=4 \cdot \text{cell } (3,3,3) \cdot v1:240^\circ, v2:240^\circ, v3:240^\circ, v4:240^\circ, v5:240^\circ, v6:240^\circ$

● A: $v1(240^\circ), v2(240^\circ)$ ● B: $v3(240^\circ), v4(240^\circ)$ ● C: $v5(240^\circ), v6(240^\circ)$




T4₁⁴ – tetrahedron (was P2)

$K=4 \cdot \text{cell}(2,4,4) \cdot v1:270^\circ, v2:180^\circ, v3:180^\circ, v4:90^\circ$

● A: flat

● B: $v4(90^\circ), v1(270^\circ)$

● C: flat, $v2(180^\circ), v3(180^\circ)$



T4₁⁶ — tetrahedron

(was P3)


the net is itself a union of 4 teal + 4 violet tiles (thin orange = tile edges inside it)

$K=4 \cdot \text{cell}(2,3,6) \cdot v1:240^\circ, v2:180^\circ, v3:180^\circ, v4:120^\circ$

● A: flat, $v4(120^\circ)$

● B: $v1(240^\circ)$

● C: $v2(180^\circ), v3(180^\circ)$, flat




T5₁³ — hexahedron (5 vertices) (was P7)

K=5 · cell (3,3,3) · v1:240°, v2:240°, v3:240°, v4:240°, v5:120°

● A: flat, v1(240°)

● B: v5(120°), v2(240°), v3(240°)

● C: flat, v4(240°)



T5₁⁶ – tetrahedron

(was P6)


the net is itself a union of 5 teal + 5 violet tiles (thin orange = tile edges inside it)

$K=5 \cdot \text{cell}(2,3,6) \cdot v1:300^\circ, v2:180^\circ, v3:120^\circ, v4:120^\circ$

● A: flat, $v3(120^\circ)$, $v4(120^\circ)$

● B: $v1(300^\circ)$

● C: $v2(180^\circ)$, flat, flat



T5₂ – hexahedron (5 vertices) (was P5)


the net is itself a union of 5 teal + 5 violet tiles (thin orange = tile edges inside it)

$K=5 \cdot \text{cell}(2,3,6) \cdot v1:300^\circ, v2:240^\circ, v3:180^\circ, v4:180^\circ, v5:180^\circ$

● A: flat, $v2(240^\circ)$

● B: $v1(300^\circ)$

● C: $v3(180^\circ), v4(180^\circ), \text{flat}, v5(180^\circ)$



T6₁³ – tetrahedron


(was P12)

K=6 cell (3,3,3) v1:240°, v2:240°, v3:120°, v4:120°

● A: flat, flat

● B: v3(120°), v1(240°) flat

● C: flat, v2(240°), v4(120°)




$T6_1$ – tetrahedron (was P8)

$K=6$ cell (2,3,6) $\cdot$ v1:300°, v2:180°, v3:180°, v4:60°

● A: flat, flat

● B: v4(60°), v1(300°)

● C: flat, flat, v2(180°), v3(180°)



dashed orange: closest net cut along tiling edges (same polyhedron, 8 teal + 6 violet tiles); area moved = 2.598 of 10.392


T6₂⁶ — tetrahedron (was P10)

K=6 · cell (2,3,6) · v1:240°, v2:180°, v3:180°, v4:120°

● A: flat, v1(240°), v4(120°)

● B: flat

● C: v2(180°), v3(180°), flat, flat



dashed orange: closest net cut along tiling edges (same polyhedron, 6 teal + 6 violet tiles); area moved = 3.464 of 10.392


T6₃⁶ – tetrahedron (was P11)


K=6 cell (2,3,6) · v1:240°, v2:180°, v3:180°, v4:120°

● A: flat, v4(120°), v1(240°)

● B: flat

● C: v2(180°), flat, flat, v3(180°)





dashed orange: closest net cut along tiling edges (same polyhedron, 7 teal + 7 violet tiles); area moved = 0.866 of 6.062


$T7_1^3$ — triangular prism, equilateral base 1, height $\sqrt{3}$ (was P16)

$K=7 \cdot \text{cell } (3,3,3) \cdot v1:240^\circ, v2:240^\circ, v3:240^\circ, v4:240^\circ, v5:240^\circ, v6:240^\circ$

● A: flat, $v1(240^\circ), v2(240^\circ)$

● B: $v3(240^\circ), v4(240^\circ)$, flat

● C: flat, $v5(240^\circ), v6(240^\circ)$




the net is itself a union of 7 teal + 7 violet tiles (thin orange = tile edges inside it)

$T7_1^4$ – hexahedron (5 vertices) (was P13)

$K=7 \cdot \text{cell}(2,4,4) \cdot v1:270^\circ, v2:270^\circ, v3:180^\circ, v4:180^\circ, v5:180^\circ$

● A: $v1(270^\circ)$, flat ● B: $v3(180^\circ), v4(180^\circ), v2(270^\circ)$ ● C: flat, flat, flat, $v5(180^\circ)$



dashed orange: closest net cut along tiling edges (same polyhedron, 7 teal + 7 violet tiles): area moved = 2.000 of 7.000


$T7_2^4$ – hexahedron (5 vertices) (was P14)

$K=7 \cdot \text{cell } (2,4,4) \cdot v1:270^\circ, v2:270^\circ, v3:180^\circ, v4:180^\circ, v5:180^\circ$

● A: $v1(270^\circ)$, flat

● B: $v2(270^\circ)$, flat

● C: $v3(180^\circ)$, flat, flat, $v4(180^\circ)$, $v5(180^\circ)$



the net is itself a union of 7 teal + 7 violet tiles (thin orange = tile edges inside it)

T7₁ – hexahedron (5 vertices) (was P15)

$K=7 \cdot \text{cell}(2,3,6) \cdot v1:240^\circ, v2:240^\circ, v3:240^\circ, v4:180^\circ, v5:180^\circ$

● A: flat, v1(240°), v2(240°) ● B: v4(180°), v3(240°) ● C: flat, flat, flat, v5(180°)