





$T2_1^3$ -f — doubly covered quadrilateral (angles 120° , 120° , 60° , 60°) (was Q3)

$K=2 \cdot \text{cell } (3,3,3) \cdot \text{cone angles } v1:240^\circ, v2:240^\circ, v3:120^\circ, v4:120^\circ \cdot 2 \text{ cells per face}$

● A: $v1(240^\circ)$

● B: $v3(120^\circ), v4(120^\circ)$

● C: $v2(240^\circ)$




$T2_1^6$ -f — doubly covered triangle (angles 120° , 30° , 30°) (was Q1)
K=2 · cell (2,3,6) · cone angles v1: 240° , v2: 60° , v3: 60° · 2 cells per face

● A: v1(240°)

● B: v2(60°), v3(60°)

● C: flat




$T2_2^6$ -f — doubly covered quadrilateral (angles 120° , 90° , 90° , 60°) (was Q2)

$K=2 \cdot \text{cell}(2,3,6) \cdot \text{cone angles } v1:240^\circ, v2:180^\circ, v3:180^\circ, v4:120^\circ \cdot 2 \text{ cells per face}$

● A: $v1(240^\circ)$

● B: $v4(120^\circ)$

● C: $v2(180^\circ), v3(180^\circ)$




$T3_1^3\text{-f}$ — doubly covered quadrilateral (angles 120° , 120° , 60° , 60°) (was Q6)

$K=3 \cdot \text{cell } (3,3,3) \cdot \text{cone angles } v1:240^\circ, v2:240^\circ, v3:120^\circ, v4:120^\circ \cdot 3 \text{ cells per face}$

● A: flat

● B: $v3(120^\circ), v1(240^\circ)$

● C: $v2(240^\circ), v4(120^\circ)$




$T3_2^4$ -f — doubly covered quadrilateral (angles 135° , 90° , 90° , 45°) (was Q4)

$K=3 \cdot \text{cell } (2,4,4) \cdot \text{cone angles } v1:270^\circ, v2:180^\circ, v3:180^\circ, v4:90^\circ \cdot 3 \text{ cells per face}$

● A: $v1(270^\circ)$

● B: $v4(90^\circ), v2(180^\circ)$

● C: flat, $v3(180^\circ)$




$T3_1^6$ -f — doubly covered quadrilateral (angles 120° , 90° , 90° , 60°) (was Q5)

$K=3 \cdot \text{cell } (2,3,6) \cdot \text{cone angles } v1:240^\circ, v2:180^\circ, v3:180^\circ, v4:120^\circ \cdot 3 \text{ cells per face}$

● A: $v1(240^\circ), v4(120^\circ)$

● B: $v2(180^\circ)$

● C: $v3(180^\circ)$, flat




$T4_2^3$ -f — doubly covered quadrilateral (angles 120° , 120° , 60° , 60°) (was Q9)

$K=4 \cdot \text{cell } (3,3,3) \cdot \text{cone angles } v1:240^\circ, v2:240^\circ, v3:120^\circ, v4:120^\circ \cdot 4 \text{ cells per face}$

● A: flat, $v3(120^\circ)$

● B: $v4(120^\circ)$, flat

● C: $v1(240^\circ)$, $v2(240^\circ)$




$T4_2^4$ -f — doubly covered quadrilateral (angles 135° , 135° , 45° , 45°) (was Q7)

$K=4 \cdot \text{cell } (2,4,4) \cdot \text{cone angles } v1:270^\circ, v2:270^\circ, v3:90^\circ, v4:90^\circ \cdot 4 \text{ cells per face}$

● A: $v1(270^\circ), v3(90^\circ)$

● B: $v4(90^\circ), v2(270^\circ)$

● C: flat, flat




$T4_2^6\text{-f}$ — doubly covered pentagon (angles $120^\circ, 120^\circ, 120^\circ, 90^\circ, 90^\circ$) (was Q8)
K=4 · cell (2,3,6) · cone angles v1:240°, v2:240°, v3:240°, v4:180°, v5:180° · 4 cells per face

● A: v1(240°), v2(240°)

● B: v3(240°)

● C: v4(180°), flat, v5(180°)




$T5^3_2\text{-f}$ — doubly covered quadrilateral (angles $120^\circ, 120^\circ, 60^\circ, 60^\circ$) (was Q15)

$K=5 \cdot \text{cell } (3,3,3) \cdot \text{cone angles } v1:240^\circ, v2:240^\circ, v3:120^\circ, v4:120^\circ \cdot 5 \text{ cells per face}$

● A: $v1(240^\circ)$, flat

● B: $v3(120^\circ), v4(120^\circ)$, flat

● C: flat, $v2(240^\circ)$




T5₁⁴-f — doubly covered quadrilateral (angles 135°, 90°, 90°, 45°) (was Q10)

K=5 · cell (2,4,4) · cone angles v1:270°, v2:180°, v3:180°, v4:90° · 5 cells per face


● A: v1(270°), v2(180°)

● B: v4(90°), flat

● C: flat, flat, v3(180°)



$T5_2^4$ -f — doubly covered pentagon (angles 135° , 135° , 90° , 90° , 90°) (was Q11)
 $K=5 \cdot \text{cell } (2,4,4) \cdot \text{cone angles } v1:270^\circ, v2:270^\circ, v3:180^\circ, v4:180^\circ, v5:180^\circ \cdot 5 \text{ cells per face}$
● A: $v1(270^\circ), v3(180^\circ)$ ● B: $v4(180^\circ), v2(270^\circ)$ ● C: flat, flat, $v5(180^\circ)$




$T5_3^6$ -f — doubly covered quadrilateral (angles 120° , 120° , 90° , 30°) (was Q12)

$K=5 \cdot \text{cell } (2,3,6) \cdot \text{cone angles } v1:240^\circ, v2:240^\circ, v3:180^\circ, v4:60^\circ \cdot 5 \text{ cells per face}$

● A: flat, $v1(240^\circ)$

● B: $v4(60^\circ), v2(240^\circ)$

● C: flat, flat, $v3(180^\circ)$




$T5_4^6\text{-f}$ — doubly covered quadrilateral (angles 120° , 90° , 90° , 60°) (was Q13)

$K=5 \cdot \text{cell } (2,3,6) \cdot \text{cone angles } v1:240^\circ, v2:180^\circ, v3:180^\circ, v4:120^\circ \cdot 5 \text{ cells per face}$

● A: flat, $v1(240^\circ)$

● B: $v4(120^\circ), v2(180^\circ)$

● C: flat, flat, $v3(180^\circ)$




$T5_5^6$ -f — doubly covered pentagon (angles 150° , 120° , 120° , 90° , 60°) (was Q14)

$K=5 \cdot \text{cell } (2,3,6) \cdot \text{cone angles } v1:300^\circ, v2:240^\circ, v3:240^\circ, v4:180^\circ, v5:120^\circ \cdot 5 \text{ cells per face}$

● A: $v2(240^\circ), v3(240^\circ), v5(120^\circ)$

● B: $v1(300^\circ)$

● C: $v4(180^\circ), \text{flat}, \text{flat}$




$T6^3_2$ -f — doubly covered quadrilateral (angles 120° , 120° , 60° , 60°) (was Q21)

$K=6 \cdot \text{cell } (3,3,3) \cdot \text{cone angles } v1:240^\circ, v2:240^\circ, v3:120^\circ, v4:120^\circ \cdot 6 \text{ cells per face}$

● A: flat, flat

● B: $v3(120^\circ)$, $v1(240^\circ)$, flat

● C: $v2(240^\circ)$, $v4(120^\circ)$, flat




$T6_3^3$ -f — doubly covered hexagon (angles $120^\circ, 120^\circ, 120^\circ, 120^\circ, 120^\circ, 120^\circ$) (v

$K=6 \cdot \text{cell } (3,3,3) \cdot \text{cone angles } v1:240^\circ, v2:240^\circ, v3:240^\circ, v4:240^\circ, v5:240^\circ, v6:240^\circ \cdot 6 \text{ cells per face}$

● A: flat, flat

● B: $v1(240^\circ), v2(240^\circ), v3(240^\circ)$

● C: $v4(240^\circ), v5(240^\circ), v6(240^\circ)$




$T6_1^4$ -f — doubly covered quadrilateral (angles 135° , 135° , 45° , 45°) (was Q16)

$K=6 \cdot \text{cell } (2,4,4) \cdot \text{cone angles } v1:270^\circ, v2:270^\circ, v3:90^\circ, v4:90^\circ \cdot 6 \text{ cells per face}$


● A: $v1(270^\circ), v2(270^\circ)$

● B: $v3(90^\circ), v4(90^\circ), \text{flat}$

● C: flat, flat, flat



$T6_2^4$ -f — doubly covered pentagon (angles 135° , 135° , 90° , 90° , 90°) (was Q17)
 $K=6 \cdot \text{cell } (2,4,4) \cdot \text{cone angles } v1:270^\circ, v2:270^\circ, v3:180^\circ, v4:180^\circ, v5:180^\circ \cdot 6 \text{ cells per face}$
● A: $v1(270^\circ), v2(270^\circ)$ ● B: $v3(180^\circ), \text{flat}$ ● C: $\text{flat, flat}, v4(180^\circ), v5(180^\circ)$




$T6_3^4$ -f — doubly covered hexagon (angles $135^\circ, 135^\circ, 135^\circ, 135^\circ, 90^\circ, 90^\circ$) (was 0)

$K=6 \cdot \text{cell } (2,4,4) \cdot \text{cone angles } v1:270^\circ, v2:270^\circ, v3:270^\circ, v4:270^\circ, v5:180^\circ, v6:180^\circ \cdot 6 \text{ cells per face}$

● A: $v1(270^\circ), v2(270^\circ)$

● B: $v3(270^\circ), v4(270^\circ)$

● C: $v5(180^\circ), \text{flat}, \text{flat}, v6(180^\circ)$




$T6_5^6$ -f — doubly covered quadrilateral (angles 150° , 120° , 60° , 30°) (was Q19)

$K=6 \cdot \text{cell}(2,3,6) \cdot \text{cone angles } v1:300^\circ, v2:240^\circ, v3:120^\circ, v4:60^\circ \cdot 6 \text{ cells per face}$

● A: flat, $v2(240^\circ)$, $v3(120^\circ)$

● B: $v4(60^\circ)$, $v1(300^\circ)$

● C: flat, flat, flat




T6₆-f — doubly covered pentagon (angles 120°, 120°, 120°, 90°, 90°) (was Q20)

K=6 · cell (2,3,6) · cone angles v1:240°, v2:240°, v3:240°, v4:180°, v5:180° · 6 cells per face

● A: v1(240°), v2(240°), v3(240°)

● B: flat

● C: v4(180°), flat, flat, v5(180°)




$T7^3_2$ -f — doubly covered quadrilateral (angles 120° , 120° , 60° , 60°) (was Q31)

$K=7 \cdot \text{cell } (3,3,3) \cdot \text{cone angles } v1:240^\circ, v2:240^\circ, v3:120^\circ, v4:120^\circ \cdot 7 \text{ cells per face}$

● A: flat, flat, $v3(120^\circ)$

● B: $v4(120^\circ)$, flat, flat

● C: $v1(240^\circ)$, flat, $v2(240^\circ)$




$T7_3^3$ -f — doubly covered pentagon (angles $120^\circ, 120^\circ, 120^\circ, 120^\circ, 60^\circ$) (was Q32)
K=7 · cell (3,3,3) · cone angles v1:240°, v2:240°, v3:240°, v4:240°, v5:120° · 7 cells per face

● A: flat, v1(240°), v2(240°)

● B: v5(120°), flat, flat

● C: flat, v3(240°), v4(240°)




$T7^4_3$ -f — doubly covered quadrilateral (angles 135° , 90° , 90° , 45°) (was Q23)


$K=7 \cdot \text{cell } (2,4,4) \cdot \text{cone angles } v1:270^\circ, v2:180^\circ, v3:180^\circ, v4:90^\circ \cdot 7 \text{ cells per face}$

● A: $v1(270^\circ)$, flat

● B: $v4(90^\circ)$, $v2(180^\circ)$, flat


● C: flat, $v3(180^\circ)$, flat, flat





$T7^4_5$ -f — doubly covered pentagon (angles $135^\circ, 135^\circ, 135^\circ, 90^\circ, 45^\circ$) (was Q25)

$K=7 \cdot \text{cell } (2,4,4) \cdot \text{cone angles } v1:270^\circ, v2:270^\circ, v3:270^\circ, v4:180^\circ, v5:90^\circ \cdot 7 \text{ cells per face}$




$T7_6^4$ -f — doubly covered pentagon (angles 135° , 135° , 90° , 90° , 90°) (was Q26)
K=7 · cell (2,4,4) · cone angles v1: 270° , v2: 270° , v3: 180° , v4: 180° , v5: 180° · 7 cells per face

● A: flat, v1(270°)

● B: v2(270°), flat

● C: v3(180°), flat, flat, v4(180°), v5(180°)




$T7^6\text{-f}$ — doubly covered quadrilateral (angles 150° , 90° , 60° , 60°) (was Q29)

$K=7 \cdot \text{cell } (2,3,6) \cdot \text{cone angles } v1:300^\circ, v2:180^\circ, v3:120^\circ, v4:120^\circ \cdot 7 \text{ cells per face}$

● A: flat, flat, $v3(120^\circ)$

● B: $v4(120^\circ), v1(300^\circ)$

● C: flat, flat, $v2(180^\circ)$, flat




$T7_3^6$ -f — doubly covered quadrilateral (angles 120° , 120° , 90° , 30°) (was Q27)

$K=7 \cdot \text{cell}(2,3,6) \cdot \text{cone angles } v1:240^\circ, v2:240^\circ, v3:180^\circ, v4:60^\circ \cdot 7 \text{ cells per face}$

● A: flat, $v1(240^\circ)$, $v2(240^\circ)$

● B: $v4(60^\circ)$, flat

● C: flat, flat, flat, $v3(180^\circ)$




$T7_4^6\text{-f}$ — doubly covered quadrilateral (angles $120^\circ, 90^\circ, 90^\circ, 60^\circ$) (was Q30)

$K=7 \cdot \text{cell } (2,3,6) \cdot \text{cone angles } v1:240^\circ, v2:180^\circ, v3:180^\circ, v4:120^\circ \cdot 7 \text{ cells per face}$

● A: flat, flat, $v4(120^\circ)$

● B: $v2(180^\circ), v1(240^\circ)$

● C: $v3(180^\circ)$ flat, flat, flat



$T7_5^6$ -f — doubly covered pentagon (angles 150° , 120° , 120° , 90° , 60°) (was Q28)

$K=7 \cdot \text{cell } (2,3,6) \cdot \text{cone angles } v1:300^\circ, v2:240^\circ, v3:240^\circ, v4:180^\circ, v5:120^\circ \cdot 7 \text{ cells per face}$

● A: flat, $v2(240^\circ)$, $v3(240^\circ)$

● B: $v5(120^\circ)$, $v1(300^\circ)$

● C: flat, flat, flat, $v4(180^\circ)$