

```
kali@kali: ~  
Session Actions Edit View Help  
(kali@kali)-[~]  
$ cat /etc/passwd  
root:x:0:0:root:/root:/usr/bin/zsh  
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin  
bin:x:2:2:bin:/bin:/usr/sbin/nologin  
sys:x:3:3:sys:/dev:/usr/sbin/nologin  
sync:x:4:65534:sync:/bin:/bin/sync  
games:x:5:60:games:/usr/games:/usr/sbin/nologin  
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin  
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin  
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin  
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin  
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin  
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin  
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin  
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin  
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin  
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin  
_apt:x:42:65534::/nonexistent:/usr/sbin/nologin  
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin  
systemd-network:x:998:998:systemd Network Management:/:/usr/sbin/nologin  
dhcpcd:x:100:65534:DHCP Client Daemon:/usr/lib/dhcpcd:/bin/false  
systemd-timesync:x:991:991:systemd Time Synchronization:/:/usr/sbin/nologin  
messagebus:x:990:990:System Message Bus:/nonexistent:/usr/sbin/nologin  
tss:x:101:104:TPM software stack:/var/lib/tpm:/bin/false  
strongswan:x:102:65534::/var/lib/strongswan:/usr/sbin/nologin  
tcpdump:x:103:105::/nonexistent:/usr/sbin/nologin  
sshd:x:989:65534:sshd user:/run/sshd:/usr/sbin/nologin  
_rpc:x:104:65534::/run/rpcbind:/usr/sbin/nologin  
dnsmasq:x:999:65534:dnsmasq:/var/lib/misc:/usr/sbin/nologin  
avahi:x:105:108:Avahi mDNS daemon:/run/avahi-daemon:/usr/sbin/nologin  
nm-openvpn:x:106:109:NetworkManager OpenVPN:/var/lib/openvpn/chroot:/usr/sbin/nologin  
speech-dispatcher:x:107:29:Speech Dispatcher:/run/speech-dispatcher:/bin/false  
usbmux:x:108:46:usbmux daemon:/var/lib/usbmux:/usr/sbin/nologin  
nm-openconnect:x:109:110:NetworkManager OpenConnect plugin:/var/lib/NetworkManager:/usr/sbin/nologin  
pulse:x:110:111:PulseAudio daemon:/run/pulse:/usr/sbin/nologin  
pipewire:x:988:988:system user for pipewire:/nonexistent:/usr/sbin/nologin  
lightdm:x:111:113:Light Display Manager:/var/lib/lightdm:/bin/false  
statd:x:112:65534::/var/lib/nfs:/usr/sbin/nologin  
saned:x:113:114::/var/lib/saned:/usr/sbin/nologin
```

```

kali@kali: ~
Session Actions Edit View Help

(kali@kali)-[~]
$ ps aux
USER      PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root         1   1.1   0.3 25096 15956 ?        Ss   00:52   0:11 /usr/lib/systemd/systemd --system --deserialize=23 splash
root         2   0.0   0.0      0     0 ?        S    00:52   0:00 [kthreadd]
root         3   0.0   0.0      0     0 ?        S    00:52   0:00 [pool_workqueue_release]
root         4   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-rcu_gp]
root         5   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-sync_wq]
root         6   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-kvfree_rcu_reclaim]
root         7   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-slub_flushwq]
root         8   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-netns]
root        10   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/0:0H-kblockd]
root        13   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-mm_percpu_wq]
root        14   0.0   0.0      0     0 ?        S    00:52   0:00 [ksoftirqd/0]
root        15   0.0   0.0      0     0 ?        I    00:52   0:00 [rcu_preempt]
root        16   0.0   0.0      0     0 ?        S    00:52   0:00 [rcu_exp_par_gp_kthread_worker/0]
root        17   0.0   0.0      0     0 ?        S    00:52   0:00 [rcu_exp_gp_kthread_worker]
root        18   0.0   0.0      0     0 ?        S    00:52   0:00 [migration/0]
root        19   0.0   0.0      0     0 ?        S    00:52   0:00 [idle_inject/0]
root        20   0.0   0.0      0     0 ?        S    00:52   0:00 [cpuhp/0]
root        21   0.0   0.0      0     0 ?        S    00:52   0:00 [cpuhp/1]
root        22   0.0   0.0      0     0 ?        S    00:52   0:00 [idle_inject/1]
root        23   0.0   0.0      0     0 ?        S    00:52   0:00 [migration/1]
root        24   0.0   0.0      0     0 ?        S    00:52   0:00 [ksoftirqd/1]
root        26   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/1:0H-events_highpri]
root        28   0.2   0.0      0     0 ?        I    00:52   0:02 [kworker/u8:1-flush-8:0]
root        29   0.0   0.0      0     0 ?        S    00:52   0:00 [kdevtmpfs]
root        30   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-inet_frag_wq]
root        31   0.0   0.0      0     0 ?        I    00:52   0:00 [rcu_tasks_kthread]
root        32   0.0   0.0      0     0 ?        I    00:52   0:00 [rcu_tasks_rude_kthread]
root        33   0.0   0.0      0     0 ?        I    00:52   0:00 [rcu_tasks_trace_kthread]
root        34   0.0   0.0      0     0 ?        S    00:52   0:00 [kauditd]
root        35   0.0   0.0      0     0 ?        S    00:52   0:00 [khungtaskd]
root        36   0.0   0.0      0     0 ?        S    00:52   0:00 [oom_reaper]
root        38   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-writeback]
root        39   0.0   0.0      0     0 ?        S    00:52   0:00 [kcompactd0]
root        40   0.0   0.0      0     0 ?        SN   00:52   0:00 [ksmd]
root        41   0.0   0.0      0     0 ?        SN   00:52   0:00 [khugepaged]
root        42   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-kblockd]
root        43   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-blkcg_punt_bio]
root        44   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-kintegrityd]
root        45   0.0   0.0      0     0 ?        S    00:52   0:00 [irq/9-acpi]
root        46   0.0   0.0      0     0 ?        I    00:52   0:00 [kworker/1:1-mm_percpu_wq]
root        47   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-tpm_dev_wq]
root        48   0.0   0.0      0     0 ?        I<   00:52   0:00 [kworker/R-edac-poller]

```

```
(kali㉿kali)-[~]  
$ ping -c 10 cisco.com  
PING cisco.com (72.163.4.185) 56(84) bytes of data.  
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=1 ttl=255 time=117 ms  
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=2 ttl=255 time=115 ms  
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=3 ttl=255 time=112 ms  
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=4 ttl=255 time=114 ms  
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=5 ttl=255 time=116 ms  
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=6 ttl=255 time=113 ms  
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=7 ttl=255 time=116 ms  
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=8 ttl=255 time=122 ms  
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=9 ttl=255 time=115 ms  
64 bytes from redirect-ns.cisco.com (72.163.4.185): icmp_seq=10 ttl=255 time=112 ms  
  
— cisco.com ping statistics —  
10 packets transmitted, 10 received, 0% packet loss, time 11799ms  
rtt min/avg/max/mdev = 112.106/115.154/121.559/2.618 ms
```

4

```
(kali㉿kali)-[~]  
$ uname -a  
Linux kali 6.18.9+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.18.9-1kali1 (2026-02-10) x86_64 GNU/Linux  
  
(kali㉿kali)-[~]  
$ hostnctl  
Static hostname: kali  
Icon name: computer-vm  
Chassis: vm   
Machine ID: 686fa41363f049e9a84be345a7078e04  
Boot ID: 4eb103f1520c4ae79ef0705a48c9829e  
Virtualization: oracle  
Operating System: Kali GNU/Linux Rolling  
Kernel: Linux 6.18.9+kali-amd64  
Architecture: x86-64  
Hardware Vendor: innotek GmbH  
Hardware Model: VirtualBox  
Hardware Version: 1.2  
Firmware Version: VirtualBox  
Firmware Date: Fri 2006-12-01  
Firmware Age: 19y 4month 2w 6d
```

5

```
(kali㉿kali)-[~]  
$ w  
01:13:20 up 20 min, 1 user, load average: 0.09, 0.40, 0.55  
USER      TTY      FROM          LOGIN@      IDLE        JCPU   PCPU   WHAT  
kali      -          00:52          0.00s      ?          lightdm --session-child 13 24  
  
(kali㉿kali)-[~]  
$ who  
kali      seat0      2026-04-22 00:52 (:0)
```

6

```
(kali㉿kali)-[~]  
$ touch prueba.txt  
  
(kali㉿kali)-[~]  
$ ls -l prueba.txt  
-rw-rw-r-- 1 kali kali 0 Apr 22 01:17 prueba.txt
```

7

```
(kali㉿kali)-[~/Downloads]  
$ sudo find / -name "prueba.txt"  
find: '/run/user/1000/doc': Permission denied  
find: '/run/user/1000/gvfs': Permission denied  
/home/kali/prueba.txt  
█
```

```

(kali㉿kali)-[~/Downloads]
$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:1f:b7:23 brd ff:ff:ff:ff:ff:ff
    inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic noprefixroute eth0
        valid_lft 85201sec preferred_lft 85201sec
    inet6 fd17:625c:f037:2:8a0a:f5c:8875:122a/64 scope global dynamic noprefixroute
        valid_lft 86267sec preferred_lft 14267sec
    inet6 fe80::6ac7:430b:f914:850a/64 scope link noprefixroute
        valid_lft forever preferred_lft forever

(kali㉿kali)-[~/Downloads]
$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.0.2.15 netmask 255.255.255.0 broadcast 10.0.2.255
    inet6 fd17:625c:f037:2:8a0a:f5c:8875:122a prefixlen 64 scopeid 0<global>
    inet6 fe80::6ac7:430b:f914:850a prefixlen 64 scopeid 0<link>
    ether 08:00:27:1f:b7:23 txqueuelen 1000 (Ethernet)
    RX packets 1876212 bytes 2785449409 (2.5 GiB)
    RX errors 0 dropped 2 overruns 0 frame 0
    TX packets 503045 bytes 30500062 (29.0 MiB)
    TX errors 0 dropped 15 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 88 bytes 6960 (6.7 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 88 bytes 6960 (6.7 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

```

9

```
(kali㉿kali)-[~/Downloads]
$ ss -tulpn
```

Netid	State	Recv-Q	Send-Q	Local Address:Port	Peer Address:Port	Process
tcp	LISTEN	0	2	*:3389	*:*	
tcp	LISTEN	0	2	[::1]:3350	[::]:*	

```
(kali㉿kali)-[~/Downloads]
$ sudo netstat -plntu
```

Active Internet connections (only servers)

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State	PID/Program name
tcp6	0	0	:::3389	:::*	LISTEN	706/xrdp
tcp6	0	0	:::1:3350	:::*	LISTEN	677/xrdp-sesman

10

```
(kali㉿kali)-[~/Downloads]
$ date
```

Wed Apr 22 01:25:00 AM EDT 2026

```
(kali㉿kali)-[~/Downloads]
$ timedatectl
```

Local time: Wed 2026-04-22 01:25:19 EDT
 Universal time: Wed 2026-04-22 05:25:19 UTC
 RTC time: Wed 2026-04-22 05:25:19
 Time zone: America/New_York (EDT, -0400)
 System clock synchronized: yes
 NTP service: inactive
 RTC in local TZ: no

