

SOUTHERN CROSS STRATEGIC HOLDINGS PTE LIMITED

Integrated Security Solutions Division

OPERATIONS ROOM (OP-ROOM) POLICY

Papua LNG Project Corridor — Gulf, Southern Highlands and Hela Provinces

Papua LNG Facilities · Kimu Gas Field · Barikewa Gas Field · Uramu Marine Base · Kikori Development Project

Document Reference: SCSH-ISS-OPS-001

Version 2.0 | Effective 1 January 2026

CLASSIFICATION: CONFIDENTIAL — INTERNAL USE ONLY

Unauthorised reproduction, transmission or disclosure of this document, in whole or in part, is prohibited.

Protecting People. Securing Progress.

Document Control

Document Title	Operations Room (Op-Room) Policy
Document Reference	SCSH-ISS-OPS-001
Version	2.0 (supersedes Version 1.0, 2025)
Issuing Authority	General Manager — Integrated Security Solutions
Approving Authority	Board of Directors, Southern Cross Strategic Holdings Pte Limited
Document Owner	Operations Manager, Papua LNG Corridor
Effective Date	1 January 2026
Next Scheduled Review	31 December 2026 (or earlier on trigger)
Classification	Confidential — Internal Use Only
Distribution	Operations Room staff; Site Security Managers; Shift Supervisors; Client Security Representative (controlled copy)
Applicable Locations	Kerema Headquarters; Papua LNG Facilities; Kimu Gas Field; Barikewa Gas Field; Uramu Marine Base; Kikori Development Project corridor

Revision History

Ver.	Date	Author / Reviewer	Summary of Amendment
1.0	2025	Operations Manager	Initial issue — baseline operations room procedures.
2.0	Jan 2026	Operations Manager / GM ISS	Comprehensive revision: alignment to Papua LNG project requirements and client security standards; addition of legal and regulatory framework; journey management; maritime and RPAS control; community and landowner interface; crisis management; assurance and performance measurement; annexures and control forms.

Approval and Endorsement

This Policy is issued under the authority of the Board of Directors and takes effect on the date shown above. It applies to all personnel, contractors and sub-contractors engaged in Operations Room functions across the Papua LNG project corridor.

Role	Name	Signature	Date
Operations Manager			
General Manager — ISS			
Chief Executive Officer			
Board Representative			

Table of Contents

1. Purpose

The purpose of this Policy is to establish the standards, responsibilities, authorities and control procedures governing the Operations Room (Op-Room) of Southern Cross Strategic Holdings Pte Limited ("the Company", "SCSH") in support of security operations across the Papua LNG project corridor in Papua New Guinea.

The Operations Room is the single point of command, control, communications and information (C3I) for all Company security operations. This Policy ensures that:

- Command and control of all security activity is centralised, continuous and auditable;
- Situational awareness across land, riverine, maritime, aviation and remote operating environments is maintained on a 24-hour basis;
- All movement of personnel, vehicles, vessels and aircraft within and beyond the security perimeter is authorised, tracked and accounted for;
- Incidents are detected, reported, escalated and resolved within defined timeframes;
- The Company meets its obligations to the Project Operator, joint venture participants, the State of Papua New Guinea, host communities and its own personnel;
- All operational records are captured to an evidentiary standard capable of withstanding client audit, regulatory inspection and legal scrutiny.

2. Scope

2.1 Application

This Policy applies without exception to:

- All Operations Room personnel, including Watch Commanders, Operations Controllers, CCTV Operators, Movement Control Coordinators and Emergency Response Coordinators;
- Land patrol, static guarding, border security, K9, Sea Marshal and Personal Security Detail (PSD) elements;
- Maritime patrol crews operating from Uramu Marine Base and associated riverine assets;
- Remotely Piloted Aircraft System (RPAS/drone) operators and observers;
- Site Security Managers, Supervisors and Shift Leaders;
- Logistics, transport, engineering and corporate support personnel requiring movement authorisation or Op-Room communications;
- Sub-contractors, secondees and visitors granted access to Op-Room facilities or communications networks.

2.2 Geographic Coverage

This Policy covers the Company's area of responsibility across the Papua LNG corridor, including but not limited to:

Location	Operational Character
Kerema Headquarters (Gulf Province)	Primary Operations Room; corporate coordination; provincial liaison; personnel reception and staging.
Papua LNG Facilities	Fixed plant and infrastructure security; access control; perimeter integrity; contractor interface.
Kimu Gas Field	Remote upstream site; limited access; helicopter-dependent resupply; extended response timelines.

Location	Operational Character
Barikewa Gas Field	Remote upstream site; road and air access constraints; landowner interface sensitivity.
Uramu Marine Base	Maritime and riverine operations; vessel movement control; Gulf of Papua littoral coverage.
Kikori Development Project Corridor	Land security, border security and community interface; pipeline right-of-way surveillance.
Transit Routes and Corridors	Road, river, coastal and air movement between all sites; journey management applies throughout.

2.3 Exclusions

This Policy does not govern: commercial contracting; human resource disciplinary process beyond the referral obligations in Section 17; or matters expressly reserved to the Project Operator under the prevailing security services contract. Where a conflict arises between this Policy and a mandatory client or statutory requirement, the more stringent requirement prevails and the conflict shall be reported to the Operations Manager within 24 hours.

3. Legal, Regulatory and Contractual Framework

Operations Room activity shall at all times be conducted in accordance with the laws of Papua New Guinea, the laws of the Republic of Fiji as they apply to the Company as an incorporated entity, and the contractual requirements of the Project Operator. The following instruments are of particular relevance:

Instrument / Standard	Relevance to Operations Room Function
Security (Protection) Industry Act and subordinate regulations (PNG)	Licensing of the Company and its security personnel; permitted scope of security activity; conduct of licensed guards.
Criminal Code Act (PNG)	Limits on detention, use of force, search and seizure; evidence preservation obligations.
Occupational Health and Safety legislation (PNG)	Duty of care to personnel; incident notification; fitness for duty; fatigue management.
National Maritime Safety Authority requirements	Vessel registration, crewing, safety equipment and reporting for maritime and riverine assets.
Civil Aviation Rules — Remotely Piloted Aircraft (PNG CASA)	RPAS operator certification, flight authorisation, airspace deconfliction and logging.
National Information and Communications Technology Authority (NICTA) licensing	Radio spectrum allocation, HF/VHF licensing and lawful use of communications equipment.
Environment Act and Oil and Gas Act (PNG)	Project licence conditions; landowner and benefit-sharing context relevant to community risk.
Voluntary Principles on Security and Human Rights (VPSHR)	Risk assessment, engagement with public security, use-of-force proportionality, allegation reporting.
IFC Performance Standard 4 (Community Health, Safety and Security)	Client-mandated framework for security arrangements affecting host communities.

Instrument / Standard	Relevance to Operations Room Function
Project Operator Security Management Standards	Contractual reporting timeframes, escalation thresholds, data handling and audit rights.
SCSH-HR-GOV-001 Zero-Tolerance Conduct, Ethics and Prohibited Behaviour Policy	Conduct standards binding on all Op-Room personnel; misconduct referral pathway.
SCSH Border Security, Lands Security, K9, Transport and Logistics Policies	Subordinate operational policies coordinated through the Operations Room.

Nothing in this Policy authorises any act contrary to law. Where a lawful order cannot be reconciled with an operational instruction, personnel shall comply with the law and immediately report the conflict to the Watch Commander.

4. Definitions and Abbreviations

Term	Meaning
AIS	Automatic Identification System — maritime vessel tracking.
C3I	Command, Control, Communications and Information.
CCTV	Closed Circuit Television surveillance system.
Duty of Care	The Company's legal and moral obligation to safeguard personnel under its control.
ERP	Emergency Response Plan.
IMS	Incident Management System — the Company's electronic incident register.
JMP	Journey Management Plan.
MEDEVAC / CASEVAC	Medical evacuation / casualty evacuation.
Op-Room	Operations Room.
POB	Persons On Board — the accountability count for a vehicle, vessel, aircraft or site.
PSD	Personal Security Detail.
RPAS	Remotely Piloted Aircraft System (drone).
RRT	Rapid Response Team.
SITREP	Situation Report.
SOP	Standard Operating Procedure issued under this Policy.
VPSHR	Voluntary Principles on Security and Human Rights.
Watch	A single continuous manned shift period in the Operations Room.

5. Governance and Authority

5.1 Chain of Command

The Operations Room operates under a single unbroken chain of command. At all times one individual — the Watch Commander on duty — holds operational control of the watch.

Level	Authority
Board of Directors	Approves this Policy; sets risk appetite; receives quarterly assurance reporting.
Chief Executive Officer	Accountable for Company-wide security performance; authorises Level 3 external escalation.
General Manager — ISS	Owns the security management system; approves release of Op-Room information externally.
Operations Manager	Policy owner; approves SOPs, rosters, escalation matrices and technology changes.
Watch Commander	Holds operational control of the watch; final authority on movement approval and immediate response.
Operations Room Staff	Execute functions in accordance with this Policy and subordinate SOPs.

5.2 Reserved Authorities

The following decisions may not be delegated below the level stated:

Decision	Minimum Authority
Approval of movement outside the perimeter	Watch Commander
Suspension or curfew of all movement in a defined area	Operations Manager
Activation of the Emergency Response Plan	Watch Commander (immediate), confirmed by Operations Manager
Site lockdown or evacuation	Operations Manager; GM ISS informed without delay
Request for support from RPNGC or PNGDF	General Manager — ISS (or CEO after hours)
Release of CCTV footage, logs or incident data outside the Company	General Manager — ISS
Media or community public statement	Chief Executive Officer
Deviation from this Policy	Operations Manager, recorded in writing

5.3 Interface with the Project Operator

The Operations Room shall maintain a defined and tested interface with the Project Operator's security organisation, including a nominated single point of contact, agreed notification thresholds, and reciprocal access to relevant situational information. All notifications to the Operator shall be made within the timeframes stipulated in the prevailing security services contract and recorded in the IMS.

6. Operations Room Structure and Roles

6.1 Establishment

The Operations Room shall be staffed continuously, 24 hours per day, 365 days per year. The minimum manning per watch is set out below. A watch shall not commence, and a relieving watch shall not be released, until minimum manning is achieved and handover is complete.

Position	Minimum per Watch	Core Function
Watch Commander	1	Operational control of the watch; movement approval; incident command until relieved; assurance of log integrity.
Operations Controller	1	Primary communications desk; radio, satellite and telephone traffic; log and tracker maintenance; SITREP compilation.
CCTV Operator	1	Continuous surveillance monitoring; systematic camera sweeps; fault reporting; evidential capture.
Movement Control Coordinator	1	Journey management; GPS, vehicle, vessel and aircraft tracking; POB accountability; clearance issue and closure.
Emergency Response Coordinator	On call	Alarm and panic-alert management; RRT and MEDEVAC dispatch; external emergency service liaison.
Maritime / RPAS Liaison	As tasked	Vessel and RPAS deconfliction, authorisation and tracking during active operations.

Where operational tempo, elevated threat level or concurrent incidents exceed the capacity of the standing watch, the Watch Commander shall request augmentation from the Operations Manager without delay. Augmentation is not discretionary during a declared Level 3 incident.

6.2 Watch Commander

- Holds operational control of the Operations Room and is accountable for every decision taken during the watch.
- Grants, refuses, suspends or recalls movement authorisations.
- Assumes initial incident command and maintains it until formally relieved by a nominated Incident Commander.
- Determines incident classification level and initiates escalation.
- Verifies the accuracy and completeness of all logs before signing the handover.
- Enforces conduct, discipline and information security within the Operations Room.
- Reports immediately any allegation of human rights abuse, excessive force, corruption or serious misconduct in accordance with SCSH-HR-GOV-001.

6.3 Operations Controller

- Operates the primary communications desk and maintains radio discipline across all nets.
- Records all traffic in the Radio Communications Log contemporaneously — entries shall not be reconstructed after the event.
- Maintains the Daily Operations Sheet, patrol tracker and status boards.
- Conducts scheduled radio checks with every deployed callsign at intervals not exceeding 60 minutes, or 30 minutes in elevated threat conditions.
- Compiles the shift SITREP for the Watch Commander's approval.

6.4 CCTV Operator

- Maintains continuous attention to active surveillance screens; screen-off, unattended or distracted monitoring is a disciplinary matter.
- Conducts a documented systematic sweep of all camera zones at least hourly, and immediately following any alarm activation.

- Reports suspicious behaviour, perimeter interference or unusual gatherings to the Watch Commander immediately and without filtering.
- Bookmarks, exports and secures footage relating to any reportable incident before the retention window expires.
- Maintains the CCTV Check and Fault Log and reports outages to the Operations Manager within 30 minutes.

6.5 Movement Control Coordinator

- Receives, verifies and processes all movement requests against the Movement Approval Checklist.
- Confirms GPS, tracker or AIS signal acquisition before authorising departure.
- Maintains live POB accountability for every mobile asset under Op-Room control.
- Operates the overdue-vehicle and overdue-vessel procedures without deviation.
- Closes every movement in the tracker upon confirmed safe arrival; no movement may remain open at handover without explicit Watch Commander endorsement.

6.6 Emergency Response Coordinator

- Monitors alarm, panic-alert and duress systems, and validates every activation.
- Dispatches the Rapid Response Team and coordinates its communications and route.
- Initiates MEDEVAC/CASEVAC sequencing, including aviation and vessel tasking and receiving-facility notification.
- Maintains liaison with the Royal Papua New Guinea Constabulary, PNG Defence Force, provincial health facilities and the Operator's emergency organisation.
- Maintains the real-time incident log during any activation.

7. Operations Room Facility Standards

7.1 Physical Security

- The Operations Room shall be a dedicated, hardened, lockable facility with controlled single-point entry.
- Access is limited to personnel on the approved access list, maintained and reviewed monthly by the Operations Manager.
- All visitors shall be recorded in the Visitor Register, issued a visitor pass, and escorted at all times by an authorised member of staff.
- Photography, video recording, screen capture and the use of personal recording devices are prohibited within the Operations Room.
- Personal mobile telephones shall be secured outside the operating console area except where authorised as a redundant communications means.
- Windows overlooking console screens shall be screened or treated to prevent external observation.

7.2 Environmental and Continuity Requirements

- Uninterruptible power supply capable of sustaining full function for a minimum of 30 minutes, backed by automatic generator changeover.
- Climate control sufficient to maintain equipment within manufacturer tolerances in tropical conditions.
- Fire detection and suppression appropriate to an electronics environment, tested quarterly.
- Potable water, ablution access and a designated rest area outside the console zone.
- A designated Alternate Operations Room at a separate location, tested at least twice annually, capable of assuming full function within 60 minutes.

7.3 Information Security

- All information processed within the Operations Room is classified Confidential — Internal Use Only unless otherwise designated.
- No operational information, imagery, log extract or incident data may be released externally without the written approval of the General Manager — ISS.
- Personal data captured through access control, CCTV and tracking systems shall be processed only for legitimate security purposes and retained in accordance with Section 12.
- Removable media is prohibited except for approved evidential transfer using Company-issued encrypted devices.
- Passwords and system credentials are individual, are not shared, and are changed at intervals not exceeding 90 days.

8. Communications Control

8.1 Central Communications Hub

The Operations Room is the sole authorised communications hub for Company security operations. All operational traffic shall pass through, or be reported to, the Operations Room. The following means are controlled:

- HF and VHF radio networks, including repeater and relay assets;
- Satellite telephony and satellite messaging/tracking devices;
- Cellular and fixed-line telephony, including the dedicated emergency ("red") line;
- Data and messaging platforms approved by the Company;
- Maritime radio and AIS communications;
- RPAS control and telemetry links;
- Alarm, duress and panic-alert systems.

8.2 Radio Discipline

- Standard voice procedure and approved callsigns shall be used at all times; personal names, plain-language identification of VIPs and unencrypted transmission of sensitive detail are prohibited.
- Transmissions shall be brief, accurate and free of speculation, opinion or commentary.
- Approved code words shall be used for emergency conditions (Annexure C). Code words are reviewed quarterly and immediately following any compromise.
- Radio silence may be imposed only by the Watch Commander and shall be logged with the time imposed and lifted.

8.3 Logging

Every communication of operational significance shall be logged contemporaneously in the Daily Operations Sheet, the Radio Communications Log and, where an incident arises, the Incident Management System. Log entries shall record time (24-hour, local), callsign, originator, content summary and action taken. Entries shall be made in indelible ink or in a system with audit trail; erasure, correction fluid and retrospective insertion are prohibited. Errors are corrected by a single ruled line, initialled and dated.

8.4 Communications Failure

On loss of a primary communications means, the Operations Controller shall immediately implement the PACE plan (Primary, Alternate, Contingency, Emergency), notify the Watch Commander, and record the outage. Loss of

all communications with any deployed element for more than 30 minutes shall be treated as a Level 2 incident until proven otherwise.

9. Surveillance and Situational Awareness

9.1 CCTV Monitoring

- All camera feeds shall be monitored live during every watch.
- A systematic sweep of all camera zones shall be conducted and logged at least hourly.
- Camera faults, obscured lenses, misalignment and loss of recording shall be logged and reported within 30 minutes.
- Recorded footage shall be retained for a minimum of 30 days in the ordinary course, and indefinitely where it relates to a reportable incident.
- Footage storage shall be tamper-evident, access-controlled and subject to a documented chain of custody when exported.
- Cameras shall not be directed into private dwellings, community land or areas beyond the Company's lawful area of responsibility.

9.2 Tracking and Geospatial Awareness

- All Company vehicles, vessels and deployed teams shall carry an active tracking device with a reporting interval not exceeding 5 minutes while mobile.
- The Movement Control Coordinator shall maintain a live common operating picture showing the location and status of every mobile asset.
- Loss of tracking signal shall be investigated immediately; unexplained signal loss exceeding 15 minutes triggers the overdue procedure.

9.3 RPAS Operations

- No RPAS flight shall be conducted without prior Operations Room authorisation and a valid flight authorisation number.
- Flights shall be deconflicted with helicopter and fixed-wing movements before launch, and airspace notification made where required by PNG civil aviation rules.
- Flight purpose, area, altitude, duration, pilot and observer shall be logged before launch and closed on landing.
- RPAS shall not be flown over community housing, gardens, gatherings, places of worship or funerary sites, and shall not be used for any purpose other than authorised security tasks.

9.4 Threat and Information Picture

The Operations Room shall maintain a current threat picture incorporating community sentiment, landowner grievance activity, tribal tension indicators, road and river conditions, weather, seismic advisories and public order events. Information shall be sourced only from lawful and appropriate channels. The Operations Room shall not conduct or facilitate surveillance of individuals on the basis of political affiliation, tribal identity, religious belief or lawful advocacy.

10. Movement Control and Journey Management

10.1 Principle

No person, vehicle, vessel or aircraft under Company control shall move outside a secured perimeter, or between sites, without prior Operations Room authorisation. This requirement is absolute and applies to all departments, all ranks and all visitors, including client and Operator personnel travelling under Company escort.

10.2 Movements Requiring Authorisation

- Land, riverine and maritime patrol deployments;
- Personal Security Detail and VIP escort movements;
- Logistics, fuel, stores and personnel transport runs;
- Engineering, survey and inspection tasks in the field;
- RPAS flights and helicopter movements under Company security coordination;
- Community engagement and landowner liaison visits;
- Medical and emergency evacuations;
- Any movement in hours of darkness, which requires elevated approval under Section 10.5.

10.3 Movement Approval Checklist

The Movement Control Coordinator shall verify and record each of the following before clearance is issued:

#	Verification Item	Standard
1	Purpose and authority for the movement	Legitimate operational task, authorised by a Supervisor or above.
2	Nominal roll and POB count	Full names recorded; count confirmed verbally by the vehicle or vessel commander.
3	Asset details	Registration, callsign, vessel name, or aircraft identifier.
4	Route and destination	Approved route; deviations require fresh authorisation.
5	Tracking active and confirmed	Signal acquired and visible on the Op-Room display before departure.
6	Communications check	Two-way voice contact established on the nominated net.
7	Departure time and expected return	Recorded; return time is a control measure, not an estimate.
8	Threat and route conditions	Current threat level, road/river state, weather and community advisories reviewed.
9	Driver/coxswain fitness and licensing	Valid licence; fatigue and fitness-for-duty confirmed; no alcohol or substance impairment.
10	Vehicle/vessel serviceability	Pre-departure inspection completed; safety and first-aid equipment carried.
11	Emergency and medical provisions	Water, communications redundancy, trauma kit, and MEDEVAC plan identified.
12	Watch Commander clearance	Authorisation number issued and logged.

A movement shall be refused where any item cannot be satisfied. The authority to refuse rests with the Watch Commander and shall not be overridden by seniority, commercial pressure or client request. A refusal shall be logged with reasons.

10.4 Journey Management Plans

A written Journey Management Plan is mandatory for any movement that is inter-site, exceeds two hours in duration, transits an area assessed as elevated risk, or involves the carriage of cash, fuel, controlled stores or protected persons. The JMP shall specify the route, timings, check-in schedule, communications plan, safe havens, alternate routes, rendezvous points, medical plan and abort criteria.

10.5 Movement Restrictions

- Movement during hours of darkness requires the approval of the Operations Manager and shall be limited to operational necessity, medical emergency or security response.
- Single-vehicle movement outside secured areas is prohibited in elevated threat conditions; two-vehicle minimum applies.
- Maritime and riverine movement shall be suspended in sea or river conditions exceeding the assessed limitations of the vessel and crew.
- Movement into an area subject to active community unrest, roadblock or tribal conflict is prohibited without the express authorisation of the General Manager — ISS.

10.6 Check-In and Overdue Procedure

Deployed elements shall report to the Operations Room at intervals not exceeding 60 minutes, or 30 minutes in elevated threat conditions. Failure to report on schedule triggers the following mandatory sequence, which shall be executed without discretion or delay:

Elapsed	Status	Mandatory Action
+10 minutes	Communications Check	Operations Controller attempts contact on primary net, then alternate means. Watch Commander informed. Log entry made.
+20 minutes	Concern	Supervisor and Site Security Manager notified. Adjacent callsigns tasked to attempt contact. Tracking history reviewed. Last known position plotted.
+30 minutes	Overdue — Emergency	Incident opened at Level 2 minimum. Rapid Response Team placed at immediate notice to move and dispatched to last known position. Operations Manager notified. Aviation and medical support placed on standby.
+60 minutes	Missing	Level 3 declared. General Manager — ISS and CEO notified. Operator notified. RPNGC liaison initiated. Search coordination commenced. Next-of-kin protocol prepared but not actioned without CEO authority.

10.7 Closure and Accountability

Every movement shall be formally closed in the Movement Tracker upon confirmed safe arrival, with the arrival time and POB count recorded. No watch may be handed over with an unclosed movement unless the incoming and outgoing Watch Commanders have both signed acknowledgement of its status and the action in hand.

11. Incident Management, Classification and Escalation

11.1 Incident Reporting Standard

- An incident record shall be opened in the IMS within two minutes of the Operations Room becoming aware of an event.
- The initial record shall capture time, location, source, nature and immediate action taken; it shall be updated continuously as the event develops.
- Facts shall be separated from assessment. Speculation, attribution of blame and identification of individuals not directly involved shall not appear in the operational log.
- No incident record may be deleted. Corrections are made by amendment with a full audit trail.
- Under-reporting, downgrading or delayed reporting of an incident is a serious disciplinary matter.

11.2 Classification Matrix

Level	Definition and Examples	Notification Standard
Level 1 Minor	Minor equipment fault; short delay; minor injury requiring first aid only; single unauthorised access attempt at a controlled point; minor vehicle damage; petty theft.	Supervisor notified immediately. Recorded in IMS and shift SITREP. Closed by Supervisor.
Level 2 Serious	Perimeter breach; theft of Company or client property; assault; group tension or altercation; serious injury; fire; vehicle accident with injury; loss of communications with a deployed element exceeding 30 minutes; RPAS or vessel emergency; credible threat against personnel; road or river blockade.	Operations Manager notified within 15 minutes. Written report to GM — ISS within 4 hours. Operator notified per contract. Closed by Operations Manager.
Level 3 Critical	Armed attack or armed threat; hostage or unlawful detention; death or life-threatening injury; riot or mass disorder; sustained blockade of the corridor; maritime attack, piracy or vessel loss; aircraft accident; kidnapping; major fire or explosion; allegation of human rights abuse involving security personnel.	Immediate verbal notification to GM — ISS and CEO. Crisis Management Team activated. Operator, RPNGC/PNGDF and relevant authorities notified. Written report within 24 hours. Closed only by CEO on Board advice.

11.3 Escalation Discipline

- Where classification is uncertain, the Watch Commander shall assign the higher level. Downgrading requires the approval of the Operations Manager and shall be recorded with reasons.
- Escalation shall not be delayed pending confirmation of detail. Notification of an unconfirmed serious event is preferable to a delayed notification of a confirmed one.
- Escalation shall follow the primary contact list; where the primary contact cannot be reached within five minutes, the next level shall be contacted directly.
- Every escalation attempt — successful or otherwise — shall be logged with time and means.

11.4 Evidence and Scene Preservation

For any Level 2 or Level 3 incident, the Operations Room shall direct the preservation of the scene, the securing of relevant CCTV footage, tracking data and radio recordings, and the recording of witness details. Where the matter may constitute a criminal offence, the Operations Room shall ensure that evidence is preserved for the Royal Papua New Guinea Constabulary and that no Company member conducts an investigative act reserved to the police.

12. Emergency Response and Crisis Management

12.1 Operations Room Responsibilities

- Activate the Emergency Response Plan and confirm activation to all affected sites;
- Dispatch and control the Rapid Response Team and any supporting elements;
- Maintain a single authoritative real-time incident log;
- Coordinate MEDEVAC/CASEVAC, including aviation tasking, landing site security and receiving-facility notification;
- Establish and maintain communications between responding elements, the Operator and external agencies;
- Initiate muster, accountability, lockdown, shelter-in-place or evacuation as directed;
- Maintain accountability of all personnel until the incident is closed.

12.2 Emergency Categories

Category	Operations Room First Actions
Armed threat / attack	Confirm location and nature; direct affected personnel to cover or safe haven; account for all POB; initiate lockdown; notify RPNGC/PNGDF via GM — ISS; hold RRT until threat picture supports safe deployment.
Medical emergency	Obtain casualty status and location; task nearest medic; determine ground, river or air evacuation; notify receiving facility; secure the landing site; maintain casualty log.
Fire or explosion	Sound alarm; initiate muster and POB reconciliation; isolate power and fuel where safe; task fire response; notify Operator and emergency services; establish cordon.
Community unrest / blockade	Halt all movement into the affected area; recall exposed elements; notify Community Affairs and the Operator; do not deploy force; support de-escalation and lawful engagement only.
Maritime emergency	Obtain position, POB and vessel state; broadcast on distress frequency; notify NMSA and nearby vessels; task nearest asset; maintain drift plot; coordinate search pattern.
Natural hazard (flood, seismic, severe weather)	Suspend movement; account for all personnel; assess site integrity; implement shelter or relocation; maintain contact with provincial authorities.
Loss of a person	Execute overdue procedure to Level 3; establish last known position and time; coordinate search; preserve tracking and radio data; notify authorities.

12.3 Crisis Management Team Interface

Upon declaration of a Level 3 incident, the Operations Room becomes the information cell supporting the Crisis Management Team. The Watch Commander shall provide a structured briefing at intervals not exceeding 30 minutes covering situation, actions taken, resources committed, risks and decisions required. Operational control of the response transfers to the nominated Incident Commander; the Operations Room retains control of communications, logging and accountability.

12.4 Drills and Exercises

- Communications and alarm test — daily at watch commencement;
- Overdue-vehicle procedure drill — monthly;

- MEDEVAC activation exercise — quarterly;
- Alternate Operations Room activation — twice annually;
- Full-scale emergency exercise with the Operator — annually.

Every drill shall be logged, debriefed and the resulting corrective actions tracked to closure by the Operations Manager.

13. Community, Landowner and Human Rights Considerations

Operations in the Papua LNG corridor take place within populated customary land and among communities with legitimate interests in the Project. The Operations Room exercises a direct influence on how the Company is perceived by those communities, and shall discharge its functions accordingly.

- All Operations Room decisions shall have regard to the Voluntary Principles on Security and Human Rights and to IFC Performance Standard 4.
- The Operations Room shall not direct, encourage or acquiesce in the use of force beyond that which is lawful, necessary and proportionate.
- Any allegation of human rights abuse, excessive force, unlawful detention, sexual exploitation or abuse, or misconduct by Company or public security personnel shall be recorded verbatim, classified Level 3, and reported immediately to the General Manager — ISS. Such reports shall not be filtered, edited or resolved informally.
- Requests for support from public security forces shall be made only at the authority level stated in Section 5.2 and shall be fully logged.
- Community grievances received by the Operations Room shall be recorded and referred to Community Affairs within four hours; the Operations Room shall not attempt to adjudicate grievances.
- Cultural, tribal, church and mourning obligations shall be respected in movement planning and in the conduct of all communications.
- Surveillance and tracking capabilities shall not be used to monitor community members, landowner representatives or lawful advocacy.

14. Documentation, Records and Retention

14.1 Mandatory Records

Record	Frequency	Responsible
Daily Operations Sheet	Every watch	Operations Controller
Shift Situation Report (SITREP)	End of every watch	Watch Commander
Radio Communications Log	Continuous	Operations Controller
Movement Tracker Log	Continuous	Movement Control Coordinator
Journey Management Plans	Per qualifying movement	Movement Control Coordinator
Incident Reports (IMS)	Per incident	Watch Commander
CCTV Check and Fault Log	Hourly / on fault	CCTV Operator
Equipment Serviceability Check Sheet	Daily at watch start	Operations Controller

Record	Frequency	Responsible
Emergency / Alarm Activation Log	Per activation	Emergency Response Coordinator
Patrol Dispatch and Debrief Log	Per patrol	Operations Controller
RPAS Flight Authorisation Log	Per flight	Movement Control Coordinator
Vessel Movement and AIS Log	Per movement	Movement Control Coordinator
Shift Handover Certificate	Every watch change	Both Watch Commanders
Visitor Register	Per visit	Watch Commander
Key and Equipment Issue Register	Per issue	Operations Controller
Drill and Exercise Record	Per drill	Operations Manager
Weekly and Monthly Security Reports	Weekly / monthly	Operations Manager

14.2 Standards of Record-Keeping

- All entries shall be contemporaneous, legible, factual and made in the 24-hour clock using local time.
- Every page of a manual log shall be sequentially numbered; loose-leaf logs are prohibited.
- Electronic records shall be maintained in systems with user-level audit trails and daily backup.
- Falsification, back-dating or destruction of a record is a terminable offence and may constitute a criminal offence.

14.3 Retention

Operational records shall be retained for a minimum of five (5) years, or such longer period as is required by Papua New Guinea law, the security services contract, or the anticipation of legal proceedings. Records relating to a fatality, serious injury, human rights allegation or criminal matter shall be retained indefinitely. Retention, archiving and lawful destruction shall be authorised by the General Manager — ISS.

15. Technology, Equipment and Business Continuity

15.1 Minimum Equipment Standard

System	Requirement
Radio console	Multi-net HF/VHF console with recording capability and independent power feed.
Satellite communications	Primary satellite telephone plus independent satellite messaging device.
CCTV monitoring	Dedicated video wall or multi-screen station; minimum 30-day recording; tamper-evident storage.
Tracking system	Real-time GPS/GNSS platform covering all vehicles, vessels and deployed teams.
Maritime tracking	AIS receiver and electronic chart display covering the Gulf of Papua operating area.
RPAS control	Dedicated terminal, segregated from the general network, with flight logging.

System	Requirement
Alarm and duress	Integrated panic-alert, intrusion and fire alarm annunciation panel.
Emergency line	Dedicated "red" telephone with published number, tested daily.
Power	UPS with minimum 30-minute autonomy and automatic generator changeover.
Servers and network	Secure segregated network; encrypted storage; daily backup with off-site replication.
Access control	Electronic access control with individual credentials and audit log.
Manual fallback	Hard-copy logs, maps, contact directories and printed procedures available at all times.

15.2 Testing and Maintenance

- All equipment shall be tested at the commencement of every watch and the results recorded on the Equipment Serviceability Check Sheet.
- Any defect shall be reported to the Operations Manager within 30 minutes and a workaround implemented immediately.
- A defect affecting a critical system — radio, tracking, alarm annunciation or emergency line — shall be treated as a Level 2 incident until restored or mitigated.
- Preventive maintenance shall be scheduled monthly and recorded in the maintenance register.

15.3 Business Continuity

The Operations Room shall maintain a tested continuity plan addressing loss of power, loss of communications, loss of the facility, loss of key personnel and cyber compromise. The Alternate Operations Room shall be capable of assuming full function within 60 minutes of a decision to relocate. Continuity arrangements shall be exercised at least twice annually and reviewed after every activation.

16. Personnel, Competency and Conduct

16.1 Selection and Vetting

- All Operations Room personnel shall be security-licensed as required under Papua New Guinea law, and shall hold current Company clearance.
- Pre-employment screening shall include identity verification, employment history, police clearance and reference checks.
- Watch Commanders shall have demonstrable supervisory experience and shall be certified competent in incident command.

16.2 Training Requirements

Training Element	Frequency	Applies To
Operations Room induction and this Policy	On appointment	All Op-Room staff
Radio voice procedure and log discipline	On appointment; annual refresher	All Op-Room staff
Incident classification and escalation	Annual	All Op-Room staff

Training Element	Frequency	Applies To
Journey management and overdue procedures	Annual	Movement Control, Watch Commanders
CCTV monitoring and evidential handling	Annual	CCTV Operators
Emergency response and MEDEVAC coordination	Annual	All Op-Room staff
VPSHR and human rights awareness	Annual	All Op-Room staff
Code of conduct and anti-corruption (SCSH-HR-GOV-001)	Annual	All Op-Room staff
First aid	Two-yearly	Minimum one per watch
Cultural awareness and community engagement	Annual	All Op-Room staff

No person shall stand a watch unsupervised until assessed competent by the Operations Manager and recorded on the competency matrix.

16.3 Fatigue and Fitness for Duty

- Watch length shall not exceed 12 hours; a minimum 10-hour rest period shall separate consecutive watches.
- No person shall work more than six consecutive 12-hour watches without a rest day.
- Personnel shall not report for duty under the influence of alcohol or unprescribed substances; the Company operates a zero-tolerance standard.
- Any person who is fatigued, unwell or otherwise unfit shall declare it to the Watch Commander; there is no penalty for a good-faith declaration.

16.4 Conduct in the Operations Room

- Professional bearing, courteous communication and disciplined language at all times.
- Sleeping on watch, unauthorised absence from the console, personal social media use, gaming and private streaming are prohibited.
- Food and beverages are prohibited within the console area; a designated area shall be provided.
- Discussion of operational matters outside the Operations Room, including with family and on social media, is prohibited.
- Solicitation, acceptance of gifts or inducements, and any interference with a log or record are prohibited absolutely.

17. Shift Handover

A formal, structured, face-to-face handover shall occur at every watch change. The outgoing watch shall not be released until the handover is complete and both Watch Commanders have signed the Handover Certificate.

17.1 Mandatory Handover Content

#	Item	Confirmation Required
1	Threat level and current security posture	Stated and acknowledged.
2	Open and unclosed movements	Each listed with POB, location, ETA and action in hand.

#	Item	Confirmation Required
3	Ongoing incidents	Level, status, actions taken, actions outstanding, notifications made.
4	Location and status of all patrols and deployed elements	Plotted and confirmed by radio check.
5	CCTV system status	Cameras operational; faults listed.
6	Communications and tracking system status	All nets tested; outages listed.
7	Alarm, duress and emergency line status	Tested during handover.
8	Outstanding tasks and instructions	Listed with owner and deadline.
9	Personnel accountability	Site POB reconciled.
10	Key, weapon, radio and equipment accountability	Physically counted where applicable.
11	Client, Operator or management instructions	Passed verbatim.
12	Visitor and access register	Reviewed; escorted visitors accounted for.

An incomplete handover shall be reported to the Operations Manager. Where a discrepancy in personnel, weapon or equipment accountability is identified, the handover shall be suspended and an incident opened.

18. Assurance, Audit and Performance Measurement

18.1 Assurance Regime

Activity	Frequency	Conducted By
Watch Commander log review	Every watch	Watch Commander
Supervisory spot check (including night)	Weekly	Site Security Manager
Operations Room compliance audit	Monthly	Operations Manager
Records and retention audit	Quarterly	GM — ISS
Independent / client-witnessed audit	Annual	External or Operator
Post-incident review (Level 2 and 3)	Within 14 days	Operations Manager
Management review of Policy effectiveness	Annual	Board

18.2 Key Performance Indicators

Indicator	Target	Reported
Incident record opened within 2 minutes of awareness	≥ 98%	Monthly

Indicator	Target	Reported
Level 2 notification to Operations Manager within 15 minutes	100%	Monthly
Level 3 notification to GM — ISS immediately	100%	Per event
Movements departing with confirmed tracking and comms	100%	Monthly
Movements closed in tracker on arrival	100%	Monthly
Hourly CCTV sweeps completed and logged	≥ 98%	Monthly
Watches meeting minimum manning	100%	Monthly
Handover certificates signed by both parties	100%	Monthly
Equipment checks completed at watch start	100%	Monthly
Training currency across Op-Room establishment	≥ 95%	Quarterly
Drills completed to schedule	100%	Quarterly
Corrective actions closed within agreed timeframe	≥ 90%	Quarterly

18.3 Continuous Improvement

Findings from audits, post-incident reviews, drills, client feedback and staff suggestions shall be recorded in a single corrective action register maintained by the Operations Manager, with an assigned owner and closure date for each item. Recurring findings shall be escalated to the General Manager — ISS as a systemic issue.

19. Non-Compliance

Compliance with this Policy is a condition of employment and of site access. Non-compliance shall be managed in accordance with SCSH-HR-GOV-001 (Zero-Tolerance Conduct, Ethics and Prohibited Behaviour Policy) and SCSH-SOP-GOV-001 (Conduct, Ethics and Misconduct Case Management SOP).

Category of Breach	Indicative Consequence
Administrative lapse (late log entry, incomplete check sheet)	Documented counselling; retraining.
Repeated administrative lapse	Written warning; competency reassessment.
Failure to follow movement or escalation procedure	Written warning to suspension; removal from Op-Room duties pending review.
Sleeping on watch; unauthorised absence from console	Suspension to termination.
Unauthorised disclosure of operational information or imagery	Termination; referral to authorities where warranted.
Falsification, back-dating or destruction of a record	Termination; referral to authorities.
Failure to report a Level 2 or Level 3 incident	Termination.
Failure to report an allegation of human rights abuse or serious misconduct	Termination; referral to authorities and the Operator.

Category of Breach	Indicative Consequence
Solicitation, bribery or collusion	Termination; referral to authorities.

Nothing in this Section limits the Company's right to report any matter to the Royal Papua New Guinea Constabulary or other lawful authority.

20. Review and Amendment

This Policy shall be reviewed at intervals not exceeding twelve (12) months by the Operations Manager and approved by the General Manager — ISS. An out-of-cycle review shall be conducted upon any of the following triggers:

- A Level 3 incident, or a Level 2 incident revealing a control weakness;
- A material change in the threat environment within the Papua LNG corridor;
- A change in Papua New Guinea law, licensing conditions or regulatory requirement;
- A change in the security services contract, the Project Operator's standards or project phase;
- Introduction of new technology, sites, assets or operating areas;
- An adverse audit finding or a recurring corrective action;
- A recommendation of the Board or the Crisis Management Team.

All amendments shall be version-controlled, recorded in the Revision History, and communicated to all affected personnel, who shall acknowledge receipt. Superseded versions shall be withdrawn from circulation and archived.

Annexure A — Escalation Contact Matrix

This matrix shall be maintained current by the Operations Manager, reviewed monthly, and displayed in hard copy at every console position.

Role	Primary Contact	Alternate Contact	Escalate Within
Site Supervisor			Immediate
Site Security Manager			10 minutes
Operations Manager			15 minutes
General Manager — ISS			Immediate (L3)
Chief Executive Officer			Immediate (L3)
Operator Security Duty Officer			Per contract
RPNGC — Provincial			As authorised
PNGDF Liaison			As authorised
Medical / Clinic			Immediate
Aviation Operator (MEDEVAC)			Immediate
NMSA / Maritime Rescue			Immediate
Community Affairs			4 hours

Annexure B — Shift Situation Report (SITREP) Format

1. Header	Date, watch period, Watch Commander, manning state.
2. Threat Level	Current level, any change during the watch, justification.
3. Movements	Total authorised, completed, refused, open at handover.
4. Patrols	Patrols conducted, areas covered, notable observations.
5. Incidents	Reference, level, summary, status, notifications made.
6. CCTV	Sweeps completed, faults, footage secured.
7. Communications	Nets tested, outages, PACE actions taken.
8. Equipment	Serviceability state, defects raised, workarounds.
9. Personnel	POB by site, absences, fitness-for-duty declarations.
10. Community	Grievances received, engagement activity, sentiment indicators.
11. Outstanding	Tasks carried forward with owner and deadline.
12. Assessment	Watch Commander's assessment and recommendations.

Annexure C — Emergency Code Words

Code words are classified and shall be issued under separate cover, reviewed quarterly, and changed immediately upon suspected compromise. The categories below are fixed; the words themselves are variable.

Category	Application
Duress / under coercion	Transmitted by any person acting under compulsion.
Armed threat in progress	Immediate lockdown and accountability sequence.
Medical emergency	Immediate MEDEVAC sequencing.
Fire	Muster and fire response activation.
Evacuation	Site or area evacuation order.
Lockdown / shelter in place	All movement ceases; personnel secure in place.
Man overboard / maritime distress	Immediate maritime search response.
All clear	Termination of an emergency condition, issued only by the Watch Commander.

Annexure D — Movement Authorisation Record

Authorisation Number	
Date / Time of Request	
Requesting Department / Supervisor	
Purpose of Movement	
Asset (Vehicle / Vessel / Aircraft) and Callsign	
Commander / Driver / Coxswain	
Nominal Roll and POB Count	
Route and Destination	
Departure Time / Expected Return	
Tracking Confirmed (Y/N)	
Communications Check Completed (Y/N)	
Threat and Route Conditions Reviewed (Y/N)	
Journey Management Plan Attached (Y/N/NA)	

Watch Commander Approval / Signature	
Actual Return Time / POB Reconciled	
Movement Closed By	

Annexure E — Acknowledgement of Receipt and Understanding

I confirm that I have received, read and understood the Operations Room (Op-Room) Policy, SCSH-ISS-OPS-001 Version 2.0. I understand my responsibilities under this Policy, including my obligation to report incidents accurately and without delay, and I acknowledge that non-compliance may result in disciplinary action up to and including termination of employment.

Full Name	Position	Signature	Date

END OF POLICY

Southern Cross Strategic Holdings Pte Limited — Protecting People. Securing Progress.