

SOUTHERN CROSS STRATEGIC HOLDINGS PTE LIMITED
Integrated Security Solutions Division

OPERATIONS ROOM (OP-ROOM)
STANDARD OPERATING PROCEDURES

Papua LNG Project Corridor — Gulf, Southern Highlands and Hela Provinces
Papua LNG Facilities · Kimu Gas Field · Barikewa Gas Field · Uramu Marine Base · Kikori Development Project

Document Reference: SCSH-SOP-OPS-001

Version 1.0 | Effective 1 January 2026

Issued under Operations Room (Op-Room) Policy SCSH-ISS-OPS-001 v2.0

CLASSIFICATION: CONFIDENTIAL — INTERNAL USE ONLY

Unauthorised reproduction, transmission or disclosure of this document, in whole or in part, is prohibited.

Protecting People. Securing Progress.

Document Control

Document Title	Operations Room (Op-Room) Standard Operating Procedures
Document Reference	SCSH-SOP-OPS-001
Version	1.0 (initial issue)
Parent Policy	Operations Room (Op-Room) Policy — SCSH-ISS-OPS-001 v2.0
Issuing Authority	Operations Manager, Papua LNG Corridor
Approving Authority	General Manager — Integrated Security Solutions
Document Owner	Operations Manager, Papua LNG Corridor
Effective Date	1 January 2026
Next Scheduled Review	31 December 2026 (or earlier on trigger under the parent Policy)
Classification	Confidential — Internal Use Only
Distribution	Operations Room staff; Site Security Managers; Shift Supervisors; Client Security Representative (controlled copy)
Applicable Locations	Kerema Headquarters; Papua LNG Facilities; Kimu Gas Field; Barikewa Gas Field; Uramu Marine Base; Kikori Development Project corridor

Relationship to the Parent Policy

This SOP is subordinate to and issued under **SCSH-ISS-OPS-001 (Operations Room Policy) v2.0**. The Policy establishes the standards, authorities and obligations that govern the Operations Room; this SOP sets out the step-by-step procedures by which watch personnel discharge those obligations in practice. Where any conflict arises, the Policy prevails and the conflict shall be reported to the Operations Manager within 24 hours. Nothing in this SOP authorises any act contrary to law.

Revision History

Ver.	Date	Author / Reviewer	Summary
1.0	Jan 2026	Operations Manager / GM — ISS	Initial issue. Derives working procedures from SCSH-ISS-OPS-001 v2.0.

How to Use This SOP

This SOP is a working manual for the watch. It is organised as a set of numbered procedures (SOP-01 to SOP-22) that follow the operational lifecycle of the Operations Room — from watch start-up, through communications, movement control, surveillance, incident and emergency response, to handover and continuity. Each procedure carries the same structure:

- **Purpose** — what the procedure achieves;
- **Responsible** — the position accountable for executing it;
- **Trigger** — the event or time that starts the procedure;
- **Procedure** — the sequential steps to be carried out; and
- **Records** — the log or form to be completed.

Quick-reference annexes (A–F) at the end consolidate the escalation sequence, classification matrix, emergency first-actions, forms register, code-word categories and contact matrix for rapid use at the console. Steps marked **[MANDATORY]** admit no discretion and are executed in full, in order, without delay.

Table of Contents

Document Control	2
Relationship to the Parent Policy	2
Revision History	2
How to Use This SOP	2
Table of Contents	4
1. Purpose and Scope	6
1.1 Purpose	6
1.2 Scope	6
1.3 Key Definitions	6
2. Watch Positions — Quick Reference	6
3. Standard Operating Procedures	7
SOP-01 Watch Start-Up and Equipment Serviceability Check	7
SOP-02 Radio Checks and Communications Discipline	7
SOP-03 Communications Failure — PACE Response	8
SOP-04 CCTV Systematic Sweep and Fault Handling	8
SOP-05 Tracking and Common Operating Picture	9
SOP-06 Movement Authorisation and Clearance	9
SOP-06A Movement Restrictions Check	10
SOP-07 Journey Management Plan Preparation	11
SOP-08 Check-In Monitoring and Overdue Escalation	11
SOP-09 Movement Closure and Accountability	12
SOP-10 RPAS Flight Authorisation and Deconfliction	12
SOP-11 Maritime and Vessel Movement Control	12
SOP-12 Incident Logging, Classification and Escalation	13
SOP-13 Evidence and Scene Preservation	13
SOP-14 Emergency Response Activation and RRT Dispatch	14
SOP-15 MEDEVAC / CASEVAC Coordination	14
SOP-16 Emergency Category First-Actions	15
SOP-17 Crisis Management Team Support (Level 3)	15
SOP-18 Community Grievance and Human Rights Allegation Handling	15
SOP-19 Op-Room Access and Visitor Control	16
SOP-20 Shift Handover	16
SOP-21 Alternate Op-Room Activation and Business Continuity	17
SOP-22 Record-Keeping and Log Correction	17
Annexure A — Overdue Escalation Sequence (Quick Card)	19
Annexure B — Incident Classification and Notification Matrix	19

Annexure C — Emergency Category First-Actions.....20

Annexure D — Mandatory Records Register.....20

Annexure E — Emergency Code-Word Categories.....22

Annexure F — Escalation Contact Matrix (Template)22

Annexure G — Acknowledgement of Receipt and Understanding23

1. Purpose and Scope

1.1 Purpose

1.2 Scope

1.3 Key Definitions

Terms carry the meanings assigned in Section 4 of the parent Policy. The abbreviations used most often in these procedures are: **C3I** (Command, Control, Communications and Information); **POB** (Persons On Board); **JMP** (Journey Management Plan); **PACE** (Primary, Alternate, Contingency, Emergency communications plan); **IMS** (Incident Management System); **RRT** (Rapid Response Team); **SITREP** (Situation Report); and **Watch** (a single continuous manned shift period).

2. Watch Positions — Quick Reference

Position	Min / Watch	Primary Responsibility in These Procedures
Watch Commander	1	Operational control of the watch; movement approval; incident command until relieved; final authority to refuse a movement; assurance of log integrity and handover.
Operations Controller	1	Primary communications desk; radio discipline and checks; Daily Operations Sheet, Radio Log and status boards; SITREP compilation.
CCTV Operator	1	Continuous surveillance; hourly systematic sweeps; fault reporting; evidential capture and export.
Movement Control Coordinator	1	Movement authorisation checklist; tracking / common operating picture; POB accountability; overdue procedure; movement closure.
Emergency Response Coordinator	On call	Alarm, panic and duress validation; RRT and MEDEVAC dispatch; external emergency-service liaison; real-time incident log.
Maritime / RPAS Liaison	As tasked	Vessel and RPAS authorisation, deconfliction and tracking during active operations.

3. Standard Operating Procedures

The following procedures are the operative content of this document. They are to be executed as written. Positions named are those accountable; the Watch Commander retains overall accountability for every procedure carried out during the watch.

SOP-01 Watch Start-Up and Equipment Serviceability Check

Purpose	Confirm the Operations Room is fully manned, all systems are serviceable, and the incoming watch is briefed before it assumes control.
Responsible	Incoming Watch Commander (assures); Operations Controller (executes equipment checks).
Trigger	Commencement of every watch, before handover is accepted (SOP-20).
Records	Equipment Serviceability Check Sheet; Daily Operations Sheet (watch opened).

Procedure:

1. Confirm minimum manning for the watch is present and fit for duty; where a position is unfilled, do not open the watch — notify the Operations Manager and request cover.
2. Test each critical system in turn and record the result on the Equipment Serviceability Check Sheet: HF/VHF radio nets and recording; satellite telephone and messaging device; CCTV wall and recording; GPS/GNSS tracking platform; AIS and chart display; RPAS terminal; alarm, duress and panic annunciation; and the dedicated emergency (“red”) line.
3. Conduct the daily communications and alarm test with every deployed callsign and every alarm zone.
4. **[MANDATORY]** Treat any defect to radio, tracking, alarm annunciation or the emergency line as a Level 2 incident until restored or mitigated (see SOP-12), and report it to the Operations Manager within 30 minutes.
5. Confirm manual fallback is present and current: hard-copy logs, maps, contact directories and printed procedures.
6. Confirm UPS charge and generator readiness; note autonomy state.
7. Accept the handover only once SOP-20 is complete and both Watch Commanders have signed the Handover Certificate.
8. Open the watch in the Daily Operations Sheet with time, manning state and system status.

Note: A watch that cannot meet minimum manning or lacks a serviceable critical system is escalated immediately; it is not opened on the assumption the fault will clear.

SOP-02 Radio Checks and Communications Discipline

Purpose	Maintain continuous, disciplined two-way contact with every deployed element and an accurate contemporaneous record of all traffic.
Responsible	Operations Controller.
Trigger	Continuous throughout the watch; scheduled radio checks at fixed intervals.
Records	Radio Communications Log; Daily Operations Sheet.

Procedure:

1. Conduct a scheduled radio check with every deployed callsign at intervals not exceeding 60 minutes — reduced to 30 minutes in elevated threat conditions.
2. Use standard voice procedure and approved callsigns only. Do not transmit personal names, plain-language VIP identification, or unencrypted sensitive detail.
3. Keep transmissions brief, accurate and free of speculation, opinion or commentary.
4. Use approved code words (Annexure E) for emergency conditions; apply the current issue only.
5. **[MANDATORY]** Record every transmission of operational significance contemporaneously — time (24-hour local), callsign, originator, content summary and action taken. Entries are never reconstructed after the event.
6. Impose radio silence only on the Watch Commander's instruction; log the time imposed and the time lifted.
7. On any missed scheduled check, start the check-in / overdue procedure at SOP-08 without waiting for the next interval.

Note: Log correction is by a single ruled line, initialled and dated (SOP-22). Erasure, correction fluid and retrospective insertion are prohibited.

SOP-03 Communications Failure — PACE Response

Purpose	Restore or replace a failed communications means quickly and account for any element that has fallen out of contact.
Responsible	Operations Controller (executes); Watch Commander (informed, directs).
Trigger	Loss of a primary communications means, or loss of contact with a deployed element.
Records	Radio Communications Log (outage entry); IMS if escalated.

Procedure:

1. On loss of the primary means, immediately step down the PACE plan — Primary, Alternate, Contingency, Emergency — attempting each in turn.
2. Notify the Watch Commander and record the outage with the time it began.
3. Attempt contact with the affected element on every available means, including adjacent callsigns and satellite messaging.
4. **[MANDATORY]** If contact with any deployed element is lost for more than 30 minutes, open a Level 2 incident (SOP-12) and treat it as such until proven otherwise.
5. Where the failure affects a critical Op-Room system, apply SOP-01 step 4 (Level 2 defect) and notify the Operations Manager within 30 minutes.
6. Log the time each means was tried, the time contact was restored, and the action taken.

SOP-04 CCTV Systematic Sweep and Fault Handling

Purpose	Maintain live surveillance of all camera zones, detect and report faults, and preserve footage of evidential value.
Responsible	CCTV Operator.
Trigger	Continuous during the watch; documented sweep at least hourly and immediately after any alarm.
Records	CCTV Check and Fault Log; IMS (for secured footage).

Procedure:

1. Maintain continuous attention to active screens. Screen-off, unattended or distracted monitoring is a disciplinary matter, not a lapse to be explained afterwards.
2. Conduct and log a systematic sweep of every camera zone at least hourly, and immediately following any alarm activation.
3. Report suspicious behaviour, perimeter interference or unusual gatherings to the Watch Commander immediately and without filtering.
4. **[MANDATORY]** On any reportable incident, bookmark, export and secure the relevant footage before the retention window expires; place it under documented chain of custody.
5. Log camera faults, obscured lenses, misalignment and loss of recording; report any outage to the Operations Manager within 30 minutes.
6. Do not direct any camera into private dwellings, community land or areas beyond the Company's lawful area of responsibility.

Note: Footage is retained a minimum of 30 days in the ordinary course, and indefinitely where it relates to a reportable incident.

SOP-05 Tracking and Common Operating Picture

Purpose	Maintain a live, accurate picture of the location and status of every mobile asset under Op-Room control.
Responsible	Movement Control Coordinator.
Trigger	Continuous while any asset is mobile.
Records	Movement Tracker Log; common operating picture display.

Procedure:

1. Confirm every mobile vehicle, vessel and deployed team carries an active tracking device reporting at intervals not exceeding 5 minutes.
2. Maintain a live common operating picture showing the position and status of every mobile asset.
3. Investigate any loss of tracking signal immediately.
4. **[MANDATORY]** Where unexplained signal loss exceeds 15 minutes, trigger the overdue procedure at SOP-08.
5. Cross-check tracking against scheduled radio checks (SOP-02) so that a gap in one is caught by the other.

SOP-06 Movement Authorisation and Clearance

Purpose	Ensure no person, vehicle, vessel or aircraft moves outside a secured perimeter or between sites without verified authorisation.
Responsible	Movement Control Coordinator (verifies); Watch Commander (authorises).
Trigger	Any request to move outside the perimeter or between sites — this requirement is absolute and applies to all departments, all ranks and all visitors, including client and Operator personnel under Company escort.
Records	Movement Authorisation Record (Annexure D); Movement Tracker Log.

Procedure:

1. Receive the movement request and verify each item of the Movement Approval Checklist below before clearance is issued.
 - 1. Purpose and authority — legitimate operational task, authorised by a Supervisor or above.
 - 2. Nominal roll and POB — full names recorded; count confirmed verbally by the vehicle/vessel commander.
 - 3. Asset details — registration, callsign, vessel name or aircraft identifier.
 - 4. Route and destination — approved route; any deviation requires fresh authorisation.
 - 5. Tracking — signal acquired and visible on the Op-Room display before departure.
 - 6. Communications check — two-way voice contact established on the nominated net.
 - 7. Departure time and expected return — recorded; the return time is a control measure, not an estimate.
 - 8. Threat and route conditions — current threat level, road/river state, weather and community advisories reviewed.
 - 9. Driver/coxswain — valid licence; fatigue and fitness confirmed; no alcohol or substance impairment.
 - 10. Serviceability — pre-departure inspection complete; safety and first-aid equipment carried.
 - 11. Emergency provisions — water, comms redundancy, trauma kit and MEDEVAC plan identified.
 - 12. Watch Commander clearance — authorisation number issued and logged.
2. **[MANDATORY]** Refuse the movement where any item cannot be satisfied. The authority to refuse rests with the Watch Commander and is not overridden by seniority, commercial pressure or client request. Record the refusal with reasons.
3. Where the movement qualifies under SOP-07, confirm a written Journey Management Plan is attached before clearance.
4. Apply the movement restrictions at SOP-06A before issuing the authorisation number.

SOP-06A Movement Restrictions Check

Purpose	Apply mandatory restrictions on darkness, single-vehicle, maritime and unrest-affected movement before clearance.
Responsible	Watch Commander.
Trigger	During every movement authorisation (SOP-06), before the authorisation number is issued.
Records	Movement Authorisation Record; escalation entry where higher approval is sought.

Procedure:

1. **[MANDATORY]** Movement during hours of darkness requires Operations Manager approval and is limited to operational necessity, medical emergency or security response.
2. **[MANDATORY]** In elevated threat conditions, single-vehicle movement outside secured areas is prohibited — a two-vehicle minimum applies.

3. Suspend maritime and riverine movement in sea or river conditions exceeding the assessed limitations of the vessel and crew.
4. **[MANDATORY]** Movement into an area of active community unrest, roadblock or tribal conflict is prohibited without the express authorisation of the General Manager — ISS.
5. Where higher approval is required, escalate per Annexure F and record each attempt with time and means before granting or refusing clearance.

SOP-07 Journey Management Plan Preparation

Purpose	Provide a written control plan for higher-risk or longer movements.
Responsible	Movement Control Coordinator.
Trigger	Any movement that is inter-site, exceeds two hours, transits an area assessed as elevated risk, or carries cash, fuel, controlled stores or protected persons.
Records	Journey Management Plan (filed with the Movement Authorisation Record).

Procedure:

1. Confirm the movement meets a JMP trigger; if it does, a JMP is mandatory and clearance under SOP-06 shall not issue without it.
2. Complete the JMP specifying: route; timings; check-in schedule; communications (PACE) plan; safe havens; alternate routes; rendezvous points; medical/MEDEVAC plan; and abort criteria.
3. Brief the check-in schedule to the deployed element and load it into the tracker so overdue timings are automatic.
4. Attach the JMP to the Movement Authorisation Record and retain it per the records schedule.

SOP-08 Check-In Monitoring and Overdue Escalation

Purpose	Detect a missed check-in early and execute a mandatory, time-bound escalation to recover an element that has fallen out of contact.
Responsible	Operations Controller and Movement Control Coordinator (detect/execute); Watch Commander (directs).
Trigger	A deployed element fails to report on schedule, or tracking signal is lost beyond the SOP-05 threshold.
Records	Movement Tracker Log; Radio Communications Log; IMS (from +30 minutes).

Procedure:

1. **[MANDATORY]** The sequence below is executed without discretion or delay. Times are measured from the missed scheduled report. Each step is logged as it is taken.
 - +10 min — COMMUNICATIONS CHECK: Operations Controller attempts contact on the primary net, then alternate means. Watch Commander informed. Log entry made.
 - +20 min — CONCERN: Supervisor and Site Security Manager notified. Adjacent callsigns tasked to attempt contact. Tracking history reviewed. Last known position plotted.
 - +30 min — OVERDUE / EMERGENCY: open an incident at Level 2 minimum. RRT placed at immediate notice to move and dispatched to last known position (SOP-14). Operations Manager notified. Aviation and medical support placed on standby.

- +60 min — MISSING: declare Level 3. GM — ISS and CEO notified. Operator notified. RPNGC liaison initiated. Search coordination commenced. Next-of-kin protocol prepared but not actioned without CEO authority.
- 2. Maintain a single real-time log of the sequence and every notification attempt, successful or not.
- 3. On recovery of the element, confirm POB, close the incident with the Watch Commander, and record the outcome.

Note: Escalation is not delayed pending confirmation of detail. Notifying an unconfirmed serious event early is preferred to notifying a confirmed one late.

SOP-09 Movement Closure and Accountability

Purpose	Formally close every movement on confirmed safe arrival so that no asset is left unaccounted for.
Responsible	Movement Control Coordinator.
Trigger	Confirmed safe arrival of a mobile asset, or end of watch with a movement still open.
Records	Movement Tracker Log; Movement Authorisation Record (closure fields).

Procedure:

1. On confirmed safe arrival, record the arrival time and reconciled POB count and close the movement in the tracker.
2. **[MANDATORY]** Do not hand over the watch with an unclosed movement unless both the incoming and outgoing Watch Commanders have signed acknowledgement of its status and the action in hand (SOP-20).
3. Where arrival cannot be confirmed at the expected return time, run SOP-08.

SOP-10 RPAS Flight Authorisation and Deconfliction

Purpose	Authorise, deconflict and log every RPAS flight, and prevent misuse over communities.
Responsible	Maritime / RPAS Liaison (executes); Watch Commander (authorises).
Trigger	Any request to conduct an RPAS flight.
Records	RPAS Flight Authorisation Log.

Procedure:

1. **[MANDATORY]** No RPAS flight is conducted without prior Operations Room authorisation and a valid flight authorisation number.
2. Deconflict the flight with helicopter and fixed-wing movements before launch; make airspace notification where PNG civil aviation rules require it.
3. Log flight purpose, area, altitude, duration, pilot and observer before launch; close the log on landing.
4. **[MANDATORY]** Do not fly over community housing, gardens, gatherings, places of worship or funerary sites, and do not use RPAS for any purpose other than the authorised security task.

SOP-11 Maritime and Vessel Movement Control

Purpose	Control vessel movements in the Gulf of Papua littoral and riverine areas and maintain maritime situational awareness.
----------------	--

Responsible	Maritime / RPAS Liaison and Movement Control Coordinator.
Trigger	Any maritime or riverine movement, or a maritime emergency.
Records	Vessel Movement and AIS Log; Movement Tracker Log.

Procedure:

1. Authorise vessel movement through SOP-06, including the maritime conditions restriction at SOP-06A.
2. Confirm AIS and tracking acquisition before departure and maintain the vessel on the chart display and common operating picture.
3. Apply the maritime check-in schedule; on a missed report or lost signal, run SOP-08.
4. On a maritime emergency, obtain position, POB and vessel state; broadcast on the distress frequency; notify NMSA and nearby vessels; task the nearest asset; maintain a drift plot; and coordinate the search pattern (see Annexure C).

SOP-12 Incident Logging, Classification and Escalation

Purpose	Capture every incident to an evidentiary standard, classify it correctly, and notify the right level within the required timeframe.
Responsible	Watch Commander (classifies, escalates); Operations Controller (logs).
Trigger	The Operations Room becomes aware of any event.
Records	Incident Management System (IMS); shift SITREP.

Procedure:

1. **[MANDATORY]** Open an incident record in the IMS within two minutes of becoming aware of the event.
2. Capture time, location, source, nature and immediate action taken; update the record continuously as the event develops.
3. Separate fact from assessment. Do not record speculation, attribution of blame, or the identity of individuals not directly involved.
4. Classify the incident using the matrix at Annexure B (Level 1 Minor / Level 2 Serious / Level 3 Critical).
5. **[MANDATORY]** Where classification is uncertain, assign the higher level. Downgrading requires Operations Manager approval and is recorded with reasons.
6. Notify per the classification standard: Level 1 — Supervisor immediately; Level 2 — Operations Manager within 15 minutes, written report to GM — ISS within 4 hours, Operator per contract; Level 3 — immediate verbal notification to GM — ISS and CEO, Crisis Management Team activated, written report within 24 hours.
7. Escalate down the primary contact list (Annexure F); where the primary contact is not reached within five minutes, contact the next level directly. Log every attempt with time and means.
8. **[MANDATORY]** Never delete an incident record. Corrections are made by amendment with a full audit trail. Under-reporting, downgrading or delayed reporting is a serious disciplinary matter.

SOP-13 Evidence and Scene Preservation

Purpose	Preserve evidence for any serious incident and avoid any act reserved to the police.
----------------	--

Responsible	Watch Commander (directs); CCTV Operator and Operations Controller (secure records).
Trigger	Any Level 2 or Level 3 incident.
Records	IMS; chain-of-custody records for exported material.

Procedure:

1. Direct preservation of the scene by the on-site element.
2. Secure the relevant CCTV footage (SOP-04), tracking data and radio recordings before any retention window expires.
3. Record witness details and any first-hand accounts, verbatim where an allegation is involved (see SOP-18).
4. **[MANDATORY]** Where the matter may constitute a criminal offence, preserve evidence for the RPNGC and ensure no Company member conducts an investigative act reserved to the police.
5. Place all exported material under a documented chain of custody.

SOP-14 Emergency Response Activation and RRT Dispatch

Purpose	Validate an alarm or emergency and control the response of the Rapid Response Team and supporting elements.
Responsible	Emergency Response Coordinator (executes); Watch Commander (commands until relieved).
Trigger	Any alarm, panic or duress activation, or a declared emergency.
Records	Emergency / Alarm Activation Log; IMS real-time incident log.

Procedure:

1. Validate every alarm, panic and duress activation before committing a response; treat an unvalidated duress signal as genuine until proven otherwise.
2. Activate the Emergency Response Plan and confirm activation to all affected sites.
3. **[MANDATORY]** Do not deploy the RRT into an armed-threat situation until the threat picture supports safe deployment; hold and reassess if it does not.
4. Dispatch and control the RRT — brief the task, route and communications; maintain contact throughout.
5. Maintain a single authoritative real-time incident log for the duration of the activation.
6. Where the incident is Level 3, transition to SOP-17 (Crisis Management Team support).

SOP-15 MEDEVAC / CASEVAC Coordination

Purpose	Sequence a medical or casualty evacuation quickly and safely.
Responsible	Emergency Response Coordinator.
Trigger	A medical emergency requiring evacuation.
Records	Emergency / Alarm Activation Log; casualty log; IMS.

Procedure:

1. Obtain casualty status and precise location; open and maintain a casualty log.
2. Task the nearest medic and determine the evacuation mode — ground, river or air.
3. Sequence aviation or vessel tasking; confirm and secure the landing or embarkation site.

4. Notify the receiving facility (provincial health facility or clinic) and confirm it can receive.
5. Maintain communications between the casualty element, the evacuation asset and the receiving facility until handover is complete.

SOP-16 Emergency Category First-Actions

Purpose	Give the watch immediate, correct first actions for each recognised emergency category.
Responsible	Watch Commander and Emergency Response Coordinator.
Trigger	Onset of any emergency in the categories below.
Records	IMS; Emergency / Alarm Activation Log. Detailed first-actions are consolidated at Annexure C.

Procedure:

1. Identify the category and apply the first-actions at Annexure C for: armed threat/attack; medical emergency; fire or explosion; community unrest/blockade; maritime emergency; natural hazard; and loss of a person.
2. **[MANDATORY]** For community unrest, halt all movement into the affected area, recall exposed elements, and do not deploy force — support de-escalation and lawful engagement only.
3. Run the applicable detailed procedure (SOP-08, SOP-14, SOP-15) alongside the first-actions.
4. Confirm accountability of all personnel and maintain it until the incident is closed.

SOP-17 Crisis Management Team Support (Level 3)

Purpose	Support the Crisis Management Team as the information cell while retaining control of communications, logging and accountability.
Responsible	Watch Commander.
Trigger	Declaration of a Level 3 incident.
Records	IMS; structured briefing record.

Procedure:

1. On Level 3 declaration, the Operations Room becomes the information cell supporting the Crisis Management Team.
2. Provide a structured briefing at intervals not exceeding 30 minutes covering situation, actions taken, resources committed, risks and decisions required.
3. Transfer operational control of the response to the nominated Incident Commander; retain Op-Room control of communications, logging and accountability.
4. Continue to log all traffic and notifications to the evidentiary standard throughout.

SOP-18 Community Grievance and Human Rights Allegation Handling

Purpose	Handle community grievances and any allegation of abuse correctly, lawfully and without informal resolution.
Responsible	Watch Commander; Operations Controller (records).
Trigger	Receipt of a community grievance, or any allegation of human rights abuse, excessive force, unlawful detention, or sexual exploitation or abuse.
Records	IMS (allegations); grievance record referred to Community Affairs.

Procedure:

1. **[MANDATORY]** Record any allegation of human rights abuse, excessive force, unlawful detention, sexual exploitation or abuse, or serious misconduct verbatim, classify it Level 3, and report it immediately to the GM — ISS. Do not filter, edit or resolve it informally.
2. For a community grievance, record it and refer it to Community Affairs within four hours; do not attempt to adjudicate it.
3. Ensure all decisions have regard to the Voluntary Principles on Security and Human Rights and IFC Performance Standard 4.
4. **[MANDATORY]** Do not direct, encourage or acquiesce in the use of force beyond that which is lawful, necessary and proportionate.
5. Request support from public security forces only at the authority level in the parent Policy (Section 5.2 / Annexure F) and log it fully.
6. Do not use surveillance or tracking to monitor community members, landowner representatives or lawful advocacy.

SOP-19 Op-Room Access and Visitor Control

Purpose	Control physical access to the Operations Room and protect the information within it.
Responsible	Watch Commander.
Trigger	Any person seeking entry to the Operations Room.
Records	Visitor Register; Key and Equipment Issue Register.

Procedure:

1. Admit only personnel on the approved access list (reviewed monthly by the Operations Manager).
2. Record every visitor in the Visitor Register, issue a visitor pass, and escort them at all times.
3. **[MANDATORY]** Prohibit photography, video, screen capture and personal recording devices within the Operations Room; secure personal mobile telephones outside the console area except where authorised as redundant communications.
4. Keep individual credentials and passwords private; do not share them; change them at intervals not exceeding 90 days.
5. Prohibit removable media except approved evidential transfer on Company-issued encrypted devices.

SOP-20 Shift Handover

Purpose	Transfer the watch through a formal, structured, face-to-face handover with nothing left ambiguous.
Responsible	Outgoing and incoming Watch Commanders.
Trigger	Every watch change.
Records	Shift Handover Certificate; Shift SITREP (Annexure B format in parent Policy).

Procedure:

1. Conduct the handover face-to-face. Do not release the outgoing watch until it is complete and both Watch Commanders have signed the Handover Certificate.

2. Confirm each of the following in turn:

- 1. Threat level and current security posture — stated and acknowledged.
- 2. Open and unclosed movements — each with POB, location, ETA and action in hand.
- 3. Ongoing incidents — level, status, actions taken and outstanding, notifications made.
- 4. Location and status of all patrols and deployed elements — plotted and confirmed by radio check.
- 5. CCTV system status — cameras operational; faults listed.
- 6. Communications and tracking status — all nets tested; outages listed.
- 7. Alarm, duress and emergency line — tested during handover.
- 8. Outstanding tasks and instructions — listed with owner and deadline.
- 9. Personnel accountability — site POB reconciled.
- 10. Key, weapon, radio and equipment accountability — physically counted where applicable.
- 11. Client, Operator or management instructions — passed verbatim.
- 12. Visitor and access register — reviewed; escorted visitors accounted for.

3. **[MANDATORY]** Report an incomplete handover to the Operations Manager. Where a discrepancy in personnel, weapon or equipment accountability is identified, suspend the handover and open an incident.

SOP-21 Alternate Op-Room Activation and Business Continuity

Purpose	Relocate to the Alternate Operations Room without losing command, control or accountability.
Responsible	Watch Commander (initiates); Operations Manager (authorises relocation).
Trigger	Loss of power, communications, the facility, key personnel, or a cyber compromise affecting the primary Op-Room.
Records	IMS; continuity activation record.

Procedure:

1. On a continuity trigger, notify the Operations Manager and confirm the decision to relocate.
2. **[MANDATORY]** Bring the Alternate Operations Room to full function within 60 minutes of the decision to relocate.
3. Carry forward the common operating picture, all open movements and incidents, and current accountability so nothing is dropped in the move.
4. Confirm all nets, tracking, alarms and the emergency line at the alternate site before declaring it operational.
5. Debrief and review the continuity plan after every activation; test the Alternate Op-Room at least twice annually regardless of activations.

SOP-22 Record-Keeping and Log Correction

Purpose	Keep every record to the evidentiary standard and correct errors without destroying the original entry.
Responsible	All Op-Room staff; Watch Commander assures.
Trigger	Continuous — every log entry and every correction.
Records	All mandatory records (see parent Policy Section 14.1).

Procedure:

1. Make every entry contemporaneous, legible and factual, in the 24-hour clock using local time.
2. Number every page of a manual log sequentially; loose-leaf logs are prohibited.
3. Maintain electronic records only in systems with user-level audit trails and daily backup.
4. **[MANDATORY]** Correct an error by a single ruled line, initialled and dated — never by erasure, correction fluid or retrospective insertion. Never delete a record.
5. **[MANDATORY]** Treat falsification, back-dating or destruction of a record as a terminable offence that may also constitute a criminal offence.
6. Retain operational records for a minimum of five years — indefinitely where they relate to a fatality, serious injury, human rights allegation or criminal matter. Archiving and lawful destruction are authorised only by the GM — ISS.

Annexure A — Overdue Escalation Sequence (Quick Card)

Times measured from the missed scheduled report. Executed without discretion or delay (SOP-08). Post at the movement-control console.

Elapsed	Status	Mandatory Action
+10 min	Communications Check	Controller attempts primary then alternate means. Watch Commander informed. Log entry made.
+20 min	Concern	Supervisor and Site Security Manager notified. Adjacent callsigns tasked. Tracking history reviewed. Last known position plotted.
+30 min	Overdue / Emergency	Incident opened at Level 2 minimum. RRT at immediate notice to move and dispatched to last known position. Operations Manager notified. Aviation and medical on standby.
+60 min	Missing	Level 3 declared. GM — ISS and CEO notified. Operator notified. RPNGC liaison initiated. Search commenced. Next-of-kin protocol prepared, not actioned without CEO authority.

Annexure B — Incident Classification and Notification Matrix

Level	Definition / Examples	Notification Standard
Level 1 Minor	Minor equipment fault; short delay; minor injury (first aid only); single unauthorised access attempt at a controlled point; minor vehicle damage; petty theft.	Supervisor notified immediately. Recorded in IMS and shift SITREP. Closed by Supervisor.
Level 2 Serious	Perimeter breach; theft of Company/client property; assault; group tension or altercation; serious injury; fire; vehicle accident with injury; loss of comms with a deployed element > 30 min; RPAS/vessel emergency; credible threat; road or river blockade.	Operations Manager within 15 min. Written report to GM — ISS within 4 hours. Operator per contract. Closed by Operations Manager.
Level 3 Critical	Armed attack/threat; hostage or unlawful detention; death or life-threatening injury; riot or mass disorder; sustained corridor blockade; maritime attack, piracy or vessel loss; aircraft accident; kidnapping; major fire/explosion; allegation of human rights abuse by security personnel.	Immediate verbal notification to GM — ISS and CEO. Crisis Management Team activated. Operator, RPNGC/PNGDF and authorities notified. Written report within 24 hours. Closed only by CEO on Board advice.

Annexure C — Emergency Category First-Actions

Category	Operations Room First Actions
Armed threat / attack	Confirm location and nature; direct affected personnel to cover or safe haven; account for all POB; initiate lockdown; notify RPNGC/PNGDF via GM — ISS; hold RRT until the threat picture supports safe deployment.
Medical emergency	Obtain casualty status and location; task nearest medic; determine ground, river or air evacuation; notify receiving facility; secure the landing site; maintain casualty log (SOP-15).
Fire or explosion	Sound alarm; initiate muster and POB reconciliation; isolate power and fuel where safe; task fire response; notify Operator and emergency services; establish cordon.
Community unrest / blockade	Halt all movement into the affected area; recall exposed elements; notify Community Affairs and the Operator; do not deploy force; support de-escalation and lawful engagement only.
Maritime emergency	Obtain position, POB and vessel state; broadcast on distress frequency; notify NMSA and nearby vessels; task nearest asset; maintain drift plot; coordinate search pattern (SOP-11).
Natural hazard (flood, seismic, severe weather)	Suspend movement; account for all personnel; assess site integrity; implement shelter or relocation; maintain contact with provincial authorities.
Loss of a person	Execute the overdue procedure to Level 3 (SOP-08); establish last known position and time; coordinate search; preserve tracking and radio data; notify authorities.

Annexure D — Mandatory Records Register

The record for each procedure. All entries meet the standard at SOP-22.

Record	Frequency	Responsible
Daily Operations Sheet	Every watch	Operations Controller
Shift Situation Report (SITREP)	End of every watch	Watch Commander
Radio Communications Log	Continuous	Operations Controller
Movement Tracker Log	Continuous	Movement Control Coordinator
Movement Authorisation Record	Per movement	Movement Control Coordinator
Journey Management Plans	Per qualifying movement	Movement Control Coordinator
Incident Reports (IMS)	Per incident	Watch Commander
CCTV Check and Fault Log	Hourly / on fault	CCTV Operator
Equipment Serviceability Check Sheet	Daily at watch start	Operations Controller
Emergency / Alarm Activation Log	Per activation	Emergency Response Coordinator
Patrol Dispatch and Debrief Log	Per patrol	Operations Controller
RPAS Flight Authorisation Log	Per flight	Maritime / RPAS Liaison
Vessel Movement and AIS Log	Per movement	Movement Control Coordinator
Shift Handover Certificate	Every watch change	Both Watch Commanders

Visitor Register	Per visit	Watch Commander
Key and Equipment Issue Register	Per issue	Operations Controller
Drill and Exercise Record	Per drill	Operations Manager

Annexure E — Emergency Code-Word Categories

Categories are fixed; the words themselves are classified, issued under separate cover, reviewed quarterly, and changed immediately on suspected compromise (SOP-02).

Category	Application
Duress / under coercion	Transmitted by any person acting under compulsion — treated as genuine until proven otherwise.
Armed threat in progress	Immediate lockdown and accountability sequence.
Medical emergency	Immediate MEDEVAC sequencing (SOP-15).
Fire	Muster and fire-response activation.
Evacuation	Site or area evacuation order.
Lockdown / shelter in place	All movement ceases; personnel secure in place.
Man overboard / maritime distress	Immediate maritime search response (SOP-11).
All clear	Termination of an emergency condition — issued only by the Watch Commander.

Annexure F — Escalation Contact Matrix (Template)

Maintained current by the Operations Manager, reviewed monthly, and displayed in hard copy at every console position. Names and numbers are entered on the controlled copy.

Role	Primary Contact	Alternate Contact	Escalate Within
Site Supervisor			Immediate
Site Security Manager			10 minutes
Operations Manager			15 minutes
General Manager — ISS			Immediate (L3)
Chief Executive Officer			Immediate (L3)
Operator Security Duty Officer			Per contract
RPNGC — Provincial			As authorised
PNGDF Liaison			As authorised
Medical / Clinic			Immediate
Aviation Operator (MEDEVAC)			Immediate
NMSA / Maritime Rescue			Immediate
Community Affairs			4 hours

Annexure G — Acknowledgement of Receipt and Understanding

Name	Position	Signature	Date