

SOUTHERN CROSS STRATEGIC HOLDINGS PTE LIMITED
Protecting People. Securing Progress.

STANDARD OPERATING PROCEDURE
TRANSPORT & MOVEMENT OPERATIONS
Road • Riverine • Coastal • Air

Kikori Development Project
Papua LNG Project Corridor • Gulf & Central Provinces • Papua New Guinea

Document No.	SCSH-SOP-TRP-001	Version 1.0
Derived From	Transport Policy TP-25/11/2025 v2.0	Classification: Company – Controlled
Effective Date	01 January 2026	Next Review: 01 January 2027
SOP Owner	Transport IC / Operations	Approving Authority: Project Manager

This is a controlled document. It supports and must be read together with the Transport Policy (TP-25/11/2025). It must not be reproduced or amended without the written authority of the SOP Owner.

Contents

Contents.....	2
1.0 Purpose and How to Use This SOP.....	3
2.0 Definitions and Key Roles.....	4
3.0 Movement Risk Tiers	5
4.0 Command, Authorisation and Daily Control.....	6
5.0 Pre-Movement Procedures	8
6.0 During-Movement Procedures.....	10
7.0 Marine, Riverine and Air Movement.....	12
8.0 Incident, Security and Emergency Procedures	13
9.0 Post-Movement, Reporting and Accountability.....	15
A Annex A — Movement Quick-Reference.....	16
B Annex B — Actions-On Pocket Card	17
C Annex C — Forms and Records Register	18
D Annex D — Notification Matrix	19
E Annex E — Acknowledgement and Approval.....	20

1.0 Purpose and How to Use This SOP

This Standard Operating Procedure (SOP) converts the requirements of the Company Transport Policy (TP-25/11/2025) into step-by-step field procedures for every person who plans, authorises, drives, crews or tracks a Company movement in the Kikori Development Project area of operations.

The Policy states what must be achieved and why; this SOP states exactly how, by whom, and in what order. Where this SOP and the Policy appear to differ, the Policy prevails and the difference must be reported to the Transport IC for correction. Where a client or Project requirement is more stringent, the more stringent requirement applies.

Who this applies to

All employees, contractors and authorised persons who operate, crew, are carried in, task, clear or track any Company-owned, leased, hired or privately owned vehicle or vessel on official Company business — across road, riverine, coastal and air movement.

How the procedures are grouped

- Section 4 — Command, authorisation and daily control (who may drive, who tasks, Op-Room interface).
- Section 5 — Pre-movement procedures (JMP, inspections, load, fuel, book-out).
- Section 6 — During-movement procedures (check-in, discipline, fatigue, restrictions, convoy, escort).
- Section 7 — Marine, riverine and air movement.
- Section 8 — Incidents, security response and emergencies.
- Section 9 — Post-movement, reporting, expenses and accountability.
- Annexes A–E — quick-reference matrix, actions-on pocket card, forms register, notification matrix, acknowledgement.

Golden rules

Every driver and crew member must know these before any movement:

- No movement outside a secured facility begins without Op-Room clearance.
- No vehicle moves with an inoperative tracker or radio unless specifically risk-assessed and approved.
- Daylight movement only, unless management authorises night movement on an elevated JMP with escort.
- Seat belts and life jackets are worn at all times. Zero tolerance for alcohol, drugs and impairment.
- In any security incident, the preservation of life comes first — assets never do.

2.0 Definitions and Key Roles

Terms carry the same meaning as in the Transport Policy. The roles below are named throughout this SOP.

Term / Role	Meaning in this SOP
Op-Room	Company Operations Room — 24/7 command, control, communications and movement tracking; authorises, monitors and closes every movement.
Transport IC / 2IC	Transport In-Charge and Second-in-Charge — owns the fleet, driver authorisation, serviceability, fuel accountability and incident investigation.
JMP	Journey Management Plan — the pre-movement risk assessment and authorisation for a road, river or air movement.
IVMS	In-Vehicle Monitoring System — GPS tracking and driver-behaviour monitoring fitted to Company vehicles.
Convoy Commander	The single person responsible for a convoy's order of march, spacing, communications and actions-on.
Coxswain	Authorised, competent operator of a Company vessel.
Book out / Book in	Formal notification to the Op-Room of departure and safe arrival, opening and closing the movement record.
VOR	Vehicle Off Road — a vehicle taken out of service until repaired and re-certified as safe.
Actions-on	The pre-briefed drills for breakdown, blockage, accident, hostile act or medical event on a route.

3.0 Movement Risk Tiers

The Op-Room and Transport IC classify every planned movement into a risk tier. The tier sets the minimum level of planning, clearance and escort. When route, security or weather information changes, the Op-Room may raise the tier at any time.

Tier	Typical movement	Minimum controls
GREEN (Routine)	Daylight, sealed or well-used route inside cleared area; single vehicle; benign security picture.	Standard book-out/in, functioning IVMS and radio, standard check-in schedule, daily vehicle checks.
AMBER (Elevated)	Off-network / 4WD terrain, longer or less-used routes, marginal weather, or moderate security concern.	Written JMP, confirmed comms plan, reserve fuel, recovery kit, tightened check-in interval; consider convoy.
RED (High)	Known threat, disturbance, curfew/restriction, night necessity, or choke-point/ambush-prone route.	Management-authorised elevated JMP, convoy + security escort, Convoy Commander, safe-haven plan; movement may be refused or postponed.

If a movement cannot meet the minimum controls for its tier, it does not proceed until the shortfall is resolved or the tier is formally reduced with justification recorded on the JMP.

4.0 Command, Authorisation and Daily Control

SOP 01 — Driver / Operator Authorisation

Owner: *Transport IC*

Trigger: *New driver, licence change, or periodic re-check*

1. Confirm the applicant holds a current, valid PNG driver's licence (or licence recognised for use in PNG) of the correct class for the vehicle, and record the class and expiry.
2. Verify the driving record is free of major moving violations; run the periodic re-check on the due date and re-verify.
3. Confirm completion of Company induction and mandatory defensive-driving, 4WD and journey-management training; for riverine/coastal operators, confirm the additional Sea Marshal / NMSA competencies.
4. Confirm medical fitness and that no condition or medication impairs safe operation.
5. Obtain the driver's signed acknowledgement of the Transport Policy and this SOP.
6. Issue written authorisation stating the classes/craft the person may operate; file in the driver record. No authorisation, no driving.
7. Suspend driving privileges automatically on loss of a valid licence, on any impairing condition, or on failure of a re-check, and record the suspension.

Drivers must self-report any licence change, traffic offence or moving violation — on or off duty — to the supervisor and Transport IC immediately.

SOP 02 — Daily Tasking and Vehicle Allocation

Owner: *Line Manager / Supervisor, with Transport IC*

1. Task only drivers holding current written authorisation for the vehicle/craft class.
2. Match the vehicle/vessel to the terrain and task (4WD specification for off-network routes; rated capacity for vessels).
3. Confirm the vehicle is serviceable and not VOR, and that registration and CTP insurance are current.
4. Check driver hours and fatigue status before tasking; do not task a driver who is over hours or fatigued.
5. Brief the driver on the task, destination, expected timings and any known route or security information.
6. Pass the intended movement to the Op-Room for clearance and, where the tier requires, initiate the JMP (SOP 04).

SOP 03 — Op-Room Movement Control Interface

Owner: *Op-Room*

1. Receive the movement request and confirm the risk tier and required controls with the Transport IC where needed.
2. Grant, hold or refuse clearance; a movement without Op-Room clearance is not authorised.
3. Record occupants, vehicle/vessel, route and alternates, departure and expected arrival, and the agreed check-in schedule.
4. Monitor the movement live against IVMS and the JMP; log every check-in.
5. Re-time, re-route or close routes in response to weather, road or security information, and notify affected movements.

6. Initiate overdue-vehicle procedures (SOP 19) the moment a movement misses a check-in or arrival.

5.0 Pre-Movement Procedures

SOP 04 — Journey Management Plan (JMP)

Owner: Driver/Supervisor, approved via Op-Room

Required for: All AMBER and RED movements; any movement so directed by the Op-Room

1. State the purpose and authority for the movement.
2. Record the primary route and alternates, departure and expected arrival times, occupants and load.
3. Set the communications and check-in schedule proportionate to the tier.
4. Capture the current security and weather picture and identify choke points, safe havens and rally points along the route.
5. Define the actions-on: breakdown, blockage, hostile act and medical event (see Annex B).
6. Submit for approval; do not depart until the JMP is approved and clearance is granted.

SOP 05 — Vehicle Pre-Use Inspection

Owner: Driver

When: Before every movement; recorded on the daily check sheet

1. Check tyres (including spare), fluids, lights, brakes, steering, wipers and horn.
2. Confirm IVMS/GPS and communications set power up and function; a dead tracker or radio = no movement unless risk-assessed and approved.
3. Confirm standard equipment is present: first-aid kit, fire extinguisher, recovery kit (tow strap, jack, spare wheel, tools), warning triangles, potable water, vehicle documents and incident forms.
4. Check load security and that seat belts are serviceable for all seats to be occupied.
5. Record the check; report any defect via SOP 23 before moving. A vehicle assessed unsafe is placed VOR.

SOP 06 — Vessel Pre-Use Inspection (Riverine / Coastal)

Owner: Coxswain

1. Confirm the coxswain is authorised and competent for the craft and task.
2. Check hull, engine, fuel, steering and bilge; confirm navigation lights and equipment function.
3. Confirm approved life jackets for every person on board, plus required safety, communications and navigation equipment.
4. Confirm the load and passenger count are within rated capacity — never overload.
5. Check the sea/river and weather picture; if unsafe, do not depart and report to the Op-Room.

SOP 07 — Passenger and Load Control

Owner: Driver/Coxswain

1. Carry only authorised passengers; record the manifest and pass it to the Op-Room.
2. Carry only authorised, correctly secured loads; never carry unauthorised persons, weapons or contraband.
3. Confirm every occupant is briefed on seat belts / life jackets and actions-on before departure.

SOP 08 — Fuel Draw and Accountability

Owner: Driver, against the fuel-accountability system

1. Draw fuel only from authorised sources against the approved system; record every issue accurately.

2. Safeguard fuel and fuel cards against loss or misuse.
3. For longer routes, carry sufficient fuel plus authorised reserve for the planned journey and a contingency.
4. Report any shortfall, discrepancy or suspected misuse to the Transport IC without delay.

SOP 09 — Book-Out

Owner: *Driver/Coxswain with Op-Room*

1. Immediately before departure, book out with the Op-Room: vehicle/vessel, driver, occupants, route, destination and ETA.
2. Confirm the agreed check-in schedule and primary/alternate comms.
3. Do not depart until the Op-Room confirms the movement is open and cleared.

6.0 During-Movement Procedures

SOP 10 — Check-In and Communications Discipline

Owner: Driver / Coxswain and Op-Room

1. Maintain the agreed radio/telephone check-in schedule for the whole journey.
2. Report any deviation, delay, hazard or route change to the Op-Room as it occurs.
3. If comms are lost, move to the last briefed safe location, attempt to re-establish contact, and follow the lost-comms drill on the JMP.

SOP 11 — Driving Discipline — Speed, Belts, Distraction

Owner: Driver

1. Obey all PNG traffic law, posted limits and Project speed limits; reduce speed on unsealed, wet, congested or built-up sections and through villages.
2. Ensure seat belts are worn by all occupants at all times.
3. Do not use a hand-held phone or radio while driving; manage calls and messages only when safely stopped in a secure location.
4. Drive to the conditions of road, weather and security at all times.

SOP 12 — Fatigue and Hours Management

Owner: Driver and Supervisor

1. Observe prescribed driving-hour limits and mandatory rest breaks.
2. Never drive when tired; stop in a secure location and notify the Op-Room if fatigue develops.
3. Supervisors actively manage driver hours, welfare and rotation, especially on long or multi-day tasks.

SOP 13 — Hours-of-Movement and Restrictions

Owner: Op-Room / Management

1. Conduct movement in daylight hours only as the default.
2. Prohibit night movement and travel during declared restrictions or curfews unless management authorises it on an elevated JMP with appropriate escort.
3. Comply immediately with any Op-Room instruction to close, re-time or re-route.

SOP 14 — Convoy Movement

Owner: Convoy Commander

Required for: Higher-risk (AMBER/RED) movements as directed

1. Hold a pre-movement briefing covering route, hazards, actions-on, rally points and safe havens.
2. Set the order of march with a lead and rear vehicle, maintained spacing and one Convoy Commander in command.
3. Maintain continuous communications between all convoy vehicles and the Op-Room; no vehicle detaches without authority.
4. Do not stop in unsecured or ambush-prone locations except in emergency; maintain momentum through built-up and choke-point areas consistent with safety and the law.
5. On any incident, execute the briefed actions-on and report to the Op-Room.

SOP 15 — Security Escort Coordination

Owner: *Convoy Commander with Escort Commander*

- 1.** Confirm escort composition, comms and actions-on before departure.
- 2.** Follow the direction of the Escort Commander and Op-Room for threat avoidance and response.
- 3.** Keep the escort and Op-Room informed of position, timings and any change in the security picture.

7.0 Marine, Riverine and Air Movement

SOP 16 — Riverine and Coastal Movement

Owner: *Coxswain, cleared via Op-Room*

Governing docs: *This SOP + Sea Marshal Security Policy + NMSA requirements*

1. Plan, clear and track every waterborne movement with the Op-Room exactly as for road — book out, check in, book in.
2. Ensure approved life jackets are worn by all persons on board at all times.
3. Confirm required safety, communications and navigation equipment is carried and the vessel is within rated capacity.
4. Suspend movement in unsafe sea, river or weather conditions, or where the security picture requires; report to the Op-Room.

SOP 17 — Vessel Safety and Suspension Triggers

Owner: *Coxswain*

1. Only authorised, competent coxswains operate Company vessels.
2. Halt and return to a safe point on any of: rising weather beyond safe limits, equipment failure, overload, or a security threat.
3. Log the reason for suspension and re-clear the movement with the Op-Room before resuming.

SOP 18 — Air Movement

Owner: *Op-Room / Aviation coordinator*

1. Arrange helicopter/fixed-wing movement only through approved aviation providers, per operator safety requirements and Project aviation procedures.
2. Complete passenger manifests, weights and safety briefings for every flight.
3. Record all air movements with the Op-Room; confirm arrival as for any other movement.

8.0 Incident, Security and Emergency Procedures

The overriding priority in every procedure in this section is the preservation of life. Assets and load are never prioritised over people.

SOP 19 — Overdue Vehicle / Vessel Procedure

Owner: *Op-Room*

Trigger: *Missed check-in or missed arrival*

1. Attempt contact on primary then alternate comms immediately.
2. Check last known IVMS position and movement history.
3. If contact is not restored within the set grace period, escalate to the Transport IC and Duty Manager and initiate the search/response plan on the JMP.
4. Notify escort/QRT as required and maintain a written timeline of all actions.
5. Stand down and record closure only once the movement is confirmed safe and booked in.

SOP 20 — Breakdown and Recovery

Owner: *Driver, coordinated by Op-Room*

1. Move the vehicle to the safest available position; set warning triangles; keep occupants safe and together.
2. Notify the Op-Room with location, fault and assistance required.
3. Do not stop in an unsecured or ambush-prone location — if unsafe, prioritise moving occupants to a safe haven.
4. Await the recovery/escort team and follow Op-Room direction; place the vehicle VOR on return (SOP 23).

SOP 21 — Road Traffic Accident

Owner: *Driver*

Reference: *Transport Policy §14*

1. Stop, make the scene safe, check for injuries and render or summon first aid; call emergency services where required.
2. Notify the Op-Room immediately: location, nature, casualties and assistance required.
3. Report the accident to the Royal PNG Constabulary as required by law — regardless of how minor the damage appears.
4. Do not admit fault, apportion blame, or discuss liability or insurance with other parties.
5. Where safe, gather details of all parties, vehicles, insurers and witnesses, and photograph the scene.
6. Comply with the Op-Room, escort or recovery team; prioritise personal safety over the vehicle or load.
7. Complete the internal Accident/Incident Report Form and submit to the Transport IC within 24 hours.

SOP 22 — Security Incident — Roadblock, Hold-Up, Ambush, Disturbance

Owner: *Driver/Convoy Commander*

Priority: *Preservation of life*

1. Where a threat is anticipated and it is safe and lawful, avoid the hazard — turn about and withdraw to the nearest safe haven; report to the Op-Room.
2. Do not resist an armed hold-up. Comply, stay calm, protect life and preserve situational awareness for reporting.

3. Follow the actions-on briefed for the route and the direction of the Escort Commander and Op-Room.
4. As soon as safe, give a full verbal report to the Op-Room and Transport IC; a written incident report follows within 24 hours.

Read together with the PSD, QRT and Op-Room policies for detailed security response measures.

SOP 23 — Fault Reporting and Vehicle-Off-Road (VOR)

Owner: *Driver → Transport IC / 2IC*

1. Report any defect, damage or mechanical concern immediately using the Vehicle Defect Report Form.
2. A vehicle assessed as unsafe is placed VOR and removed from service until repaired and re-certified.
3. Route servicing through the approved maintenance provider on the scheduled plan; record the work.

SOP 24 — Casualty / MEDEVAC

Owner: *Driver / Crew with Op-Room*

1. Render immediate first aid; make the scene safe.
2. Notify the Op-Room with casualty number, injuries and location; request MEDEVAC per Project medical/aviation procedures.
3. Guide responders to the site; continue care until handover; record times and actions.

9.0 Post-Movement, Reporting and Accountability

SOP 25 — Book-In and Post-Use Checks

Owner: *Driver / Coxswain*

1. Book in with the Op-Room on arrival to close the movement record.
2. Complete post-use checks (tyres, fluids, lights, brakes, load security, communications) and record them.
3. Report any new defect via SOP 23; refuel/secure the vehicle or vessel as required.

SOP 26 — Incident Reporting Within 24 Hours

Owner: *Driver / Convoy Commander*

1. Give the verbal report to the Op-Room and Transport IC at the time of the event.
2. Complete the internal Accident/Incident Report Form and submit to the Transport IC within 24 hours.
3. Support the Transport IC investigation; retain evidence, photographs and witness details.

SOP 27 — Mileage Logging and Expense Claims

Owner: *Driver, to Finance*

1. Log every business movement in the approved digital logbook: date, route, purpose, distance or hours.
2. Retain receipts for fuel, tolls and approved travel expenses.
3. Submit expense claims with receipts to Finance on the prescribed cycle. Personal expenses (non-business calls, refreshments, alcohol) are not reimbursable.

SOP 28 — Community and Environmental Conduct

Owner: *All drivers / crew*

1. Operate with courtesy and restraint; obey speed limits through villages and populated areas; avoid raising dust and hazards near communities; never engage in confrontation.
2. Operate to minimise environmental impact; contain any spill or leak where safe and report every environmental incident without delay.

SOP 29 — Negligence and Disciplinary Referral

Owner: *Transport IC / Management*

1. Record suspected breaches of the Policy or this SOP and refer them under the Company disciplinary and conduct policies.
2. Where damage or loss arises from negligence, unauthorised use or failure to follow procedure, initiate cost-recovery assessment.
3. Refer offences under PNG law to the relevant authorities; suspend driving privileges pending outcome where warranted.

A Annex A — Movement Quick-Reference

At-a-glance controls by movement type. This does not replace the JMP or Op-Room clearance.

Movement	Mandatory before departure	Mandatory in transit
Road — Green	Book-out, IVMS + radio serviceable, daily checks, seat belts.	Standard check-in, speed/belt/distraction discipline.
Road — Amber/Red	Approved JMP, reserve fuel, recovery kit, convoy/escort as directed, actions-on brief.	Tightened check-ins, convoy order of march, safe-haven awareness.
Riverine / Coastal	Vessel check, life jackets all persons, within rated capacity, Op-Room clearance.	Continuous comms, suspend in unsafe conditions.
Air	Approved provider, manifest, weights, safety brief.	Op-Room recorded; confirm arrival.
Night / Curfew	Management authorisation + elevated JMP + escort (exception only).	Escort-led; comply with Op-Room re-route/abort.

B Annex B — Actions-On Pocket Card

Carry in every vehicle and vessel. Preservation of life first — always.

BREAKDOWN

1. Move to safest position; set triangles; keep occupants together.
2. Notify Op-Room: location, fault, assistance needed.
3. If location unsafe, move occupants to a safe haven.
4. Await recovery/escort; follow Op-Room. Place vehicle VOR.

ACCIDENT

1. Stop; make safe; first aid; call emergency services if needed.
2. Notify Op-Room immediately.
3. Report to RPNCG as required by law — even if minor.
4. Do NOT admit fault or discuss liability.
5. If safe, record details, insurers, witnesses; photograph scene.
6. Report Form to Transport IC within 24 hours.

SECURITY INCIDENT / AMBUSH

1. If safe & lawful, avoid — turn about, withdraw to safe haven.
2. Do NOT resist an armed hold-up. Comply. Protect life.
3. Follow route actions-on and Escort/Op-Room direction.
4. Report fully to Op-Room as soon as safe; written report in 24h.

MAN OVERBOARD / VESSEL EMERGENCY

1. Life jackets on; account for all persons.
2. Turn to recover / stabilise; do not overload rescue.
3. Notify Op-Room; suspend movement; return to safe point.
4. Log and re-clear before resuming.

C Annex C — Forms and Records Register

The following forms and records support this SOP. The Transport IC maintains them and they are subject to internal audit and quality-assurance review.

Form / Record	Used in	Held by
Driver Authorisation Record	SOP 01	Transport IC
Journey Management Plan (JMP)	SOP 04	Op-Room / Transport IC
Daily Vehicle Pre/Post-Use Check Sheet	SOP 05, 25	Transport IC
Vessel Pre-Use Check Sheet	SOP 06	Transport IC
Passenger / Load Manifest	SOP 07, 18	Op-Room
Fuel Issue / Accountability Record	SOP 08	Transport IC
Movement Book-Out / Book-In Log	SOP 09, 25	Op-Room
Check-In / Comms Log	SOP 10, 19	Op-Room
Vehicle Defect Report Form	SOP 23	Transport IC / 2IC
Accident / Incident Report Form	SOP 21, 22, 26	Transport IC
Business Mileage / Vessel Logbook	SOP 27	Finance / Transport IC
Expense Claim + Receipts	SOP 27	Finance

D Annex D — Notification Matrix

Who is notified, and how quickly, for the events covered by this SOP.

Event	Notify within	Notify (in order)
Missed check-in/ overdue	Immediate	Op-Room → Transport IC → Duty Manager → Escort/QRT
Breakdown	Immediate	Op-Room → Recovery/Escort → Transport IC
Road traffic accident	Immediate	Op-Room → Emergency services / RPNGC → Transport IC
Security incident/ ambush	Immediate	Op-Room → Escort Commander → Transport IC → Management
Casualty / MEDEVAC	Immediate	Op-Room → Medical / Aviation → Transport IC → Management
Vehicle defect / VOR	Same shift	Transport IC / 2IC
Fuel discrepancy / misuse	Same shift	Transport IC
Licence change / traffic offence	Immediate on becoming aware	Supervisor → Transport IC
Written incident report	Within 24 hours	Transport IC (file + investigation)

E Annex E — Acknowledgement and Approval

Operator Acknowledgement

I acknowledge that I have read, understood and agree to comply with this Transport Field SOP (SCSH-SOP-TRP-001) and the Transport Policy it supports. I understand it applies to all movement I undertake, crew, task or supervise on Company business, and that any breach may result in disciplinary action up to and including termination, and may carry personal financial or legal liability.

Full Name	Signature
Position / Designation	Employee / ID No.
Date	Witnessed By

Document Approval

Action	Name / Position	Signature / Date
Prepared by	Transport IC	
Reviewed by	Operations Manager / HSE	
Approved by	Project Manager	

Revision History

Version	Date	Summary of Change	Author
1.0	01 Jan 2026	Initial issue. Field SOP derived from Transport Policy TP-25/11/2025 v2.0; 29 numbered procedures across command, pre-movement, movement, marine/air, incidents and admin; Annexes A–E.	Transport IC