



No. KH 58069 / 2021

CUSTOMER NAME & ADDRESS	DATE OF ISSUE : 10-12-2021
M/s. BASL INNOVATIONS PRIVATE LIMITED	SAMPLE RECEIPT : 07-12-2021
BAIKAMPADI INDUSTRIAL ESTATE	SAMPLE CODE : KH/21/34080/C93112
BAIKAMPADY,	ANALYSIS STARTED : 07-12-2021
MANGALORE	ANALYSIS COMPLETED : 10-12-2021
KARNATAKA INDIA	

INFORMATION PROVIDED BY CUSTOMER

SAMPLE NAME : BASMATI (III) RICE STAGE-2 FINAL TREATED

SAMPLE COLLECTED FROM : BHARATH RICE MILL., KARNAL HARIYANA

OTHER INFORMATION

CONDITION OF SAMPLE : RECEIVED IN GOOD CONDITION

SAMPLE SUBMITTED BY : CUSTOMER

Sl. No.	PARAMETERS TESTED	UNIT OF MEASUREMENT	RESULTS	LIMIT OF QUANTIFICATION (LOQ)	MRL	TEST METHOD
1	PESTICIDES GCMSMS					
	1) Tested Pesticides.	mg/kg	Not Detected.	0.01	--	EN 15662 : 2018
2	PESTICIDES LCMSMS					
	1) Azoxystrobin	mg/kg	0.202	0.01	5	EN 15662 : 2018
	2) Buprofezin	mg/kg	0.029	0.01	0.01	EN 15662 : 2018
	3) Clothianidin	mg/kg	0.056	0.01	0.5	EN 15662 : 2018
	4) Fenobucarb	mg/kg	0.011	0.01	--	EN 15662 : 2018
	5) Pyraclostrobin	mg/kg	0.019	0.01	0.09	EN 15662 : 2018
	6) Thiamethoxam	mg/kg	0.145	0.01	0.01	EN 15662 : 2018
	7) Tricyclazole	mg/kg	0.554	0.01	0.01	EN 15662 : 2018
	8) Trifloxystrobin	mg/kg	0.034	0.01	5	EN 15662 : 2018
	9) Tebuconazole	mg/kg	0.368	0.01	1.5	EN 15662 : 2018

List of Screened molecules

2,4,6 Trichlorophenol (0.01)	Etridiazole(0.01)	Pirimiphos-ethyl (0.01)	Dinotefuran(0.01)
2,4'-Methoxychlor (0.01)	Etrifos (0.01)	pp-DDD (0.01)	Dithianon(0.01)
2-4 Dichlorobenzophenone(0.01)	Fenamiphos (0.01)	pp-DDE (0.01)	Diuron(0.01)
4,4'-Dichlorobenzophenone (0.01)	Fenamiphos sulfone (0.01)	pp-DDT (0.01)	Dodine(0.01)
4,4'-Methoxychlor olefin (0.01)	Fenamiphos sulfoxide (0.01)	pp-Dicofol (0.01)	Edifenphos(0.01)
Acequinocyl (0.01)	Fenarimol (0.01)	Pretilachlor (0.01)	Ememectin benzoate(0.01)
Acetochlor (0.01)	Fenazaquin (0.01)	Prochloraz (0.01)	Ethiprole(0.01)
Acrinathrin (0.01)	Fenchlorphos (0.01)	Procymidone (0.01)	Famoxadone(0.01)
Alachlor (0.01)	Fenhexamid (0.01)	Prodiamine (0.01)	Fenamidon(0.01)
Aldrin (0.01)	Fenitrothion (0.01)	Profenofos (0.01)	Fenobucarb(0.01)
Allethrin-Bioallethrin (0.01)	Fenoxaprop-ethyl (0.01)	Profluralin (0.01)	Fenpyroximate(0.01)
Allidochlor (0.01)	Fenpropathrin (0.01)	Propachlor (0.01)	Fenthion(0.01)
Alpha-Endosulfan (0.01)	Fenson (0.01)	Propanil (0.01)	Fenthion oxone(0.01)
Alpha-HCH (0.01)	Fensulfothion(0.01)	Propargite (0.01)	Fenthion sulfone(0.01)
Amitraz (0.01)	Fenvalerate (0.01)	Propetamphos (0.01)	Fenthion sulfoxide(0.01)
Anthraquinone (0.01)	Fipronil (0.01)	Propiconazole (0.01)	Flonicamid(0.01)
Azinophos-methyl (0.01)	Fipronil Sulfone (0.01)	Propisochlor (0.01)	Florchlorfenuron(0.01)
Azinphos ethyl (0.01)	Fluazifop-p-butyl (0.01)	Propyzamide (0.01)	Flubendazol(0.01)
BCP (4-Bromo	Fluchloralin (0.01)	Prothiofos (0.01)	Flubendiamide(0.01)
2-Chlorophenol)(0.01)	Flucythrinate (0.01)	Pyraclofos (0.01)	Flufenacet(0.01)
Benalaxyl(0.01)	Fludioxonil (0.01)	Pyrazophos (0.01)	Flufenoxuron(0.01)
Benalaxyl-M(0.01)	flumetralin(0.01)	Pyrethrin(0.01)	Flufenzin(0.01)
Benfluralin (0.01)	Fluopicolide (0.01)	Pyridaben (0.01)	Flumethrin(0.01)
Benomyl(0.01)	Fluquinconazole (0.01)	Pyridalyl (0.01)	Fluopyram(0.01)
Beta-Endosulfan (0.01)	Fluridone (0.01)	Pyridaphenthion (0.01)	Flusilazole(0.01)
Beta-HCH (0.01)	Flutolanil (0.01)	Pyrimethanil (0.01)	Fluxapyroxad(0.01)

Remarks

MRL-Maximum Residue Level as per Regulation (EC) No. 396/2005

LOQ-Limit of Quantification

MU-Measurement Uncertainty corresponding to a 95% confidence level and a coverage factor of 2

The results are related only to the samples submitted for analysis and should not be used for advertisements, evidence or litigation | The liability of the laboratory will be limited to a refund of the fees collected | This certificate shall not be reproduced except in full, without the written approval of the laboratory

FOR AND ON BEHALF OF

INTERFIELD LABORATORIES

ELDHOMON, U.Y.

Sr. ANALYST (CHEMISTRY)

AUTHORISED SIGNATORY 10-12-2021



No. KH 58069 / 2021

Bifenthrin (0.01)	Flutriafol (0.01)	Pyriproxyfen (0.01)	Forchlorfenuron(0.01)
Biphenyl (0.01)	Fluvalinate-tau (0.01)	Quinalphos (0.01)	Hexaconazole(0.01)
Bitertanol (0.01)	Folpet (0.01)	Quintozone (0.01)	Hexythiazox(0.01)
Boscalid (0.01)	Fonofos (0.01)	Quizalofop-ethyl (0.01)	Idosulfuron methyl(0.01)
Bromfenvinphos (0.01)	Formothion (0.01)	Resmethrin (0.01)	Imazalil(0.01)
Bromfenvinphos-methyl (0.01)	HCb (0.01)	S-421 (0.01)	Imazathapyr(0.01)
Bromophos methyl (0.01)	Heptachlor (0.01)	S-Metolachlor (0.01)	Imidacloprid(0.01)
Bromophos-ethyl (0.01)	HeptachlorEpoxide (0.01)	Sulfotep (0.01)	Indoxacarb(0.01)
Bromopropylate (0.01)	Hexazinone (0.01)	Sulprofos (0.01)	Iprovalicarb(0.01)
Bupirimate (0.01)	Iodofenfos (0.01)	Tebufenpyrad (0.01)	Isoprocarb(0.01)
Captafol (0.01)	Iprobenfos (0.01)	Tebupirimfos (0.01)	Isoprothialane(0.01)
Captan (0.01)	Iprodione (0.01)	Tecnazene (0.01)	Kresoxime methyl(0.01)
Carbophenothion (0.01)	Isazophos (0.01)	Tefluthrin (0.01)	Linuron(0.01)
Carfentrazone ethyl(0.01)	Isocarbophos (0.01)	Terbacil (0.01)	Lufenuron(0.01)
Chinmethionate (0.01)	Isodrin (0.01)	Terbufos (0.01)	Mandipropamid(0.01)
Chlorbenside(0.01)	Isopropalin (0.01)	Terbutylazine (0.01)	Mesosulfuron-ethyl(0.01)
Chlordane-trans isomer (0.01)	Isoproturon (0.01)	Tetrachloroaniline, 2,3,5,6- (0.01)	Metaflumizone(0.01)
Chlorfenapyr (0.01)	lambda-Cyhalothrin (0.01)	Tetrachlorvinphos (0.01)	Metconazole(0.01)
Chlorfenson (0.01)	Lenacil (0.01)	Tetraconazole (0.01)	Methamidophos(0.01)
Chlorfenvinphos (0.01)	Leptophos (0.01)	Tetradifon (0.01)	Methiocarb(0.01)
chlormephos(0.01)	Lindane(gama HCH)(0.01)	Tetrahydrophthalimide (0.01)	Methomyl(0.01)
Chlorobenzilate (0.01)	Malaoxon (0.01)	Tetramethrin (0.01)	Methoxyfenozide(0.01)
Chloroneb (0.01)	Malathion (0.01)	tetrasul(0.01)	Avermectin b1b(0.01)
Chlorpropham (0.01)	mecarbam(0.01)	Thenylchlor (0.01)	Metrofenone(0.01)
Chlorpyrifos (0.01)	Mefenacet(0.01)	Thiometon (0.01)	Monocrotophos(0.01)
Chlorpyrifos-methyl (0.01)	Metalaxyl(0.01)	Tolclofos-methyl (0.01)	Neristoxin(0.01)
Chlorthal-dimethyl (0.01)	Metalaxyl M (0.01)	Tolfenpyrad (0.01)	Nitenpyram(0.01)
Chlorthalonil (0.01)	Metazachlor (0.01)	Tolylfluanid (0.01)	Novaluron(0.01)
Chlorthiophos (0.01)	Methacrifos (0.01)	Transfluthrin (0.01)	Omethoate(0.01)
Chlozolinate (0.01)	Methidathion(0.01)	Triadimefon (0.01)	Oxamyl(0.01)
cis-Chlordane (0.01)	Methoxychlor (0.01)	Triadimenol (0.01)	Oxycarboxin(0.01)
Clomazone (0.01)	MethylParaaxon (0.01)	Tri-allate (0.01)	Oxydemeton-methyl(0.01)
Coumaphos (0.01)	MethylParathion (0.01)	Triazophos (0.01)	Pencycuron(0.01)
Cyanofenphos(0.01)	Metolachlor(0.01)	trichloronat(0.01)	phosphamidon(0.01)
cyanophos(0.01)	Metribuzin(0.01)	Triflurizole (0.01)	Pirimiphos-methyl (0.01)
Cycloate (0.01)	Mevinphos (0.01)	Trifluralin (0.01)	Prometryn(0.01)
Cyfluthrin (0.01)	MGK 264 (0.01)	Vinclozolin (0.01)	propamocarb(0.01)
cymoxanil(0.01)	Mirex (0.01)	3-hydroxycarbofuran(0.01)	Propiquizafop(0.01)
Cypermethrin (0.01)	Myclobutanil (0.01)	Acephate(0.01)	Propoxur(0.01)
Cyprodinil (0.01)	Nitralin (0.01)	Acetamidiprid(0.01)	Pymetrozine(0.01)
DEET (Diethyl-m-toluamide, N,N-)(0.01)	Nitrobenzene(0.01)	Afidopyropen(0.01)	Pyraclostrobin(0.01)
delta-HCH (0.01)	Nitrofen (0.01)	Aldicarb (0.01)	Saflufenazil(0.01)
Deltamethrin (0.01)	Nonachlor, cis- (0.01)	Aldicarb sulfone(0.01)	Simazine(0.01)
Diallate (0.01)	Nonachlor, trans- (0.01)	Aldicarb sulfoxide(0.01)	Spinetoram A(0.01)
Diazinon (0.01)	Norflurazon (0.01)	Ametocradin(0.01)	Spinetoram B(0.01)
Dichlofenthion(0.01)	o,p'-DDT (0.01)	Atrazine(0.01)	Spinosyn A(0.01)
Dichlofluanid (0.01)	op-DDD (0.01)	Avermectin b1a(0.01)	Spinosyn d(0.01)
Dichloroaniline, 3,4'- (0.01)	op-DDE (0.01)	Azoxystrobin(0.01)	Spirodiclofen(0.01)
Dichlorvos (0.01)	op-Dicofol (0.01)	Bendiocarb(0.01)	Spiromesifen(0.01)
Diclobenil (0.01)	o-Phenylphenol (0.01)	Benfuracarb(0.01)	Spirotetramat(0.01)
Diclofop-methyl (0.01)	Oxadiazon (0.01)	Bifenazate(0.01)	sulfoxaflor(0.01)
Dicloran (0.01)	Oxyfluorfen (0.01)	Buprofezin(0.01)	Tebuconazole(0.01)
Dieldrin (0.01)	Paclobutrazol (0.01)	Butachlor(0.01)	Tebufenzoid(0.01)
Diflufenican(0.01)	Paraaxon ethyl(0.01)	Capropamid(0.01)	Temephos(0.01)
Dimethachlor (0.01)	Parathion (0.01)	Carbaryl(0.01)	Thiabendazole(0.01)
Dioxathion(0.01)	Pebulate (0.01)	Carbendazim(0.01)	Thiacloprid(0.01)
Diphenamid (0.01)	Penconazole (0.01)	Carbofuran(0.01)	Thiamethoxam(0.01)
Diphenylamine (0.01)	Pendimethalin (0.01)	Carbosulfan(0.01)	Thiobencarb(0.01)
Disulfoton (0.01)	Pentachloroaniline (0.01)	Carboxin(0.01)	Thiocyclam Hydrogen Oxalate (0.01)
Disulfoton Sulfone(0.01)	Pentachloroanisole (0.01)	Chlorantranilipole(0.01)	Thiodicarb(0.01)
Disulfoton Sulfoxide(0.01)	Pentachlorobenzene (0.01)	chlorfluazuron(0.01)	Thiophanate-methyl(0.01)
Endosulfan ether (0.01)	Pentachlorobenzonitrile (0.01)	chlorimuron ethyl(0.01)	Trichlorfon(0.01)
EndosulfanSulfate (0.01)	Pentachlorothioanisole (0.01)	Chloroxuron(0.01)	Tricyclazole(0.01)
Endrin (0.01)	Permethrin (0.01)	Clofentezine(0.01)	Tridemorph(0.01)
Endrin Ketone (0.01)	Phenothrin (0.01)	Clothianidin(0.01)	Trifloxystrobin(0.01)
EndrinAldehyde (0.01)	Phenthoate (0.01)	Cyantraniliprole(0.01)	Triforine(0.01)
EPN (0.01)	Phorate (0.01)	Cyazofamid(0.01)	Validamycin(0.01)
Epoxiconazole (0.01)	Phorate Oxon (0.01)	Cyflumetofen(0.01)	
	Phorate oxon sulfone (0.01)	Cyramazine(0.01)	

Remarks

MRL-Maximum Residue Level as perRegulation (EC) No. 396/2005
LOQ-Limit of Quantification
MU-Measurement Uncertainty corresponding to a 95% confidence level and a coverage factor of 2

The results are related only to the samples submitted for analysis and should not be used for advertisements, evidence or litigation | The liability of the laboratory will be limited to a refund of the fees collected | This certificate shall not be reproduced except in full, without the written approval of the laboratory

FOR AND ON BEHALF OF
INTERFIELD LABORATORIES

ELDHOMON, U.Y.
Sr. ANALYST (CHEMISTRY)
AUTHORISED SIGNATORY 10-12-2021



No. KH 58069 / 2021

Esfenvalerate (0.01)
Ethalfluralin (0.01)
Ethion (0.01)
Ethofenprox (0.01)
Ethoprophos (0.01)
Ethoxyquin (0.01)
Ethylan (0.01)
Etoxazole (0.01)

PhorateSulfone (0.01)
PhorateSulfoxide (0.01)
Phosalone (0.01)
Phosmet (0.01)
Phosmet Oxon (0.01)
Phthalimide (0.01)
Picoxystrobin (0.01)
Piperonyl butoxide (0.01)

Dazomet(0.01)
Demeton-s-Methylsulfone(0.01)
Dicrotophos(0.01)
Difenoconazole(0.01)
Difenthiuron(0.01)
Diflubenzuron(0.01)
Dimethoate(0.01)
Dimethomorph(0.01)

ORIGINAL

Remarks
MRL-Maximum Residue Level as per Regulation (EC)
No. 396/2005
LOQ-Limit of Quantification
MU-Measurement Uncertainty corresponding to a
95% confidence level and a coverage factor of 2

The results are related only to the samples submitted for analysis and should not be used for advertisements, evidence or litigation | The liability of the laboratory will be limited to a refund of the fees collected | This certificate shall not be reproduced except in full, without the written approval of the laboratory



FOR AND ON BEHALF OF
INTERFIELD LABORATORIES

[Signature]
Sr. ANALYST (CHEMISTRY)
AUTHORISED SIGNATORY 10-12-2021

ELDHOMON, U.Y.