



CUSTOMER NAME & ADDRESS	DATE OF ISSUE : 13-12-2021
<b>M/s. BASL INNOVATIONS PRIVATE LIMITED</b>	SAMPLE RECEIPT : 11-12-2021
BAIKAMPADI INDUSTRIAL ESTATE	SAMPLE CODE : KH/21/34189/C93290
BAIKAMPADY,	ANALYSIS STARTED : 11-12-2021
MANGALORE	ANALYSIS COMPLETED : 13-12-2021
KARNATAKA INDIA	

INFORMATION PROVIDED BY CUSTOMER	
SAMPLE NAME	: BASMATI PADDY (UNTREATED FROM - BHARAT INDUSTRIAL ENTERPRISES)

OTHER INFORMATION	
CONDITION OF SAMPLE	: RECEIVED IN GOOD CONDITION
SAMPLE SUBMITTED BY	: CUSTOMER

Sl. No.	PARAMETERS TESTED	UNIT OF MEASUREMENT	RESULTS	LIMIT OF QUANTIFICATION (LOQ)	MRL	TEST METHOD
1	PESTICIDES GCMSMS					
	1) Difenconazole	mg/kg	0.073	0.01	3	EN 15662 : 2018
	2) Cyhalothrin lambda	mg/kg	0.017	0.01	0.2	EN 15662 : 2018
	3) Propiconazole (sum of isomers)	mg/kg	0.016	0.01	0.01	EN 15662 : 2018
	4) Other Tested Pesticides.	mg/kg	Not Detected.	0.01	--	EN 15662 : 2018
2	PESTICIDES LCMSMS					
	1) Acephate	mg/kg	0.023	0.01	0.01	EN 15662 : 2018
	2) Azoxystrobin	mg/kg	0.785	0.01	5	EN 15662 : 2018
	3) Buprofezin	mg/kg	0.052	0.01	0.01	EN 15662 : 2018
	4) Clothianidin	mg/kg	0.060	0.01	0.5	EN 15662 : 2018
	5) Dinotefuran	mg/kg	0.021	0.01	8	EN 15662 : 2018
	6) Fenobucarb	mg/kg	0.020	0.01	--	EN 15662 : 2018
	7) Pyraclostrobin	mg/kg	0.033	0.01	0.09	EN 15662 : 2018
	8) Thiamethoxam	mg/kg	0.411	0.01	0.01	EN 15662 : 2018
	9) Thiophanate methyl	mg/kg	0.023	0.01	0.01	EN 15662 : 2018
	10) Tricyclazole	mg/kg	1.13	0.01	0.01	EN 15662 : 2018
	11) Trifloxystrobin	mg/kg	0.136	0.01	5	EN 15662 : 2018
	12) Tebuconazole	mg/kg	0.233	0.01	1.5	EN 15662 : 2018
	13) Other Tested Pesticides	mg/kg	Not Detected.	0.01	--	EN 15662 : 2018

**List of Screened molecules**

2,4,6 Trichlorophenol (0.01)	Etridiazole(0.01)	Pirimiphos-ethyl (0.01)	Dinotefuran(0.01)
2,4'-Methoxychlor (0.01)	Etrifos (0.01)	pp-DDD (0.01)	Dithianon(0.01)
2-4 Dichlorobenzophenone(0.01)	Fenamiphos (0.01)	pp-DDE (0.01)	Diuron(0.01)
4,4'-Dichlorobenzophenone (0.01)	Fenamiphos sulfone (0.01)	pp-DDT (0.01)	Dodine(0.01)
4,4'-Methoxychlor olefin (0.01)	Fenamiphos sulfoxide (0.01)	pp-Dicofol (0.01)	Edifenphos(0.01)
Acequinocyl (0.01)	Fenarimol (0.01)	Pretilachlor (0.01)	Emamectin benzoate(0.01)
Acetochlor (0.01)	Fenazaquin (0.01)	Prochloraz (0.01)	Ethiprole(0.01)
Acrinathrin (0.01)	Fenchlorphos (0.01)	Procymidone (0.01)	Famoxadone(0.01)
Alachlor (0.01)	Fenhexamid (0.01)	Prodiamine (0.01)	Fenamidone(0.01)
Aldrin (0.01)	Fenitrothion (0.01)	Profenofos (0.01)	Fenobucarb(0.01)
Allethrin-Bioallethrin (0.01)	Fenoxaprop-ethyl (0.01)	Profluralin (0.01)	Fenpyroximate(0.01)
Allidochlor (0.01)	Fenpropathrin (0.01)	Propachlor (0.01)	Fenthion(0.01)
Alpha-Endosulfan (0.01)	Fenson (0.01)	Propanil (0.01)	Fenthion oxone(0.01)
Alpha-HCH (0.01)	Fensulfthion(0.01)	Propargite (0.01)	Fenthion sulfone(0.01)
Amitraz (0.01)	Fenvalerate (0.01)	Propetamphos (0.01)	Fenthion sulfoxide(0.01)
Anthraquinone (0.01)	Fipronil (0.01)	Propiconazole (0.01)	Flonicamid(0.01)
Azinophos-methyl (0.01)	Fipronil Sulfone (0.01)	Propisochlor (0.01)	Florchlorfenuron(0.01)
Azinphos ethyl (0.01)	Fluazifop-p-butyl (0.01)	Propyzamide (0.01)	Flubendazol(0.01)
BCP (4-Bromo	Fluchloralin (0.01)	Prothiofos (0.01)	Flubendazol(0.01)
2-Chlorophenol)(0.01)	Flucythrinate (0.01)	Pyraclofos (0.01)	Flufenacet(0.01)
Benalaxyl(0.01)	Fludioxonil (0.01)	Pyrazophos (0.01)	Flufenoxuron(0.01)

**Remarks**

MRL-Maximum Residue Level as per Regulation (EC) No. 396/2005  
 LOQ-Limit of Quantification  
 MU-Measurement Uncertainty corresponding to a 95% confidence level and a coverage factor of 2

The results are related only to the samples submitted for analysis and should not be used for advertisements, evidence or litigation. The liability of the laboratory will be limited to a refund of the fees collected. This certificate shall not be reproduced except in full, without the written approval of the laboratory.

INTERFIELD LABORATORIES

ELDHOMON, U.Y.  
 Sr. ANALYST (CHEMISTRY)  
 13-12-2021





No. KH 58294 / 2021

Benalaxyl-M(0.01)	flumetralin(0.01)	Pyrethrin(0.01)	Flufenzin(0.01)
Benfluralin (0.01)	Fluopicolide (0.01)	Pyridaben (0.01)	Flumethrin(0.01)
Benomyl(0.01)	Fluquinconazole (0.01)	Pyridalyl (0.01)	Fluopyram(0.01)
Beta-Endosulfan (0.01)	Fluridone (0.01)	Pyridaphenthion (0.01)	Flusilazole(0.01)
Beta-HCH (0.01)	Flutolanil (0.01)	Pyrimethanil (0.01)	Fluxapyroxad(0.01)
Bifenthrin (0.01)	Flutriafol (0.01)	Pyriproxyfen (0.01)	Forchlorfenuron(0.01)
Biphenyl (0.01)	Fluvalinate-tau (0.01)	Quinalphos (0.01)	Hexaconazole(0.01)
Bitertanol (0.01)	Folpet (0.01)	Quintozone (0.01)	Hexythiazox(0.01)
Boscalid (0.01)	Fonofos (0.01)	Quizalofop-ethyl (0.01)	Idosulfuron methyl(0.01)
Bromfenvinphos (0.01)	Formothion (0.01)	Resmethrin (0.01)	Imazalil(0.01)
Bromfenvinphos-methyl (0.01)	HCB (0.01)	S-421 (0.01)	Imazathapyr(0.01)
Bromophos methyl (0.01)	Heptachlor (0.01)	S-Metolachlor (0.01)	Imidacloprid(0.01)
Bromophos-ethyl (0.01)	HeptachlorEpoxide (0.01)	Sulfotep (0.01)	Indoxacarb(0.01)
Bromopropylate (0.01)	Hexazinone (0.01)	Sulprofos (0.01)	Iprovalicarb(0.01)
Bupirimate (0.01)	Iodofenfos (0.01)	Tebufenpyrad (0.01)	Isoprocarb(0.01)
Captafol (0.01)	Iprobenfos (0.01)	Tebupirimfos(0.01)	Isoprothialane(0.01)
Captan (0.01)	Iprodione (0.01)	Tecnazene (0.01)	Kresoxime methyl(0.01)
Carbophenothion (0.01)	Isazophos (0.01)	Tefluthrin (0.01)	Linuron(0.01)
Carfentrazone ethyl(0.01)	Isocarbophos (0.01)	Terbacil (0.01)	Lufenuron(0.01)
Chinmethionate (0.01)	Isodrin (0.01)	Terbufos (0.01)	Mandipropamid(0.01)
Chlorbenside(0.01)	Isopropalin (0.01)	Terbutylazine (0.01)	Mesosulfuron-ethyl(0.01)
Chlordane-trans isomer (0.01)	Isoproturon (0.01)	Tetrachloroaniline, 2,3,5,6- (0.01)	Metaflumizone(0.01)
Chlorfenapyr (0.01)	lambda-Cyhalothrin (0.01)	Tetrachlorvinphos (0.01)	Metconazole(0.01)
Chlorfenson (0.01)	Lenacil (0.01)	Tetraconazole (0.01)	Methamidophos(0.01)
Chlorfenvinphos (0.01)	Leptophos (0.01)	Tetradifon (0.01)	Methiocarb(0.01)
chlormephos(0.01)	Lindane(gama HCH)(0.01)	Tetrahydrophthalimide (0.01)	Methomyl(0.01)
Chlorobenzilate (0.01)	Malaoxon (0.01)	Tetramethrin (0.01)	Methoxyfenozide(0.01)
Chloroneb (0.01)	Malathion (0.01)	tetrasul(0.01)	Avermectin b1b(0.01)
Chlorpropham (0.01)	mecarbam(0.01)	Thenylchlor (0.01)	Metrofenone(0.01)
Chlorpyrifos (0.01)	Mefenacet(0.01)	Thiometon (0.01)	Monocrotophos(0.01)
Chlorpyrifos-methyl (0.01)	Metalaxyl(0.01)	Tolclofos-methyl (0.01)	Neristoxin(0.01)
Chlorthal-dimethyl (0.01)	Metalaxyl M (0.01)	Tolfenpyrad (0.01)	Nitenpyram(0.01)
Chlorthalonil (0.01)	Metazachlor (0.01)	Tolyfluanid (0.01)	Novaluron(0.01)
Chlorthiophos (0.01)	Methacrifos (0.01)	Transfluthrin (0.01)	Omethoate(0.01)
Chlozolinate (0.01)	Methidathion(0.01)	Triadimefon (0.01)	Oxamyl(0.01)
cis-Chlordane (0.01)	Methoxychlor (0.01)	Triadimenol (0.01)	Oxycarboxin(0.01)
Clomazone (0.01)	MethylParaoxon (0.01)	Tri-allate (0.01)	Oxydemeton-methyl(0.01)
Coumaphos (0.01)	MethylParathion (0.01)	Triazophos (0.01)	Pencycuron(0.01)
Cyanofenphos(0.01)	Metolachlor(0.01)	trichloronat(0.01)	phosphamidon(0.01)
cyanophos(0.01)	Metribuzin(0.01)	Triflurazole (0.01)	Pirimiphos-methyl (0.01)
Cycloate (0.01)	Mevinphos (0.01)	Trifluralin (0.01)	Prometryn(0.01)
Cyfluthrin (0.01)	MGK 264 (0.01)	Vinclozolin (0.01)	propamocarb(0.01)
cymoxanil(0.01)	Mirex (0.01)	3-hydroxycarbofuran(0.01)	Propiquizafop(0.01)
Cypermethrin (0.01)	Myclobutanil (0.01)	Acephate(0.01)	Propoxur(0.01)
Cyprodinil (0.01)	Nitratin (0.01)	Acetamiprid(0.01)	Pymetrozine(0.01)
DEET (Diethyl-m-toluamide, N,N-)(0.01)	Nitrobenzene(0.01)	Afidopyropen(0.01)	Pyraclostrobin(0.01)
delta-HCH (0.01)	Nitrofen (0.01)	Aldicarb(0.01)	Saflufenazil(0.01)
Deltamethrin (0.01)	Nonachlor, cis- (0.01)	Aldicarb sulfone(0.01)	Simazine(0.01)
Diallate (0.01)	Nonachlor, trans- (0.01)	Aldicarb sulfoxide(0.01)	Spinetoram A(0.01)
Diazinon (0.01)	Norflurazon (0.01)	Ametoctradin(0.01)	Spinetoram B(0.01)
Dichlofenthion(0.01)	o,p'-DDT (0.01)	Atrazine(0.01)	Spinosyn A(0.01)
Dichlofluanid (0.01)	op-DDD (0.01)	Avermectin b1a(0.01)	Spinosyn d(0.01)
Dichloroniline, 3,4'- (0.01)	op-DDE (0.01)	Azoxystrobin(0.01)	Spirodiclofen(0.01)
Dichlorvos (0.01)	op-Dicofol (0.01)	Bendiocarb(0.01)	Spiromesifen(0.01)
Diclobenil (0.01)	o-Phenylphenol (0.01)	Benfuracarb(0.01)	Spirotetramet(0.01)
Diclofop-methyl (0.01)	Oxadiazon (0.01)	Bifenazate(0.01)	sulfoxaflor(0.01)
Dicloran (0.01)	Oxyfluorfen (0.01)	Buprofezin(0.01)	Tebuconazole(0.01)
Dieldrin (0.01)	Paclobutrazol (0.01)	Butachlor(0.01)	Tebufenzoid(0.01)
Diflufenican(0.01)	Paraoxon ethyl(0.01)	Capropamid(0.01)	Temephos(0.01)
Dimethachlor (0.01)	Parathion (0.01)	Carbaryl(0.01)	Thiabendazole(0.01)
Dioxathion(0.01)	Pebulate (0.01)	Carbendazim(0.01)	Thiacloprid(0.01)
Diphenamid (0.01)	Penconazole (0.01)	Carbofuran(0.01)	Thiamethoxam(0.01)
Diphenylamine (0.01)	Pendimethalin (0.01)	Carbosulfan(0.01)	Thiobencarb(0.01)
Disulfoton (0.01)	Pentachloroaniline (0.01)	Carboxin(0.01)	Thiocyclam Hydrogen Oxalate (0.01)
Disulfoton Sulfone(0.01)	Pentachloroanisole (0.01)	Chlorantranilipole(0.01)	Thiodicarb(0.01)
Disulfoton Sulfoxide(0.01)	Pentachlorobenzene (0.01)	chlorfluazuron(0.01)	Thiophanate methyl(0.01)
Endosulfan ether (0.01)	Pentachlorobenzonitrile (0.01)	chlorimuron ethyl(0.01)	Trichlorfon(0.01)
EndosulfanSulfate (0.01)	Pentachlorothioanisole (0.01)	Chloroxuron(0.01)	Tricyclazole(0.01)
	Permethrin (0.01)	Clofentezine(0.01)	

## Remarks

MRL-Maximum Residue Level as per Regulation (EC) No. 396/2005  
 LOQ-Limit of Quantification  
 MU-Measurement Uncertainty corresponding to a 95% confidence level and a coverage factor of 2

The results are related only to the samples submitted for analysis and should not be used for advertisements, evidence or litigation | The liability of the laboratory will be limited to a refund of the fees collected | This certificate shall not be reproduced except in full, without the written approval of the laboratory

FOR AND ON BEHALF OF  
INTERFIELD LABORATORIES

ELDHOMON, U.Y.  
 Sr. ANALYST (CHEMISTRY)  
 13-12-2021  
 AUTHORIZED SIGNATORY



## CERTIFICATE OF ANALYSIS | ORIGINAL

No. KH 58294 / 2021

Endrin (0.01)  
Endrin Ketone (0.01)  
EndrinAldehyde (0.01)  
EPN (0.01)  
Epoxiconazole (0.01)  
Esfenvalerate (0.01)  
Ethalfuralin (0.01)  
Ethion (0.01)  
Ethofenprox (0.01)  
Ethoprophos (0.01)  
Ethoxyquin (0.01)  
Ethylan (0.01)  
Etiozole (0.01)

Phenothrin (0.01)  
Phenthoate (0.01)  
Phorate (0.01)  
Phorate Oxon (0.01)  
Phorate oxon sulfone (0.01)  
PhorateSulfone (0.01)  
PhorateSulfoxide (0.01)  
Phosalone (0.01)  
Phosmet (0.01)  
Phosmet Oxon (0.01)  
Phthalimide (0.01)  
Picoxystrobin (0.01)  
Piperonyl butoxide (0.01)

Clothianidin(0.01)  
Cyantraniliprole(0.01)  
Cyazofamid(0.01)  
Cyflumetofen(0.01)  
Cyramazine(0.01)  
Dazomet(0.01)  
Demeton-s-Methylsulfone(0.01)  
Dicrotophos(0.01)  
Difenoconazole(0.01)  
Difenthiuron(0.01)  
Diflubenzuron(0.01)  
Dimethoate(0.01)  
Dimethomorph(0.01)

Tridemorph(0.01)  
Trifloxystrobin(0.01)  
Triforine(0.01)  
Validamycin(0.01)

\*\*\*\*\*

ORIGINAL

## Remarks

MRL-Maximum Residue Level as per Regulation (EC)  
No. 396/2005  
LOQ-Limit of Quantification  
MU-Measurement Uncertainty corresponding to a  
95% confidence level and a coverage factor of 2

The results are related only to the samples submitted  
for analysis and should not be used for  
advertisements, evidence or litigation | The liability  
of the laboratory will be limited to a refund of the  
fees collected | This certificate shall not be  
reproduced except in full, without the written  
approval of the laboratory



FOR AND ON BEHALF OF

INTERFIELD LABORATORIES

ELDHOMON, U.Y.  
Sr. ANALYST (CHEMISTRY)  
13-12-2021  
AUTHORISED SIGNATORY