PRACTITIONER PROTOCOL

Powder, Ombré & Combo Brows

Follow your state and local body-art rules and your pigment and numbing labels. Times are typical.

SCREEN
Intake cleared, photo ID (18+). Choose powder, ombré or combo together.

PATCH TEST
Offered 24 to 48 hours ahead, 7-day final check. Waiver if declined.

PRE-CARE SENT
No retinoids or acids 14 days, non-prescribed thinners 7 days, alcohol 48 hours.

SET UP FIRST

- ☐ BBP precautions, PPE on
- ☐ Barrier film on bed, lamp, machine
- ☐ Sharps container in reach
- ☐ Sealed single-use needle cartridge
- ☐ Pigment decanted to a single-use cup
- ☐ Brand, color, lot, expiry recorded
- ☐ Sterile gauze & saline eyewash
- ☐ Mirror, mapping tools, timer

#	STEP	TIME	HOW
1	**Consult & screen**	10–15 min	Confirm health changes. Assess skin type, hair, old PMU. Defer if needed.
2	**Consent & photos**	5 min	Consent signed. Photos front, both sides and 45°, even light.
3	**Mapping & approval**	20–30 min	Map shape and gradient. Client approves in a mirror and initials.
4	**Numbing**	20–30 min	Topical only as state rules and label allow. Record product, times.
5	**Pigment selection**	5 min	Match undertone and Fitzpatrick; brows heal cooler. Record lot.
6	**Prep**	2 min	Remove numbing, antiseptic prep. Check machine and cartridge.
7	**Shading**	60–90 min	Light, even, superficial passes to avoid blowout. Ombré: soft front, defined tail. Combo: strokes up front first.
8	**Wipe & assess**	Ongoing	Sterile gauze. Check symmetry, gradient, saturation from a distance.
9	**Secondary numbing**	If used	Only on opened skin, only if state rules and the label permit.
10	**After photos**	5 min	Client mirror check. Same angles and light as the before photos.
11	**Aftercare & touch-up**	5 min	Blot, thin balm, review sheet and card. Book touch-up at 6 to 10 weeks.

ENDPOINT AND SAFETY

- Soft, even saturation; stop before it looks solid
- Fitzpatrick IV–VI: lighter hand, scar risk
- Excess bleeding or swelling: pause, reassess
- Combo strokes heal softer, fade sooner

IF SOMETHING GOES WRONG

- Hives, wheezing or swelling: stop, remove product. Call 911 if breathing is affected.
- Fainting or dizziness: stop, lay the client flat, raise legs, monitor. 911 if slow to recover.
- Needlestick or blood exposure: follow your written exposure control plan.
- Heavy bleeding: stop, firm pressure with sterile gauze. End the session if it doesn't settle.
- Pigment or numbing in the eye: flush with saline; same-day eye care if irritation continues.
- Later spreading redness, pus or fever: refer the client to a physician.

Always write an incident report and check in with the client within 24 to 48 hours.

RECORD FOR THIS SESSION

Pigment · color	Lot · expiry	Needle config · settings	Numbing · times applied
Style · passes	**Bleeding · swelling**	**Retention notes**	**Touch-up date · initials**