

Lesson 2 - Quick Reference Card

□ HTTP Route Methods

```
// GET - Read data
Route::get('/users', function () { });

// POST - Create new
Route::post('/users', function () { });

// PUT - Full update
Route::put('/users/{id}', function ($id) { });

// PATCH - Partial update
Route::patch('/users/{id}', function ($id) { });

// DELETE - Delete
Route::delete('/users/{id}', function ($id) { });

// Multiple Methods
Route::match(['get', 'post'], '/form', function () { });
Route::any('/test', function () { });
```

□ Route Parameters

```
// Required
Route::get('/user/{id}', function ($id) { });

// Optional
Route::get('/user/{name?}', function ($name = 'Guest') { });

// With constraints
Route::get('/user/{id}', function ($id) { })
    ->where('id', '[0-9]+');

// Multiple constraints
Route::get('/user/{id}/{name}', function ($id, $name) { })
    ->where(['id' => '[0-9]+', 'name' => '[a-z]+']);
```

▣ Named Routes

```
// Definition
Route::get('/profile', function () { })
    ->name('profile');

// Usage in Blade
<a href="{{ route('profile') }}">Profile</a>
<a href="{{ route('user.show', ['id' => 1]) }}">User</a>

// Redirect
return redirect()->route('dashboard');
return redirect()->route('user.show', ['id' => $id]);
```

▣ Route Groups

```
// Prefix
Route::prefix('admin')->group(function () {
    Route::get('/users', function () { }); // /admin/users
});

// Middleware
Route::middleware(['auth'])->group(function () {
    Route::get('/dashboard', function () { });
});

// Name prefix
Route::name('admin.')->group(function () {
    Route::get('/dashboard', function () { })
        ->name('dashboard'); // admin.dashboard
});

// Combine all properties
Route::prefix('admin')
    ->middleware(['auth'])
    ->name('admin.')
    ->group(function () {
        Route::get('/dashboard', function () { })
    });
```

```
        ->name('dashboard');  
    });
```

□ Route Model Binding

```
use App\Models\User;  
  
// Implicit Binding  
Route::get('/user/{user}', function (User $user) {  
    return $user->name;  
});  
  
// With custom key  
Route::get('/post/{post:slug}', function (Post $post) {  
    return $post;  
});  
  
// In Model  
public function getRouteKeyName()  
{  
    return 'slug';  
}
```

↩ Redirects

```
// Simple  
return redirect('/new-page');  
  
// To named route  
return redirect()->route('dashboard');  
  
// Permanent (301)  
Route::redirect('/old', '/new', 301);  
  
// Back  
return back();  
  
// With data
```

```
return redirect()->route('home')
    ->with('success', 'Success!');
```

▣ Useful Commands

```
# Display all routes
php artisan route:list

# Specific routes
php artisan route:list --path=api

# Search by name
php artisan route:list --name=user

# With middleware
php artisan route:list --middleware=auth

# Detailed
php artisan route:list -v
```

▣ CRUD Routes Pattern

```
Route::get('/posts', [PostController::class, 'index'])->name('posts.index');
Route::get('/posts/create', [PostController::class,
'create'])->name('posts.create');
Route::post('/posts', [PostController::class, 'store'])->name('posts.store');
Route::get('/posts/{id}', [PostController::class, 'show'])->name('posts.show');
Route::get('/posts/{id}/edit', [PostController::class,
'edit'])->name('posts.edit');
Route::put('/posts/{id}', [PostController::class, 'update'])->name('posts.update');
Route::delete('/posts/{id}', [PostController::class,
'destroy'])->name('posts.destroy');
```

⚡ Global Constraints

In RouteServiceProvider.php:

```
public function boot(): void
{
    Route::pattern('id', '[0-9]+');
    Route::pattern('slug', '[a-z0-9-]+');
}
```

📌 Best Practices

📌 Use named routes 📌 Organize routes in groups 📌 Use Model Binding 📌 Add constraints to parameters 📌 Don't put logic in routes

📌 Quick Links

- [Main Lesson](#)
- [Next Lesson](#)