Application Programming Interface

Token-Based CSP Onboarding API

(API Version: 1.2)

CONFIDENTIAL

Prabhu Money Transfer Private Limited

Flat No. 207, 2nd Floor, Akashdeep Building, 26 A
Barakhamba Road, Connaught Place, New Delhi-110001, India
Phone: +91-11-47084942 /11-47084042 /11-43550035 /11-43553135
E-Mail: info@prabhumoneytransfer.co.in
Web: www.prabhumoneytransfer.co.in

NOTICE

Confidentiality

Prabhu Money Transfer Private Limited is the owner of this document and the information contained here is proprietary and confidential. This document is not to be disclosed except for the integration or on behalf of Prabhu Money Transfer Pvt Ltd. Based on the extent of the information provided, individuals with access to this information are required to sign a non-disclosure agreement.

Intellectual Property Rights

The contents of this document remain the intellectual property of Prabhu Money Transfer Private Limited. Unauthorized reproduction, viewing, or photocopying to any other party, in whole or in part, without the expressed written consent of Prabhu Money Transfer Pvt Ltd. is prohibited.

Trademarks

All trademarks mentioned herein are the property of Prabhu Money Transfer Private Limited.

CONFIDENTIAL

Document Revision History

Date	Create By	API Version	Change Summary
31 January 2024	Kamal Panthi	1.0	Creation of API Document
07 February 2024	Kamal Panthi	1.1	Reviewing and update the Static fields information
26 October 2024	Kamal Panthi	1.2	Change Base URL

CONFIDENTIAL

Table of Contents

1. Introduction 5
   1.1 API Definition 5
   1.2 Requirements 5
   1.3 Request API URL (Test Environment) 5
2. Process Flow 6
3. Token Generation API 8
4. E-KYA Initiate API 9
5. E-KYA Unique Ref Status 10
6. E-KYA Enrollment API 11
7. BioKYCRequery 13
8. CSP Onboarding API 14
9. Search CSP 19
10. Create CSP 20
11. CSP Mapping 25
12. Agent Consent Status 26
13. Send OTP 28

CONFIDENTIAL

1. Introduction

1.1 API Definition

An Application Programming Interface (API) is a mechanism that enables two software components to communicate with each other using a set of definitions and protocols. Prabhu Money Transfer Private Limited has developed an online Application Programming Interface (API) for partners to enroll in the CSP/Agent onboarding process through E-KYA.

1.2 Requirements

To provide web services/APIs for sending partner, which allows sending partner to request services online, the following are a few pre-conditions:

- Partner must have an internet connection at their server.
- Partner needs to be registered on the Prabhu system.
- Partner needs to provide a public static IP address to Prabhu.
- Partner needs to provide the landing page (static URL) which is required to redirect after the E-KYA enrolment initiation from the partner's end.
- Prabhu will provide their partner with the necessary login credentials and other details.
- Prabhu will provide a test environment to their Partner and test all possible cases before going into live/production.

1.3 Request API URL (Test Environment)

- **Base URL**: https://ekyc-sandbox.prabhuindia.com/testkya

- **Token Generation API**
  - Endpoint: /v1/auth/generatetoken

- **E-KYA Initiate API**
  - Endpoint: /v1/csp/Initiate

- **E-KYA Unique Ref Status**
  - Endpoint: /v1/csp/Uniquerefstatus

- **E-KYA Enrollment API**
  - Endpoint: /v1/csp/Enrollment

- **Bio-KYC Requery API**
  - Endpoint:/v1/csp/BioKYCRequery

- **Customer Onboarding API**
  - Endpoint: /v1/csp/onboarding

- **Search CSP**
  - Endpoint: /v1/csp/SearchCSP

CONFIDENTIAL

- **Create CSP**
  - Endpoint: /v1/csp/CreateCSP
- **CSP Mapping**
  - Endpoint: /v1/csp/CSPMapping
- **Agent Consent Status**
  - Endpoint: /v1/csp/AgentConsent
- **OTP Consent URL**
  - https://uid.rbl.bank.in/CustomerLogin/PPIAgentEkyc.aspx?ref=2DolbGEO4/Qe8Os111Jtig==

2. Process Flow



Note:

1. The Token will be generated which will be expired after mid-night (i.e., 00:00:00) or expired if API is not called for 25 minutes.
2. Partner must display redirected URL (*RBL Page) to the default browser where teller will type customer details and submit.
3. Partner needs to provide the landing page (static URL) which is required to redirect after the E-KYA enrolment initiation from the partner's end. Branch/CSP must have to click on the ok button on the RBL Page to get the status updated on **Uniquerefstatus** API.
4. Partner must have to call the **OTPConsentURL** at last once the **PANValidationStatus** has been update as **Success**.
5. Process Flow has been attached separately for further clarity.

CONFIDENTIAL

3. Token Generation API

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/auth/generatetoken
JSON Request

{
"UserName": "String",
"Password": "String"
}

JSON Response

{
"SessionTimeout": "datetime",
"AccessToken": "string",
"StatusCode": 0,
"ResponseMessage": "string"
}

Request Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
Username*	Body	String	50	Provided by Prabhu
Password*	Body	String	50	Provided by Prabhu
APIKey*	Header	String	50	Provided by Prabhu
AgentCode*	Header	String	25	Provided by Prabhu
Response Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
SessionTimeout	Response	Datetime		Idle session time is 25 Minutes
AccessToken	Response	String	100	Alphanumeric Value
StatusCode	Response	Number		1 – Success 0 – Failed
ResponseMessage	Response	String	100	Response Message of 'Failed' or 'Success'.

Note: Mandatory Fields on the request parameters are highlighted with (*).

4. E-KYA Initiate API

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/csp/Initiate
JSON Request

<pre>{
"PartnerUniqueRefNo": "String",
"BranchCode": 0
}</pre>

JSON Response

<pre>{
"Url": "string",
"StatusCode": 0,
"ResponseMessage": "string"
 	
}</pre>

Request Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
PartnerUniqueRefNo *	Body	String	50	Unique reference number for the request by Partner {**Prefix+XXXXXX**}
BranchCode*	Body	Number		Value of Branch Code response from **SearchCSP**
APIKey*	Header	String	50	Provided by Prabhu
AgentCode*	Header	String	25	Provided by Prabhu
AuthenticationToken*	Header	String	100	Value of '**Access Token'** responded from "**Token Generation API".**
RequestBy*	Header	Sting	50	Pass "**Username**" Provided by Prabhu
Response Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
URL	Response	String	500	Redirected to RBL Bank Page for Aadhaar Validation check.
StatusCode	Response	Number		1 – Success 0 – Failed
ResponseMessage	Response	String	100	Response Message of 'Failed' or 'Success'.

Note: Mandatory Fields on the request parameters are highlighted with (*).

CONFIDENTIAL

5. E-KYA Unique Ref Status

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/csp/Uniquerefstatus
JSON Request

{
"PartnerUniqueRefNo": "String",
"BranchCode": 0
}

JSON Response

{
"StatusCode": 0,
"ResponseMessage": "String"
}

Request Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
PartnerUniqueRefNo *	Body	String	50	Unique reference number for the request by Partner {**Prefix+XXXXXX**} Same as above API
BranchCode*	Body	Number		Value of Branch Code response from **SearchCSP**
APIKey*	Header	String	50	Provided by Prabhu
AgentCode*	Header	String	25	Provided by Prabhu
AuthenticationToken*	Header	String	100	Value of '**Access Token'** responded from "**Token Generation API".**
RequestBy*	Header	Sting	50	Pass "**Username**" Provided by Prabhu
Response Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
StatusCode	Response	Number		1 – Success 0 – Failed
ResponseMessage	Response	String	100	Response Message of 'Failed' or 'Success'.

Note: Mandatory Fields on the request parameters are highlighted with (*).

CONFIDENTIAL

6. E-KYA Enrollment API

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/csp/Enrollment
JSON Request

{
"EncryptedPid": "string",
"EncryptedHmac": "string",
"SessionKeyValue": "string",
"CertificateIdentifier": 0,
"RegisteredDeviceServiceId": "string",
"RegisteredDeviceServiceVersion": "string",
"RegisteredDeviceProviderId": "string",
"RegisteredDeviceCode": "string",
"RegisteredDeviceModelId": "string",
"RegisteredDevicePublicKey": "string",
"PartnerUniqueRefNo": "string",
"BranchCode": 0
}

JSON Response

{
"StatusCode": 0,
"ResponseMessage": "string"
}

Request Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
EncryptedPid*	Body	String	5000	**PID** generated from Device
EncryptedHmac*	Body	String	500	**HMAC** generated from Device
SessionKeyValue*	Body	String	1000	**S Key** from Device
CertificateIdentifier*	Body	Integer	8	**CI** from Device
RegisteredDeviceServiceId*	Body	String	100	**rdsid** returned by RD service using biometric
RegisteredDeviceServiceVersion *	Body	String	100	**Rdsver** returned by RD service using biometric
RegisteredDeviceProviderID*	Body	String	100	**Dpid** returned by RD service using biometric

CONFIDENTIAL

Request Fields				
RegisteredDeviceCode*	Body	String	100	**dc** returned by RD service using biometric
RegisteredDeviceModelID*	Body	String	100	**mi** value returned by RD service using biometric
RegisteredDevicePublicKey*	Body	String	5000	**mc** value returned by RD service using biometric
PartnerUniqueRefNo*	Body	String	50	Unique reference number for the request by Partner {**Prefix+XXXXXX**} Same as Above API.
BranchCode*	Body	Numbe r		Value of Branch Code response from **SearchCSP**
APIKey*	Header	String	50	Provided by Prabhu
AgentCode*	Header	String	25	Provided by Prabhu
AuthenticationToken*	Header	String	100	Value of '**Access Token'** responded from "**Token Generation API".**
RequestBy*	Header	Sting	50	Pass "**Username**" Provided by Prabhu
Response Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
StatusCode	Response	Numbe r		0 – Failure 1 – Success
ResponseMessage	Response	String	100	Response Message of 'Failure' or 'Success'

Note: Mandatory Fields on the request parameters are highlighted with (*).

CONFIDENTIAL

7. BioKYCRequery

Call the API only if you get the success response in Enrollment API. This is used to fix the error to Onboarding **ResponseMessage** as "**Aadhaarrefkey not generated**" on the onboarding API.

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/csp/BioKYCRequery
JSON Request

<pre>{
"PartnerUniqueRefNo": "String",
"BranchCode": 0
}</pre>

JSON Response

<pre>{
"status": 0,
"responsecode": "00",
"responsemessage": "String"
}</pre>

Request Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
PartnerUniqueRefNo*	Body	String	50	Unique reference number for the request by Partner {**Prefix+XXXXXX**} Same as Above API.
BranchCode*	Body	Number		Value of Branch Code response from **SearchCSP**
APIKey*	Header	String	50	Provided by Prabhu
AgentCode*	Header	String	25	Provided by Prabhu
AuthenticationToken*	Header	String	100	Value of '**Access Token**' responded from "**Token Generation API".**
RequestBy*	Header	Sting	50	Pass "**Username**" Provided by Prabhu
Response Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
status	Response	Number		0 – Failure 1 – Success
responsecode	Response	String	100	
responsemessage	Response	String		

CONFIDENTIAL

8. CSP Onboarding API

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/csp/onboarding

JSON Request


```
{
  "PartnerIDCode": "string",
  "FirstName": "string",
  "MiddleName": "string",
  "LastName": "string",
  "CompanyName": "string",
  "MobileNumber": 0,
  "LocalAddress": "string",
  "LocalArea": "string",
  "LocalCity": "string",
  "LocalDistrict": "string",
  "LocalState": "string",
  "LocalPinCode": 0,
  "Telephone": 0,
  "AlternateNumber": 0,
  "EmailId": "string",
  "DOB": "string",
  "PanCard": "string",
  "ShopAddress": "string",
  "ShopArea": "string",
  "ShopCity": "string",
  "ShopDistrict": "string",
  "ShopState": "string",
  "ShopPinCode": 0,
  "IFSCCode": "string",
  "AccountNumber": 0,
  "AgentAccountName": "string",
  "Gender": "string",
  "Category": "string",
  "FatherNameOrSpouseName": "string",
  "PhysicallyHandicapped": "string",
  "AlternateOccupationType": "string",
  "AlternateOccupationDescription": "string",
  "HighestuEdcationQualification": "string",
  "CorporateIndividualBC": "string",
  "OperatingHoursFrom": "string",
  "OperatingHoursTo": "string",
```


CONFIDENTIAL

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/csp/onboarding


```
  "Course": "string",
  "DateOfPassing": "string",
  "InstituteName": "string",
  "DeviceName": "string",
  "ConnectivityType": "string",
  "provider": "string",
  "EntityType": "string",
  "WeeklyOff": "string",
  "BankName": "string",
  "BranchName": "string",
  "ListOfOtherBanksTheCSPWorksWith": "string",
  "NatureOfBusiness": "string",
  "ExpectedAnnualTurnover": 0,
  "ExpectedAnnualIncome": 0,
  "PartnerUniqueRefNo": "string",
  "BranchCode": 0
}
```


JSON Response


```
{
  "StatusCode": 0,
  "ResponseMessage": "string"
  "OnboardingStatus": "string"
  "PANValidationStatus": "string"
  "ConsentURL": "string"
}
```


Request Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
PartnerIDCode*	Body	String	20	Your CSP Unique Identification Number
FirstName*	Body	String	50	First Name of CSP
MiddleName	Body	String	50	Middle Name of CSP
LastName	Body	String	50	Last Name of CSP
CompanyName*	Body	String	50	CSP shop/establishment name
MobileNumber*	Body	Number		CSP Mobile Number
LocalAddress*	Body	String	100	CSP Local Address
LocalArea*	Body	String	100	CSP Local Area
LocalCity*	Body	String	50	CSP Local City

CONFIDENTIAL

Request Fields				
LocalDistrict*	Body	String	50	CSP Local District
LocalState*	Body	String	50	CSP Local State
LocalPinCode*	Body	Number		CSP Local Pin Code
Telephone	Body	Number		CSP Telephone Number
AlternateNumber*	Body	Number		CSP Alternate Mobile Number
EmailId*	Body	String	50	CSP Email ID
DOB*	Body	String	10	CSP Date of Birth
PanCard*	Body	String	10	CSP PAN Card
ShopAddress*	Body	String	100	CSP Shop Address
SoapArea*	Body	String	100	CSP Shop Area
ShopCity*	Body	String	50	CSP Shop City
ShopDistrict*	Body	String	50	CSP Shop District
ShopState*	Body	String	50	CSP Shop State
ShopPinCode*	Body	Number		CSP Shop Pin Code
IFSCCode*	Body	String	50	CSP Bank IFSC Code
AccountNumber*	Body	Number	50	CSP Bank Account Number
AgentAccountName*	Body	String	50	CSP Bank Account Name
Gender*	Body	String	10	CSP Gender (**Male, Female or Other**)
Category*	Body	String	10	Describes the CSP category (**General, OBC, ST, or SC**)
FatherNameOrSpouseName*	Body	String	50	CSP father name or Spouse name
PhysicallyHandicapped*	Body	String	20	Describe the Physically Handicapped (**Handicapped or Not Handicapped**)
AlternateOccupationType*	Body	String	20	Describe the alternate CSP occupation (**Government, Self Employed, Public Sector, Private, Other or None**)
AlternateOccupationDescription	Body	String	20	Mandatory in case CSP mention other in alternate occupation type
HighestEducationQualification*	Body	String	15	Describes the highest education qualification of the CSP (**Under 10th, 10th, 12th, Graduate or Post Graduate**)
CorporateIndividualBC*	Body	String	15	Describes whether the CSP type (**Individual**)

CONFIDENTIAL

Request Fields				
OperatingHoursFrom*	Body	String	10	Describes the CSP shop opening hours. **Example: (09:00 AM)**
OperatingHoursTo*	Body	String	10	Describes the CSP shop closing hours. **Example: (06:00 PM)**
Course*	Body	String	20	Describes the CSP course (**IIBF Advance, IIBF Basic, Certified by Bank, or None**)
DateOfPassing*	Body	String	10	Describes the date of passing of the course (**Not applicable for none) Format (MM/DD/YYYY**)
InstituteName*	Body	String	50	Describes the institute name from where the CSP has done the course (**Not applicable for none**)
DeviceName*	Body	String	10	Describes the device name (**Laptop, or Handheld**)
ConnectivityType*	Body	String	10	Describe the CSP connectivity type (**Landline, Mobile, or VSAT**)
Provider*	Body	String	10	Describe the provider's name. **Example: Airtel, JIO**
EntityType*	Body	String	15	Describe the CSP entity (**Sole Proprietor / Individual**)
WeeklyOff*	Body	String	10	Describe the CSP week off.
BankName*	Body	String	50	Describe the CSP Bank name.
BranchName*	Body	String	50	Describe the CSP Bank Branch name.
ListOfOtherBanksTheCSPWorksWith*	Body	String	50	Describe the CSP lists of banks working with. (**NA if not available**)
NatureOfBusiness*	Body	String	50	Describe the CSP nature of business (**Individual**)
ExpectedAnnualTurnover*	Body	Number		Expected annual turnover of CSP
ExpectedAnnualIncome*	Body	Number		Expected annual Income of CSP
PartnerUniqueRefNo*	Body	String	50	New Unique reference number for the request by Partner {**Prefix+XXXXXX**}
BranchCode*	Body	Number		Value of Branch Code response from **SearchCSP**
APIKey*	Header	String	50	Provided by Prabhu
AgentCode*	Header	String	25	Provided by Prabhu

CONFIDENTIAL

Request Fields				
AuthenticationToken*	Header	String	100	Value of '**Access Token**' responded from "**Token Generation API".**
RequestBy*	Header	Sting	50	Pass "**Username**" Provided by Prabhu
Response Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
StatusCode	Response	Number		1 – Success 0 – Failure
ResponseMessage	Response	String	100	Response Message of 'Failure' or 'Success'
OnboardingStatus	Response	String	20	Response Remarks - Pending - Failed - Success - Error
PANValidationStatus	Response	String	150	Response Remarks: - Success - Name not matched, Verification pending with OPS - The PAN validation is timed out, request you to reinitiate the request after sometime - The validation is failed as the PAN entered is Invalid, request you to reinitiate the request with Valid PAN
ConsentURL	Response	String	150	OTP Consent URL if got PAN Validation Status as Success

Note: Mandatory Fields on the request parameters are highlighted with (*).

Pass the same Value that you are getting in the response of the **SearchCSP** API. If you are getting a blank response in mandatory parameters then fill in the details and pass the request.

CONFIDENTIAL

9. Search CSP

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/csp/SearchCSP
JSON Request

{
"MobileNumber": 0
}

JSON Response

{
"StatusCode": 1,
"ResponseMessage": "Success",
"CSPDetail": [
{
}
]

Request Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
MobileNumber*	Body	Number		Mobile Number of CSP
APIKey*	Header	String	50	Provided by Prabhu
AgentCode*	Header	String	25	Provided by Prabhu
AuthenticationToken*	Header	String	100	Value of '**Access Token'** responded from **"Token Generation API".**
RequestBy*	Header	Sting	50	Pass "**Username**" Provided by Prabhu
Response Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
StatusCode	Response	Number		1 – Success 0 – Failure
ResponseMessage	Response	String	100	Response Message of 'Failure' or 'Success'
CSPDetail	Response			Details of the CSP List

Note: Mandatory Fields on the request parameters are highlighted with (*).

CONFIDENTIAL

10. Create CSP

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/csp/CreateCSP

JSON Request


```
{
  "IsOwnBranch": "string",
  "GSTIN": "string",
  "IsMainBranch": "string",
  "OTPProcessId": "string",
  "OTP": "string",
  "PartnerIDCode": "string",
  "Firstname": "string",
  "Middlename": "string",
  "Lastname": "string",
  "Companyname": "string",
  "Mobilenumber": 0,
  "Localaddress": "string",
  "Localarea": "string",
  "Localcity": "string",
  "Localdistrict": "string",
  "Localstate": "string",
  "Localpincode": 0,
  "Telephone": 0,
  "Alternatenumber": 0,
  "Emailid": "string",
  "Dob": "string",
  "Pancard": "string",
  "Shopaddress": "string",
  "Shoparea": "string",
  "Shopcity": "string",
  "Shopdistrict": "string",
  "Shopstate": "string",
  "Shoppincode": 0,
  "Ifsccode": "string",
  "Accountnumber": 0,
  "Agentaccountname": "string",
  "Gender": "string",
  "Category": "string",
  "Fathernameorspousename": "string",
  "Physicallyhandicapped": "string",
  "Alternateoccupationtype": "string",
  "Alternateoccupationdescription": "string",
  "Highesteducationqualification": "string",
```


CONFIDENTIAL

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/csp/CreateCSP

{ "CorporateindividualBC": "string",
"Operatinghoursfrom": "string",
"Operatinghoursto": "string",
"Course": "string",
"Dateofpassing": "string",
"Institutename": "string",
"Devicename": "string",
"Connectivitytype": "string",
"Provider": "string",
"Entitytype": "string",
"Weeklyoff": "string",
"Bankname": "string",
"Branchname": "string",
"ListofotherbankstheCSPworkswith": "string",
"Natureofbusiness": "string",
"Expectedannualturnover": 0,
"Expectedannualincome": 0 }

JSON Response

{ "StatusCode": 0,
"ResponseMessage": "string"
"BranchCode": 0,
"EKYAStatus": "Unverified"
"OnboardingStatus": "Pending"
"PANValidationStatus": "Pending"
" OTPConsentStatus": "Pending" }

Request Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
IsOwnBranch*	Body	String	5	"**N**" for all
GSTIN	Body	String	60	GST Number of CSP
IsMainBranch*	Body	String	5	"**N**" if all
OTPProcessId*	Body	String	20	Response from **SendOTP**
OTP*	Body	Number		OTP Receive on CSP Mobile Number
PartnerIDCode*	Body	String	20	Your CSP Unique Identification Number
FirstName*	Body	String	50	First Name of CSP

CONFIDENTIAL

Request Fields				
MiddleName	Body	String	50	Middle Name of CSP
LastName	Body	String	50	Last Name of CSP
CompanyName*	Body	String	50	CSP shop/establishment name
MobileNumber*	Body	Number		CSP Mobile Number
LocalAddress*	Body	String	100	CSP Local Address
LocalArea*	Body	String	100	CSP Local Area
LocalCity*	Body	String	50	CSP Local City
LocalDistrict*	Body	String	50	CSP Local District (Get District list from **GetStateDistrict** method in **SendAPI** Docs)
LocalState*	Body	String	50	CSP Local State (Get State list from **GetStateDistrict** method in **SendAPI** Docs)
LocalPinCode*	Body	Number		CSP Local Pin Code
Telephone	Body	Number		CSP Telephone Number
AlternateNumber*	Body	Number		CSP Alternate Mobile Number
EmailId*	Body	String	50	CSP Email ID
DOB*	Body	String	10	CSP Date of Birth (**MM/DD/YYYY**)
PanCard*	Body	String	10	CSP PAN Card
ShopAddress*	Body	String	100	CSP Shop Address
SoapArea*	Body	String	100	CSP Shop Area
ShopCity*	Body	String	50	CSP Shop City
ShopDistrict*	Body	String	50	CSP Shop District (Get District list from **GetStateDistrict** method in **SendAPI** Docs)
ShopState*	Body	String	50	CSP Shop State (Get State list from **GetStateDistrict** method in **SendAPI** Docs)
ShopPinCode*	Body	Number		CSP Shop Pin Code
IFSCCode*	Body	String	50	CSP Bank IFSC Code
AccountNumber*	Body	Number	50	CSP Bank Account Number
AgentAccountName*	Body	String	50	CSP Bank Account Name
Gender*	Body	String	10	CSP Gender (**Male, Female or Other**)

CONFIDENTIAL

Request Fields				
Category*	Body	String	10	Describes the CSP category (**General, OBC, ST, or SC**)
FatherNameOrSpouseName*	Body	String	50	CSP father name or Spouse name
PhysicallyHandicapped*	Body	String	20	Describe the Physically Handicapped (**Handicapped or Not Handicapped**)
AlternateOccupationType*	Body	String	20	Describe the alternate CSP occupation (**Government, Self Employed, Public Sector, Private, Other or None**)
AlternateOccupationDescription	Body	String	20	Mandatory in case CSP mention other in alternate occupation type
HighestEducationQualification*	Body	String	15	Describes the highest education qualification of the CSP (**Under 10th, 10th, 12th, Graduate or Post Graduate**)
CorporateIndividualBC*	Body	String	15	Describes whether the CSP type (**Individual**)
OperatingHoursFrom*	Body	String	10	Describes the CSP shop opening hours. **Example: (09:00 AM)**
OperatingHoursTo*	Body	String	10	Describes the CSP shop closing hours. **Example: (06:00 PM)**
Course*	Body	String	20	Describes the CSP course (**IIBF Advance, IIBF Basic, Certified by Bank, or None**)
DateOfPassing*	Body	String	10	Describes the date of passing of the course (**Not applicable for none) Format (MM/DD/YYYY**)
InstituteName*	Body	String	50	Describes the institute name from where the CSP has done the course (**Not applicable for none**)
DeviceName*	Body	String	10	Describes the device name (**Laptop, or Handheld**)
ConnectivityType*	Body	String	10	Describe the CSP connectivity type (**Landline, Mobile, or VSAT**)
Provider*	Body	String	10	Describe the provider's name. **Example: Airtel, JIO**

CONFIDENTIAL

Request Fields				
EntityType*	Body	String	15	Describe the CSP entity (**Sole Proprietor / Individual**)
WeeklyOff*	Body	String	10	Describe the CSP week off. (**Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday or None**)
BankName*	Body	String	50	Describe the CSP Bank name.
BranchName*	Body	String	50	Describe the CSP Bank Branch name.
ListOfOtherBanksTheCSPWorksWith *	Body	String	50	Describe the CSP lists of banks working with. (**NA if not available**)
NatureOfBusiness*	Body	String	50	Describe the CSP nature of business (**Individual**)
ExpectedAnnualTurnover*	Body	Number		Expected annual turnover of CSP
ExpectedAnnualIncome*	Body	Number		Expected annual Income of CSP
APIKey*	Header	String	50	Provided by Prabhu
AgentCode*	Header	String	25	Provided by Prabhu
AuthenticationToken*	Header	String	100	Value of '**Access Token**' responded from "**Token Generation API**".
RequestBy*	Header	Sting	50	Pass "**Username**" Provided by Prabhu
Response Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
StatusCode	Response	Number		1 – Success 0 – Failure
ResponseMessage	Response	String	100	Response Message of 'Failure' or 'Success'
BranchCode	Response	Number		
EKYAStatus	Response	String	10	Unverified on the initial phase
OnboardingStatus	Response	String	10	Pending on the Initial Phase
PANValidationStatus	Response	String	10	Pending on the Initial Phase
OTPConsentStatus	Response	String	10	Pending on the Initial Phase

Note: Mandatory Fields on the request parameters are highlighted with (*).

CONFIDENTIAL

11. CSP Mapping

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/csp/CSPMapping
JSON Request

{
"PartnerIDCode": 0,
"BranchCode": 0
"MobileNumber": 0,
"PanCard":"String"
}

JSON Response

{
"StatusCode": 0,
"ResponseMessage": "string"
}

Request Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
PartnerIDCode*	Body	String	20	Your CSP Unique Identification Number
BranchCode*	Body	Number		Value of Branch Code response from **SearchCSP**
MobileNumber*	Body	Number		Mobile Number of CSP
PanCard*	Body	String	10	PAN Card of CSP
APIKey*	Header	String	50	Provided by Prabhu
AgentCode*	Header	String	25	Provided by Prabhu
AuthenticationToken*	Header	String	100	Value of '**Access Token**' responded from "**Token Generation API**".
RequestBy*	Header	Sting	50	Pass "**Username**" Provided by Prabhu
Response Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
StatusCode	Response	Number		0 – Failure 1 – Success or Already Mapped
ResponseMessage	Response	String	100	Response Message of 'Failure'', Success', or 'Already Mapped'

CONFIDENTIAL

12. Agent Consent Status

Endpoint: https://ekyc-sandbox.prabhuindia.com/testkya/v1/csp/AgentConsent
JSON Request

{
"MobileNumber": 0,
"BranchCode": 0
}

JSON Response

{
"StatusCode": 0,
"ResponseMessage": "string",
"BankApprovalStatus": "string",
"PANValidationStatus": "string",
"Remarks": "string"
}

Request Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
MobileNumber*	Body	Number		Mobile Number of CSP
BranchCode*	Body	Number		Value of Branch Code response from **SearchCSP**
APIKey*	Header	String	50	Provided by Prabhu
AgentCode*	Header	String	25	Provided by Prabhu
AuthenticationToken*	Header	String	100	Value of '**Access Token**' responded from "**Token Generation API".**
RequestBy*	Header	Sting	50	Pass "**Username**" Provided by Prabhu
Response Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
StatusCode	Response	Number		0 – Failure 1 – Success
ResponseMessage	Response	String	100	Response Message of 'Failure' or 'Success'
BankApprovalStatus	Response	String		Response Remarks

CONFIDENTIAL

Request Fields				
				- Pending - On Process - Details Required - Hold - Validation Completed - Document Uploaded - Approved - Rejected - Blocked - CP APPROVED LIST - Re-Upload - Bank Maker verified
PANValidationStatus	Response	String		Response Remarks - Success - Name not matched
Remarks	Response	String		Response Remarks - Agent(eKYC) - Verification pending with OPS - OTP consent pending - Approved by RBLOPS - Rejected by RBL OPS Team. Kindly upload documents manually

Note: Mandatory Fields on the request parameters are highlighted with (*).

CONFIDENTIAL

13. Send OTP

WSDL: https://sandbox.prabhuindia.com/Api/Send.svc?wsdl

XML Request

```
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:tem="http://tempuri.org/"
xmlns:rem="http://schemas.datacontract.org/2004/07/Remit.API">
  <soapenv:Header/>
  <soapenv:Body>
    <tem:SendOTP>
      <tem:SendOTPRequest>
        <rem:UserName>?</rem:UserName>
        <rem:Password?</rem:Password>
        <rem:Operation>?</rem:Operation>
        <rem:Mobile>?</rem:Mobile >
        <rem:CSPMobile>?</rem:CSPMobile >
        <rem:CSPName>?</rem:CSPMobile >
      </tem:SendOTPRequest>
    </tem:SendOTP>
  </soapenv:Body>
</soapenv:Envelope>
```

XML Response

```
<s:Envelope
xmlns:s="http://schemas.xmlsoap.org/soap/envel
ope/">
  <s:Body>
    <SendOTPResponse
xmlns="http://tempuri.org/">
      <SendOTPResult
xmlns:a="http://schemas.datacontract.org/2004/0
7/Remit.API"
xmlns:i="http://www.w3.org/2001/XMLSchema
instance">
        <a:Code>?</a:Code>
        <a:Message>?</a:Message>
        <a:ProcessId>?</a:ProcessId>
      </SendOTPResult>
    </SendOTPResponse>
  </s:Body>
</s:Envelope>
```

CONFIDENTIAL

Request Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
UserName*	Body	String	20	Provided by Prabhu
Password*	Body	String	20	Provided by Prabhu
Operation*	Body	String	10	Pass "**CreateCSP**"
CSPMobile*	Body	Number		Mobile Number of CSP
CSPName*	Body	String	50	Name of CSP
Content-Type	Header	String	20	application/xml
SOAPAction	Header	String	35	http://tempuri.org/ISend/SendOTP
Response Fields				
Field Name	**Parameter Type**	**Data Type**	**Length**	**Description**
Code	Response	Number		- Success '000' - For others, check the Message
Message	Response	String	100	- Success if Success, - Else Error Description
ProcessId	Response	String	40	Value will only returned on Success

CONFIDENTIAL