

Question 1:

$$T(n) = 3T\left(\frac{n}{4}\right) + 4n$$

Substitute once ($n_1 = \frac{n}{4}$)

$$T(n) = 3\left[3T\left(\frac{n}{16}\right) + 4\left(\frac{n}{4}\right)\right] + 4n = 3^2 T\left(\frac{n}{16}\right) + 3n + 4n$$

Substitute again ($n_2 = \frac{n}{16}$)

$$T(n) = 3^2 \left[3T\left(\frac{n}{64}\right) + 4\left(\frac{n}{16}\right)\right] + 7n = 3^3 T\left(\frac{n}{64}\right) + 3^2 \frac{4n}{16} + 7n$$

$$3^2 \cdot \frac{4n}{16} = 9 \cdot \frac{n}{4} = \frac{9n}{4}$$

$$\hookrightarrow T(n) = 3^3 T\left(\frac{n}{64}\right) + \frac{9n}{4} + 7n$$

After k substitutions

$$T(n) = 3^k T\left(\frac{n}{4^k}\right) + 4n \sum_{i=0}^{k-1} \left(\frac{3}{4}\right)^i$$

$$4^k = n \Rightarrow k = \log_4 n$$

$$\hookrightarrow T(n) = 3^{\log_4 n} T(1) + 4n \sum_{i=0}^{\log_4 n - 1} \left(\frac{3}{4}\right)^i$$

$$\sum_{i=0}^{k-1} \left(\frac{3}{4}\right)^i = 4 \left[1 - \left(\frac{3}{4}\right)^{\log_4 n}\right]$$

$$\begin{aligned} \hookrightarrow T(n) &= n^{\log_4 3} T(1) + 16n - 16n^{\log_4 3} \\ &= 16n + (T(1) - 16)n^{\log_4 3} \end{aligned}$$

$$\log_4 3 = 0.79 < 1$$

$$T(n) = \Theta(n)$$

Master Theorem

$$T(n) = aT\left(\frac{n}{b}\right) + f(n)$$

$$a = 3$$

$$b = 4$$

$$f(n) = 4n$$

$$n^{\log_4 3} = O(n)$$

$$\left. \begin{array}{l} f(n) = 4n = \Theta(n) \\ n^{\log_4 3} = \Theta(n^{0.792}) \end{array} \right\} f(n) = \Omega(n^{\log_4 3})$$

$$af\left(\frac{n}{b}\right) \leq cf(n)$$

$$af\left(\frac{n}{b}\right) = 3 \cdot 4\left(\frac{n}{4}\right) = 3n$$

$$3n \leq c(4n)$$

$$T(n) = \Theta(f(n)) = \Theta(n)$$

$T(n) = 16n + (T(1) - 16)n^{\log_4 3}, \text{ so } T(n) = \Theta(n)$

Question 2

2.)

$$(a) T(n) = 3T\left(\frac{n}{5}\right) + n^2$$

$$a = 3$$

$$b = 5$$

$$f(n) = n^2$$

$$\log_5 3 \approx 0.68$$

$$f(n) = n^2 \text{ and } 2 > 0.68$$

↳ case 3 applies

$$T(n) = \Theta(n^2)$$

$$(b) T(n) = 4T\left(\frac{n}{3}\right) + 7n$$

$$a = 4$$

$$\log_3 4 \approx 1.26$$

$$b = 3$$

$$f(n) = O(n^1) \text{ and } 1 < 1.26$$

$$f(n) = 7n \text{ } \rightarrow \text{case 1 applies}$$

$$T(n) = \Theta(n^{1.26})$$

$$(c) T(n) = 5T\left(\frac{n}{4}\right) + 10$$

$$a = 5$$

$$\log_4 5 \approx 1.16$$

$$b = 4$$

$$f(n) = O(1) \text{ and } 0 < 1.16$$

$$f(n) = O(1) \text{ } \rightarrow \text{case 1 applies}$$

$$T(n) = \Theta(n^{1.16})$$

$$(d) T(n) = 9T\left(\frac{n}{3}\right) + n^4$$

$$a = 9$$

$$\log_3 9 = 2$$

$$b = 3$$

$$f(n) = n^4 \text{ and } 4 > 2$$

$$f(n) = n^4$$

↳ case 3 applies

$$T(n) = \Theta(n^4)$$

Case 1: If $f(n) = O(n^c)$ with $c < \log_b a$, then $T(n) = \Theta(n^{\log_b a})$

Case 2: If $f(n) = \Theta(n^c)$ with $c = \log_b a$, then $T(n) = \Theta(n^c \log n)$

Case 3: If $f(n) = \Omega(n^c)$ with $c > \log_b a$, then $T(n) = \Theta(f(n))$

$$c) T(n) = 6T\left(\frac{n}{8}\right) + n^3$$

$$a = 6$$

$$\log_8 6 = 0.9$$

$$b = 8$$

$$f(n) = n^3$$

$$f(n) = n^3 \text{ and } 3 > 0.9$$

↳ case 3 applies

$$T(n) = \Theta(n^3)$$

Question 3

Group by last letter in alphabetical order:

- A: VEA
- B: JOB
- D: USD, DOD, CAD (*order preserved*)
- E: VEE
- G: FIG, PIG, DOG
- L: COL, LOL, TSL
- N: SUN
- P: CAP
- R: CAR
- S: VIS
- T: RAT
- W: ROW, WOW, LOW
- X: COX, LOX
- Y: JPY

After Pass 1, the list becomes:

VEA, JOB, USD, DOD, CAD, VEE, FIG, PIG, DOG, COL, LOL, TSL, SUN, CAP, CAR, VIS, RAT, ROW, WOW, LOW, COX, LOX, JPY

Sort by the Middle Character

- A: CAD, CAP, CAR, RAT
(*Order from Pass 1: CAD (5th), CAP (14th), CAR (15th), RAT (17th)*)

- E: VEA, VEE
- I: FIG, PIG, VIS
- O: JOB, DOD, DOG, COL, LOL, ROW, WOW, LOW, COX, LOX
- P: JPY
- S: USD, TSL
- U: SUN

After Pass 2, the list becomes:

CAD, CAP, CAR, RAT, VEA, VEE, FIG, PIG, VIS, JOB, DOD, DOG, COL, LOL, ROW, WOW, LOW, COX, LOX, JPY, USD, TSL, SUN

Pass 3: Sort by the First Character

- C: CAD, CAP, CAR, COL, COX
- D: DOD, DOG
- F: FIG
- J: JOB, JPY
- L: LOL, LOW, LOX
- P: PIG
- R: RAT, ROW
- S: SUN
- T: TSL
- U: USD
- V: VEA, VEE, VIS
- W: WOW

After Pass 3, the list becomes:

CAD, CAP, CAR, COL, COX, DOD, DOG, FIG, JOB, JPY, LOL, LOW, LOX, PIG, RAT, ROW, SUN, TSL, USD, VEA, VEE, VIS, WOW

Question 7:

RadixSorting Algorithm Analysis

- Time Complexity: $O(M(N + K))$
 - N = number of elements in an array
 - M = maximum length of an element/maximum number of digits or characters
 - K = range of characters
 - Radix sort processes M passes, and each pass uses counting sort which takes $O(N + K)$ time.

- Space Complexity: $O(N + K)$
 - Where N is the number of elements in the input array and K is the range of digits/characters. It requires extra storage for the output array and counting array.

WordPattern Algorithm Analysis

- Time Complexity: $O(n)$
 - The function splits the string s into an array, which takes $O(n)$ where n is the length of s .
- Space Complexity: $O(n)$
 - The split words array takes up $O(n)$ space, where n is the length of the pattern. Two hashmaps store character-word pairs, which require up to $O(n)$ (where n is the length of pattern) space each in the worst case.