

TRELLIS MVP DATA MODEL

Parent tables are above the records they own or produce.

CORE UNIQUE RULES

users.email; websites(user_id, url); keywords(analysis_run_id, phrase);

reports.analysis_run_id; organizer_items.suggestion_id


CORE ENUMS

acceptance_status: pending / accepted / dismissed

stage: backlog / in_production / in_review / published

CARDINALITY: 1 = exactly one 0..1 = optional one 0..* = zero or many

PK = primary key FK = foreign key UQ = unique



TRELLIS MVP RELATIONSHIP REFERENCE

Use these rules when creating SQLAlchemy models, migrations, and database constraints.

Parent table	Child table	Cardinality	Foreign key / constraint	What it means
users	websites	1 to 0..*	websites.user_id -> users.id	A user may manage many websites; every website has one user.
websites	analysis_runs	1 to 0..*	analysis_runs.website_id -> websites.id	A website may be scanned many times; every run belongs to one website.
analysis_runs	keywords	1 to 0..*	keywords.analysis_run_id -> analysis_runs.id	One run may discover many keyword candidates.
analysis_runs	suggestions	1 to 0..*	suggestions.analysis_run_id -> analysis_runs.id	One run may generate many AEO, SEO/content, and SEM suggestions.
analysis_runs	technical_findings	1 to 0..*	technical_findings.analysis_run_id -> analysis_runs.id	One run may detect many technical issues.
analysis_runs	reports	1 to 0..1	reports.analysis_run_id FK + UNIQUE	A completed run gets one immutable report; an unfinished run may have none.
websites	reports	1 to 0..*	reports.website_id -> websites.id	A website keeps report history across all runs.
websites	organizer_items	1 to 0..*	organizer_items.website_id -> websites.id	A website owns one ongoing task pipeline across multiple scans.
suggestions	organizer_items	1 to 0..1	organizer_items.suggestion_id FK + UNIQUE	An accepted suggestion may create one task; a task has one source suggestion.
organizer_items	organizer_stage_history	1 to 0..*	stage_history.organizer_item_id -> organizer_items.id	Every task can record many stage changes over time.
suggestions + keywords	suggestion_keywords	many to many	composite PK: suggestion_id + keyword_id	A suggestion can target many keywords; a keyword can support many suggestions.
suggestions + findings	suggestion_technical_finding	many to many	composite PK: suggestion_id + finding_id	A suggestion can address many findings and vice versa.
suggestions	suggestions	1 to 0..*	cheaper_alternative_to_id nullable self-FK	A lower-cost SEM suggestion can point back to the expensive suggestion it replaces.

IMPLEMENTATION RULES

1. Keep suggestions.acceptance_status separate from organizer_items.stage: accepting work is not completing it.
2. organizer_items.stage is the only stored work stage: backlog, in_production, in_review, published.
3. Valid suggestion categories: aeo, seo_content, sem. Cost and ad fields remain NULL unless category = sem.
4. Dismiss reasons: not_relevant, too_much_work, already_doing_this, other. Require a reason only when dismissed.
5. Constrain health_score to 0-100 and enforce the unique rules listed on page 1.
6. Reports are snapshots: never recalculate an old report when scoring logic changes; comparisons are computed from two saved rows.
7. Process scraped content temporarily; store affected URLs on suggestions/findings, never raw HTML or page snapshots.