





A Back to Dashboard

5	Manage	Jenkins
~		

Filter:

abled				Name ↓	,	Version	Previously installed version	Uninstall
•	Ant Plugin					<u>1.8</u>		Uninstal
	Adds Apache A	Ant suppor	t to Jenkins			_		
4	Apache HttpCompo	nents Clie	ent 4.x API PI	<u>igin</u>		4.5.3-2.1		
	Bundles Apach	e HttpCor	nponents Clie	nt 4.x and allows it to be used by Jenk				
•	Authentication Toke	ens API Plu	<u>ugin</u>			<u>1.3</u>		
	This plugin prov	vides an A	API for conver	ting credentials into authentication toke	ens in Jenkins.			
•	Autofavorite for Blue	e Ocean				1.2.1		
	Automatically fa	avorites m	ultibranch pip	eline jobs when user is the author				
	Bitbucket Branch So	ource Plug	<u>gin</u>					
				ırce for multi-branch projects. It also p d Team Folder (also known as reposit		2.2.9		
<b>✓</b>	Bitbucket Pipeline for	or Blue Oc	<u>cean</u>			1.4.0		
	BlueOcean Bith	oucket pip	eline creator			11.1.0		
•	Blue Ocean					1.4.0		Uninsta
	BlueOcean Ago	gregator				1.1.0		Omnota
4	Blue Ocean Core JS	<u>S</u>				1.4.0		
	Blue Ocean Pipeline	e Editor						
<b>*</b>	The Blue Ocea creating Pipelin	-		simplest way for anyone wanting to ge	t started with	<u>1.4.0</u>		
<b>✓</b>	bouncycastle API P	<u>lugin</u>				2.16.2		
	This plugin prov	vides an s	table API to I	Souncy Castle related tasks.		2.10.2		
<b>4</b>	Branch API Plugin					2.0.18		
	This plugin prov	vides an A	API for multipl	e branch based projects.		2.0.10		
	Build Timeout							
	This plugin allo has elapsed.	ws builds	to be automa	tically terminated after the specified ar	nount of time	<u>1.19</u>		Uninsta
<b>✓</b>	Command Agent La	auncher Pl	<u>lugin</u>			<u>1.2</u>		
	Allows agents t	to be laund	ched using a	specified command.				01111011
4	Common API for Blu	ue Ocean				1.4.0		
	This plugin is a	part of Bl	ue Ocean UI					
4	Config API for Blue	<u>Ocean</u>				1.4.0		
	BlueOcean Ana	alytics Too	ls plugin			1.1.0		
	Config File Provider	r Plugin						
		_	-	g. settings.xml for maven, XML, groover the ground state of the gr	y, custom	<u>2.17</u>		
	Credentials Binding	Plugin						
<b>*</b>	Allows credenti steps.	ials to be t	oound to envi	onment variables for use from miscell	aneous build	<u>1.14</u>		
•	Credentials Plugin					2.1.16		
	This plugin allo	ws you to	store creden	ials in Jenkins.		<u> </u>		
<b>√</b>	Dashboard for Blue	Ocean				1.4.0		

kins	Plugin Manager				
<b>*</b>	Design Language	<u>1.4.0</u>			
	Display URL API				
<b>*</b>	Provides the DisplayURLProvider extension point to provide alternate URLs for use in notifications	2.2.0			
•	Display URL for Blue Ocean	2.2.0			
	This plugin generates BlueOcean specific URLs for the Display URL plugin.	<u>2.2.0</u>			
4	Docker Commons Plugin	<u>1.11</u>			
	Provides the common shared functionality for various Docker-related plugins.				
4	Docker Pipeline	<u>1.15</u>	Downgrade to 1.14		
	Build and use Docker containers from pipelines.				
	<u>Durable Task Plugin</u>	4.47			
1	Library offering an extension point for processes which can run outside of Jenkins yet be monitored.	<u>1.17</u>			
	Email Extension Plugin				
<b>/</b>	This plugin is a replacement for Jenkins's email publisher. It allows to configure every aspect of email notifications: when an email is sent, who should receive it and what the email says	<u>2.61</u>		Uninstall	
	Events API for Blue Ocean	1.4.0			
1	Blue Ocean Events	<u>1.4.0</u>			
/	<u>Favorite</u>	<u>2.3.1</u>			
	This plugin allows users to favorite a job.	<u>2.3.1</u>			
	Folders Plugin				
	This plugin allows users to create "folders" to organize jobs. Users can define custom taxonomies (like by project type, organization type etc). Folders are nestable and you can define views within folders. Maintained by CloudBees, Inc.	6.3			
	Git client plugin	0.7.4	Downgrade to 2.7.0		
	Utility plugin for Git support in Jenkins	<u>2.7.1</u>	Downgrade to 2.7.0		
•	Git Pipeline for Blue Ocean	4.40			
	BlueOcean Git SCM pipeline creator	<u>1.4.0</u>			
	<u>Git plugin</u>				
	This plugin integrates <u>Git</u> with Jenkins.	<u>3.7.0</u>			
	GIT server Plugin				
	Allows Jenkins to act as a Git server.	<u>1.7</u>			
	GitHub API Plugin				
	This plugin provides GitHub API for other plugins.	<u>1.90</u>			
	GitHub Branch Source Plugin				
	Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc.	<u>2.3.2</u>			
	GitHub Pipeline for Blue Ocean				
/	BlueOcean GitHub organization pipeline creator	<u>1.4.0</u>			
	GitHub plugin				
	This plugin integrates <u>GitHub</u> to Jenkins.	<u>1.29.0</u>			
	Gradle Plugin				
<b>✓</b>	This plugin allows Jenkins to invoke <u>Gradle</u> build scripts directly.	<u>1.28</u>		Uninstall	
	Handy Uri Templates 2.x API Plugin				
1	Bundles Handy Uri Templates 2.x and allows it to be used by Jenkins plugins	<u>2.1.6-1.0</u>			
	HTML Publisher plugin				
	This plugin publishes HTML reports.	<u>1.14</u>			
	i18n for Blue Ocean				
1	Blue Ocean Internationalization (i18n) Plugin. This plugin is a part of the Blue Ocean Plugin set.	1.4.0			
	Jackson 2 API Plugin	0.0.45.1			
4	This plugin exposes the Jackson 2 JSON APIs to other Jenkins plugins.	<u>2.8.10.1</u>			
	JavaScript GUI Lib: ACE Editor bundle plugin				
•	JavaScript GUI Lib: ACE Editor bundle plugin.	<u>1.1</u>			
4	JavaScript GUI Lib: Handlebars bundle plugin	<u>1.1.1</u>			

	- Process of the Proc		
Jenkins	Plugin Manager		
•	JavaScript GUI Lib: jQuery bundles (jQuery and jQuery UI) plugin	<u>1.2.1</u>	
	JavaScript GUI Lib: jQuery bundles (jQuery and jQuery UI) plugin.		
4	JavaScript GUI Lib: Moment.js bundle plugin  JavaScript GUI Lib: Moment.js bundle plugin.	<u>1.1.1</u>	
4	JIRA Integration for Blue Ocean	140	
		<u>1.4.0</u>	
•	JIRA plugin	<u>2.5.1</u>	
	This plugin integrates Jenkins to <u>Atlassian JIRA</u> .		
4	JSch dependency plugin	0.1.54.1	
	Jenkins plugin that brings the JSch library as a plugin dependency, and provides an SSHAuthenticatorFactory for using JSch with the ssh-credentials plugin.	<u>0.1.04.1</u>	
4	JUnit Plugin	1.23	
	Allows JUnit-format test results to be published.		
•	JWT for Blue Ocean	1.4.0	
	BlueOcean JWT plugin: Enables JWT based BlueOcean API authentication		
•	LDAP Plugin	<u>1.18</u>	Uninstall
	Adds LDAP authentication to Jenkins		
<b></b>	Mailer Plugin	<u>1.20</u>	
	This plugin allows you to configure email notifications for build results		
4	MapDB API Plugin	1.0.9.0	
	This plugin provides a shared dependency on the <a href="MapDB">MapDB</a> library so that other plugins can co-operate when using this library.	1.0.9.0	
	Matrix Authorization Strategy Plugin	2.2	
√	Offers matrix-based security authorization strategies (global and per-project).	<del>a</del>	
	Matrix Project Plugin	<u>1.12</u>	
	Multi-configuration (matrix) project type.	<u>.</u>	
	Mercurial plugin		
<b>*</b>	This plugin integrates Mercurial SCM with Jenkins. It includes repository browsing support for hg serve/hgweb, Google Code, Bitbucket, FishEye, KilnHG and RhodeCode. Features include guaranteed clean builds, named branch support, module lists, Mercurial tool installation, and automatic caching.	2.2	
	NodeJS Plugin		
•	NodeJS Plugin executes NodeJS script as a build step.	<u>1.2.4</u>	Uninstall
	OWASP Markup Formatter Plugin		
✓	Uses the <u>OWASP Java HTML Sanitizer</u> to allow safe-seeming HTML markup to be entered in project descriptions and the like.	<u>1.5</u>	
•	PAM Authentication plugin	1.3	Uninotall
	Adds Unix Pluggable Authentication Module (PAM) support to Jenkins	<u>1.3</u>	Uninstall
4	Personalization for Blue Ocean	1.4.0	
	Blue Ocean Personalization	1.4.0	
	<u>Pipeline</u>		
	A suite of plugins that lets you orchestrate automation, simple or complex. See <u>Pipeline as Code with Jenkins</u> for more details.	<u>2.5</u>	Uninstall
4	Pipeline Graph Analysis Plugin	<u>1.6</u>	
	Provides a REST API to access pipeline and pipeline run data.	1.0	Omnotan
	Pipeline implementation for Blue Ocean	1.4.0	
	This plugin is a part of BlueOcean Plugin		
	Pipeline NPM Integration Plugin		
•	This plugin provides integration with Pipeline, configures npm environment to use within a pipeline job by calling sh npm or bat npm. The select npmrc will be configured and placed in the workspace prior to the build in order to take precedence over any user or global npmrc.	0.9.2	Uninstall
4	Pipeline SCM API for Blue Ocean	1.4.0	
	This plugin is a part of BlueOcean Plugin		
•	Pipeline Utility Steps	<u>1.5.1</u>	Uninstall
	Utility steps for pipeline jobs.	0.05	
•	Pipeline: API	<u>2.25</u>	

Jenkins	Plugin Manager			
•	Pipeline: Basic Steps	2.6		
	Commonly used steps for Pipelines.			
•	Pipeline: Build Step	<u>2.7</u>		
	Adds the Pipeline step build to trigger builds of other jobs.			
4	Pipeline: Declarative	1.2.7	Downgrade to 1.2.6	
	An opinionated, declarative Pipeline.			
4	Pipeline: Declarative Agent API	<u>1.1.1</u>		
	Replaced by Pipeline: Declarative Extension Points API plugin.			
4	Pipeline: Declarative Extension Points API	1.2.7	Downgrade to 1.2.6	
	APIs for extension points used in Declarative Pipelines.			
•	Pipeline: GitHub Groovy Libraries	<u>1.0</u>		Uninstall
	Allows Pipeline Grrovy libraries to be loaded on the fly from GitHub.			
•	Pipeline: Groovy	2.43		
•	Pipeline execution engine based on continuation passing style transformation of Groovy scripts.	<u>2.43</u>		
•	Pipeline: Input Step	<u>2.8</u>		
	Adds the Pipeline step input to wait for human input or approval.			
4	Pipeline: Job	<u>2.17</u>		
	Defines a new job type for pipelines and provides their generic user interface.	<u> </u>		Omnotan
4	Pipeline: Milestone Step	1.3.1		
	Plugin that provides the milestone step	<u></u>		0111101111
•	Pipeline: Model API	1.2.7	Downgrade to 1.2.6	
	Model API for Declarative Pipeline.		3	01111011111
	Pipeline: Multibranch			
•	Enhances Pipeline plugin to handle branches better by automatically grouping builds from different branches.	<u>2.17</u>		
	Pipeline: Nodes and Processes			
<b>√</b>	Pipeline steps locking agents and workspaces, and running external processes that may survive a Jenkins restart or slave reconnection.	2.18		
•	Pipeline: REST API Plugin	<u>2.9</u>		
	Provides a REST API to access pipeline and pipeline run data.	<u>2.9</u>		
	Pipeline: SCM Step			
<b>ℯ</b>	Adds a Pipeline step to check out or update working sources from various SCMs (version control).	<u>2.6</u>		
•	Pipeline: Shared Groovy Libraries	<u>2.9</u>		
	Shared libraries for Pipeline scripts.	<u>2.5</u>		
•	Pipeline: Stage Step	<u>2.3</u>		
	Adds the Pipeline step stage to delineate portions of a build.	2.0		
•	Pipeline: Stage Tags Metadata	1.2.7	Downgrade to 1.2.6	
	Library plugin for Pipeline stage tag metadata.	1.2.7	Downgrado to 112.0	
<b>√</b>	Pipeline: Stage View Plugin	<u>2.9</u>		
	Pipeline Stage View Plugin.	2.0		
•	Pipeline: Step API	2.14		
	API for asynchronous build step primitive.			0111101111
•	Pipeline: Supporting APIs	2.17		
	Common utility implementations to build Pipeline Plugin			
•	Plain Credentials Plugin	<u>1.4</u>		
	Allows use of plain strings and files as credentials.			
✓	Pub-Sub "light" Bus	<u>1.12</u>		
	A simple Publish-Subscribe light-weight event bus for Jenkins			
	Resource Disposer Plugin			
<b>√</b>	Dispose resources asynchronously. Utility plugin for resources that require more retries or take a long time to delete.	<u>0.8</u>		
•	REST API for Blue Ocean	1.4.0		
		1. 1.0		

	Physic Manager			
enkins	Plugin Manager			
•	REST Implementation for Blue Ocean	1.4.0		
	This plugin is a part of Blue Ocean UI			
4	SCM API Plugin	2.2.6		
	This plugin provides a new enhanced API for interacting with SCM systems.			
	Script Security Plugin			
4	Allows Jenkins administrators to control what in-process scripts can be run by less-privileged	<u>1.40</u>		
	users.			
4	Server Sent Events (SSE) Gateway Plugin	<u>1.15</u>		
	Server Sent Events (SSE) Gateway.			
•	SSH Credentials Plugin	1.13		
	Allows storage of SSH credentials in Jenkins			
•	SSH Slaves plugin	1.25.1	Downgrade to 1.25	Uninsta
	Allows to launch agents over SSH, using a Java implementation of the SSH protocol.			
•	Structs Plugin	<u>1.10</u>		
	Library plugin for DSL plugins that need names for Jenkins objects.	1.10		
•	Subversion Plug-in	2.10.2		Uninsta
	<u>Timestamper</u>	100		
<b>/</b>	Adds timestamps to the Console Output	<u>1.8.9</u>		Uninsta
	Token Macro Plugin	0.0		
4	This plug-in adds reusable macro expansion capability for other plug-ins to use.	<u>2.3</u>		
	Variant Plugin			
4	This user-invisible library plugin allows other multi-modal plugins to behave differently	<u>1.1</u>		
	depending on where they run.			
<b>4</b>	Web for Blue Ocean	1.4.0		
	Blue Ocean core	1.7.0		
<b>√</b>	Windows Slaves Plugin	<u>1.3.1</u>		
	Allows you to connect to Windows machines and start slave agents on them.	1.3.1		
•	Workspace Cleanup Plugin	0.24		
	This plugin deletes the project workspace after a build is finished.	0.34		Uninsta

Page generated: Jan 31, 2018 1:38:23 AM UTC REST API Jenkins ver. 2.89.3