

The diagram illustrates a data processing pipeline across three environments: HP-UX (Warehouse), NT - nwprod02, and NT - nwprod03.

HP-UX (Warehouse) Environment:

- Source Data:** Includes tables like `flowglcminus1`, `flowglfrgn_cminus1`, `flowglpl`, `flowglb3`, and `flowz0cd`. It also includes a `z0_set_of_books.dat` file.
- Processing Steps:**
 - nwz2ta11, nwz2ta12, nwz2ta13:** Create Temp Table (`crtab_nw_z2_multi1.sql`).
 - nwz2dt11:** Drop Temp Tables (`deltab_nw_z2_temp_cminus1.sql`).
 - nwz2sl11, nwz2sl14, nwz2sl12, nwz2sl13, nwz2sl15:** Spool data (Averages, Plan, Actuals, Statistics, Plan Stats).
 - nwz2so11, nwz2so14, nwz2so12, nwz2so13, nwz2so15:** Aggregating data (Averages, Plan, Actuals, Statistics, Plan Stats).
 - nwz2ln11, nwz2ln12, nwz2ln13:** Dummy tables.
 - z2_select_*.dat and z2_sort_*.dat:** Spool1 INFIL and OUTFILE2 files.
 - Symbolic links:** `z2_sort_*.dat` files are linked to `OFFILE1_LINK` or `OFFILE2`.

NT - nwprod02 Environment:

- Processing Steps:**
 - nwz2ca11, nwz2ca12, nwz2ca13:** Build Averages Cubes, Build Actuals Cubes, Build Statistics Cubes.
 - z2_glcube_*.mdl:** Cube definition files.
 - z0_set_of_books_ifrs.dat:** Symbolic link file.

NT - nwprod03 Environment:

- Processing Steps:**
 - nwz2ft14, nwz2ft16, nwz2ft18:** Final processing steps.
 - nwz2mss3:** End stream message (`nw_nw_message_01.sql`).
 - nw_sys_message:** Final output table.

Data Flow Summary:

- Data flows from HP-UX (Warehouse) to NT - nwprod02.
- Data flows from NT - nwprod02 to NT - nwprod03.
- Data flows from NT - nwprod03 to HP-UX (Warehouse).